

## EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSORS AND MAIN STORAGE</b>				
3115	Processing Unit (for Model 115 system):			
	Model F; 65,536 bytes	97,700	309.00	2,585
	Model FE; 98,304 bytes	101,200	314.00	2,730
	Model G; 131,072 bytes	104,700	319.00	2,875
	Model GE; 163,840 bytes	108,200	326.00	3,020
	Model GF; 196,608 bytes	115,150	337.00	3,255
3115-2	Processing Unit (for Model 115-2 system):			
	Model F2; 65,536 bytes	128,200	362.00	3,400
	Model FE2; 98,304 bytes	131,700	368.00	3,545
	Model G2; 131,072 bytes	135,200	373.00	3,690
	Model GE2; 163,840 bytes	138,700	378.00	3,835
	Model GF2; 196,608 bytes	142,200	383.00	3,980
	Model H2; 262,144 bytes	149,200	394.00	4,270
	Model HG2; 393,216 bytes	167,100	420.00	4,955
3125	Processing Unit (for Model 125 system):			
	Model FE; 98,304 bytes	161,300	382.00	4,285
	Model G; 131,072 bytes	164,800	387.00	4,430
	Model GE; 163,840 bytes	168,300	394.00	4,575
	Model GF; 196,608 bytes	171,800	399.00	4,720
	Model H; 262,144 bytes	178,800	411.00	5,010
3125-2	Processing Unit (for Model 125-2 system):			
	Model FE2; 98,304 bytes	181,650	429.00	4,825
	Model G2; 131,072 bytes	185,150	435.00	4,970
	Model GE2; 163,840 bytes	188,650	440.00	5,115
	Model GF2; 196,608 bytes	192,150	446.00	5,260
	Model H2; 262,144 bytes	199,150	457.00	5,550
	Model HG2; 393,216 bytes	217,050	484.00	6,235
	Model I2; 524,288 bytes	231,050	506.00	6,815
3135**	Processing Unit (for Model 135 system):			
	Model FE; 98,304 bytes	252,800	497.00	6,355
	Model GD; 147,456 bytes	284,950	529.00	7,370
	Model GF; 196,608 bytes	317,100	560.00	8,385
	Model H; 262,144 bytes	350,550	731.00	9,740
	Model HF; 327,680 bytes	372,450	712.00	10,440
	Model HG; 393,216 bytes	394,350	766.00	11,140
	Model I; 524,288 bytes	438,150	874.00	12,450
3135-3**	Processing Unit (for Accelerated Model 135-3):			
	Model A1; 262,144 bytes	470,550	801.00	13,240
	Model A2; 327,680 bytes	492,450	855.00	13,940
	Model A3; 393,216 bytes	514,350	909.00	14,640
	Model A4; 524,288 bytes	558,150	1,020.00	16,040
3138	Processing Unit (for Model 138 system):			
	Model I; 524,288 bytes	278,600	1,275.00	9,600
	Model J; 1,048,576 bytes	333,600	1,335.00	11,500
3046	Power Unit (required for 3135, 3135-3, or 3138)	8,845	30.00	356
3145**	Processing Unit (for Model 145 system):			
	Model GE; 163,840 bytes	534,700	1,150.00	13,890
	Model GFD; 212,992 bytes	566,800	1,185.00	14,930
	Model H; 262,144 bytes	598,900	1,215.00	15,970
	Model HG; 393,316 bytes when used with a 3345 Model 1 or 4	600,050	1,215.00	15,990
	Model I; 524,288 bytes when used with a 3345 Model 2 or 5	601,200	1,215.00	16,010
	Model H2; 262,144 bytes	585,200	1,175.00	15,660
	Model HG2; 393,316 bytes	644,050	1,280.00	17,570
	Model I2; 524,288 bytes	688,700	1,395.00	18,960
	Model IH2; 786,432 bytes	778,000	1,610.00	21,750
	Model J2; 1,048,576 bytes	867,300	1,825.00	24,540
	Model JI2; 1,572,964 bytes	1,062,100	2,245.00	30,630
	Model K2; 2,097,152 bytes	1,240,700	2,665.00	32,210
3345**	Storage and Control Frame (for Model 145):			
	Model 1; requires Model HG processor, 393,216 bytes	104,950	96.50	3,285
	Model 2; requires Model I processor, 524,288 bytes	189,650	178.00	6,015
	Model 3; requires Model H processor and below, Integrated 3330/33/40/44/50 Disk Storage Control	68,730	91.00	1,420
	Model 4; requires Model HG processor, 393,216 bytes plus Integrated 3330/40/44/50 Disk Storage Control	167,850	189.00	4,615
	Model 5; requires Model I processor, 524,288 bytes plus Integrated 3330/40/44/50 Disk Storage Control	252,550	270.00	7,325
8100	Two-Channel Switch for 3345 Model 3, 4, or 5 or 3145	8,845	11.00	228
3046	Power Unit (required for 3345 Model 1, 2, 4, or 5)	13,580	30.00	356
3047	Power Unit (required for 3145 Models H2 through K2)	14,440	29.00	378
3145-3**	Processing Unit (for Accelerated Model 145-3):			
	Model A1; 196,608 bytes	775,200	1,380.00	21,260
	Model A2; 327,680 bytes	834,050	1,485.00	23,170
	Model A3; 458,752 bytes	878,700	1,600.00	24,560
	Model A4; 720,896 bytes	968,000	1,810.00	27,350
	Model A5; 983,040 bytes	1,057,300	2,030.00	30,140
	Model A6; 1,507,308 bytes	1,252,100	2,445.00	36,230
	Model A7; 2,031,616 bytes	1,430,700	2,870.00	41,810

\* Rental prices include equipment maintenance.

\*\*Sold on an as-available basis only.

## IBM System/370 EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSORS AND MAIN STORAGE (Continued)</b>				
3148	Processing Unit (for Model 148 system): Model J; 1,048,576 bytes Model K; 2,097,152 bytes	548,450 658,450	2,235.00 2,405.00	19,000 22,800
3155**	Processing Unit (for Model 155 system; requires 3360 Mod. 1, 2, or 3 Processor Storage) Model H; 262,144 bytes Model HG; 393,216 bytes Model I; 524,288 bytes Model IH; 786,432 bytes Model J; 1,048,576 bytes Model JI; 1,572,964 bytes Model K; 2,097,152 bytes	1,017,300 1,018,500 1,019,700 1,044,600 1,047,000 1,134,900 1,162,200	1,675.00 1,675.00 1,675.00 1,690.00 1,690.00 1,740.00 1,745.00	21,180 21,210 21,240 21,750 21,810 23,600 24,170
3360**	Processor Storage (for Model 155): Model 1; 262,144 bytes Model 2; 393,216 bytes Model 3; 524,288 bytes	139,300 209,000 279,700	207.00 310.00 413.00	3,060 4,590 6,120
3158**	Processing Unit (for Model 158 system; includes semiconductor main storage as indicated): Model I; 524,288 bytes Model J; 1,048,576 bytes Model JI; 1,572,864 bytes Model K; 2,097,152 bytes Model KJ; 3,145,728 bytes Model L; 4,194,304 bytes Model LJ; 5,242,880 bytes Model LK; 6,291,456 bytes	1,295,200 1,350,200 1,405,200 1,460,200 1,585,200 1,695,200 1,805,200 1,915,200	2,315.00 2,385.00 2,455.00 2,525.00 2,735.00 2,875.00 3,015.00 3,155.00	38,120 40,020 41,920 43,820 48,140 51,940 55,740 59,540
3158**	Processing Unit (for Attached Processing Unit Model 1): Model AP1; 524,288 bytes Model AP2; 1,048,576 bytes Model AP3; 1,572,864 bytes Model AP4; 2,097,152 bytes Model AP5; 3,145,728 bytes Model AP6; 4,194,304 bytes Model AP7; 5,242,880 bytes Model AP8; 6,291,456 bytes	1,344,200 1,399,200 1,399,200 1,454,200 1,509,200 1,634,200 1,744,200 1,854,200	2,715.00 2,785.00 2,855.00 2,925.00 3,135.00 3,275.00 3,415.00 3,555.00	39,750 41,650 43,550 45,450 49,770 53,570 57,370 61,170
3158 MP**	For Model 158 MP (multiprocessing) systems: Model MP1; 524,288 bytes Model MP2; 1,048,576 bytes Model MP3; 1,572,864 bytes Model MP4; 2,097,152 bytes Model MP5; 3,145,728 bytes Model MP6; 4,194,304 bytes	1,423,200 1,478,200 1,533,200 1,588,200 1,713,200 1,823,200	2,385.00 2,455.00 2,525.00 2,595.00 2,805.00 2,945.00	41,740 43,640 45,540 47,440 51,760 55,560
3158-3**	Uniprocessor Models: Model U31; 524,288 bytes Model U32; 1,048,576 bytes Model U33; 1,572,864 bytes Model U34; 2,097,152 bytes Model U35; 3,145,728 bytes Model U36; 4,194,304 bytes Model U37; 5,242,880 bytes Model U38; 6,291,456 bytes	1,381,000 1,436,100 1,491,000 1,546,100 1,671,100 1,781,100 1,891,000 2,001,100	2,360.00 2,430.00 2,500.00 2,570.00 2,780.00 2,920.00 3,060.00 3,200.00	42,280 44,180 46,080 47,980 52,300 56,100 59,900 63,700
3158-3**	Multiprocessor Models: Model M31; 524,288 bytes Model M32; 1,048,576 bytes Model M33; 1,572,864 bytes Model M34; 2,097,152 bytes Model M35; 3,145,728 bytes Model M36; 4,194,304 bytes Model M37; 5,242,880 bytes Model M38; 6,291,456 bytes	1,509,100 1,564,100 1,619,100 1,674,100 1,799,100 1,909,100 2,019,100 2,129,100	2,430.00 2,500.00 2,570.00 2,640.00 2,850.00 2,990.00 3,130.00 3,270.00	45,900 47,800 49,700 51,600 55,920 59,720 63,520 67,320
3052-1	Attached Processing Unit (for Model 158 APS)	380,000	2,200.00	12,670
5552	Storage Attach Feature	2,700	15.00	90
3056-1	Remote System Console	20,800	10.00	545
3058-1	Multisystem Unit (required in Model 158 MP systems)	46,990	21.50	1,370
4600	I/O Assignment Switch Expansion (for 3058)	5,495	1.00	112
3165	Processing Unit (for Model 165 system, requires 3360 Mod. 4 or 5 Processor Storage): Model 1; 524,288 bytes Model J; 1,048,576 bytes Model JI; 1,572,864 bytes Model K; 2,097,152 bytes Model KJ; 3,145,728 bytes	1,814,600 1,819,900 1,841,900 1,858,200 1,913,100	2,790.00 2,800.00 2,835.00 2,885.00 2,980.00	37,790 37,900 38,370 38,680 39,820

NOTE: A purchased Model 155 Processing Unit can be converted into a Model 155-II by field installation of the Dynamic Address Translation facility at a one-time charge of \$200,000 and a \$630 increase in the monthly maintenance charge. A purchased Model 165 can be similarly converted into a Model 165-II at a one-time charge of \$400,000 and a \$1,000 increase in the monthly maintenance charge.

\* Rental prices include equipment maintenance.  
\*\*Sold on an as-available basis only.

## IBM System/370

### EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSORS AND MAIN STORAGE (Continued)</b>				
3066-1**	System Console; provides switches, lights, display, and control functions (required in Model 165 system)	128,150	552.00	3,825
3067-1**	Power and Coolant Distribution Unit (required in Model 165 system)	95,130	131.00	2,825
9447	208/230-volt Motor Generator Set (for Model 165)	16,860	—	Purchase-only
9449	440-volt Motor Generator Set (for Model 165)	16,860	—	Purchase-only
3360	Processor Storage (for Model 165): Model 4; 262,144 bytes Model 5; 524,288 bytes	139,300 279,700	187.00 372.00	3,060 6,120
3168**	Processing Unit (for Model 168 system; includes semiconductor main storage as indicated): Model J; 1,048,576 bytes Model K; 2,097,152 bytes Model KJ; 3,145,728 bytes Model L; 4,194,304 bytes Model LJ; 5,242,860 bytes Model LK; 6,291,456 bytes Model LKJ; 7,340,032 bytes Model M; 8,388,608 bytes	2,094,500 2,204,500 2,314,500 2,426,500 2,551,500 2,661,500 2,771,500 2,881,500	5,070.00 5,210.00 5,350.00 5,500.00 5,710.00 5,850.00 5,990.00 6,130.00	61,620 65,420 69,220 73,090 77,410 81,210 85,010 88,810
3168 MP**	For Model 168 MP (multiprocessing systems): Model MP1; 1,048,576 bytes Model MP2; 2,097,152 bytes Model MP3; 3,145,728 bytes Model MP4; 4,194,304 bytes Model MP5; 5,242,860 bytes Model MP6; 6,291,456 bytes Model MP7; 7,340,032 bytes Model MP8; 8,388,608 bytes	2,158,100 2,268,100 2,378,100 2,490,100 2,615,100 2,725,100 2,835,100 2,945,100	5,080.00 5,220.00 5,360.00 5,510.00 5,720.00 5,860.00 6,000.00 6,140.00	63,470 67,270 71,070 74,940 79,260 83,060 86,860 90,660
3168-3**	Uniprocessor Models: Model U31; 1,048,576 bytes Model U32; 2,097,152 bytes Model U33; 3,145,728 bytes Model U34; 4,194,304 bytes Model U35; 5,242,880 bytes Model U36; 6,291,456 bytes Model U37; 7,340,032 bytes Model U38; 8,388,608 bytes	2,311,700 2,421,700 2,531,700 2,643,700 2,768,700 2,878,700 2,988,700 3,098,700	5,180.00 5,320.00 5,460.00 5,610.00 5,820.00 5,960.00 6,100.00 6,240.00	70,920 74,720 78,520 82,390 86,710 90,510 94,310 98,110
3168-3**	Multiprocessor Models: Model M31; 1,048,576 bytes Model M32; 2,097,152 bytes Model M33; 3,145,728 bytes Model M34; 4,194,304 bytes Model M35; 5,242,800 bytes Model M36; 6,291,456 bytes Model M37; 7,340,032 bytes Model M38; 8,388,608 bytes	2,375,300 2,485,300 2,595,300 2,707,300 2,832,300 2,942,300 3,052,300 3,162,300	5,190.00 5,330.00 5,470.00 5,620.00 5,830.00 5,970.00 6,110.00 6,250.00	72,770 76,570 80,370 84,240 88,560 92,360 96,160 99,960
3168-3**	Attached Processor System: Model A31; 1,048,576 bytes Model A32; 2,097,152 bytes Model A33; 3,145,728 bytes Model A34; 4,194,304 bytes Model A35; 5,242,880 bytes Model A36; 6,291,456 bytes Model A37; 7,340,032 bytes Model A38; 8,388,608 bytes	2,357,400 2,467,200 2,577,200 2,689,200 2,814,200 2,924,200 3,034,200 3,144,200	5,600.00 5,740.00 5,880.00 6,030.00 6,240.00 6,380.00 6,520.00 6,660.00	72,910 76,710 80,510 84,380 88,700 92,500 96,300 100,100
2860	Selector Channel (for Models 165 and 168): Mod. 1; one channel Mod. 2; two channels Mod. 3; three channels	112,050 159,600 206,600	63.50 103.00 144.00	2,400 3,420 4,455
1850	Channel-to-Channel Adapter (for 2860) Channel Indirect Data Addressing (required on 2860 for operation in Extended Control mode):	10,820	4.00	256
1861	For 2860 Model 1	7,995	2.00	171
1862	For 2860 Model 2	15,940	3.00	342
1863	For 2860 Model 3	23,910	5.50	515
2870	Byte Multiplexer Channel (for Models 165 and 168): Selector Subchannel—First (for 2870) Selector Subchannel—Second (for 2870) Selector Subchannel—Third (for 2870) Selector Subchannel—Fourth (for 2870)	117,900 19,870 12,010 12,010 12,010	145.00 22.00 13.50 13.50 13.50	2,500 458 285 285 285
6990	Channel Indirect Data Addressing (required on 2870 for operation in Extended Control mode):	10,790	2.50	228
2880	Block Multiplexer Channel (for Models 165 and 168): Mod. 1; one channel Mod. 2; two channels Channel Indirect Data Addressing (required on 2880 for operation in Extended Control mode):	121,850 174,500	288.00 382.00	3,705 5,310
1861	For 2880 Model 1	5,650	1.00	171
1862	For 2880 Model 2	11,240	2.00	342

\* Rental prices include equipment maintenance.

\*\*Sold on an as-available basis only.

## IBM System/370 EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSORS AND MAIN STORAGE (Continued)</b>				
7850	Two-Byte Interface (required on 2880 for attachment of 2305 Model 1 Fixed-Head Storage):			
7851	For 2880 Model 1 or first Channel of Model 2	14,220	5.50	432
	For second channel of 2880 Model 2	14,220	5.50	432
3062-1	Attached Processing Unit (for Model 168 APS)	1,078,000	5,100.00	53,000
3066-2	System Console; provides switches, lights, and control functions (required in Model 168 system)	128,150	552.00	3,825
3066-3	System Console; provides switches, lights, and control functions (required in 3062-1)	132,700	562.00	3,960
3067-2	Power and Coolant Distribution Unit (required in Model 168 system)	95,130	131.00	2,825
3067-3	Power and Coolant Distribution Unit (required in Model 168-3 system)	96,360	132.00	2,875
3067-5	Power and Coolant Distribution Unit (required in 3062-1 APU)	95,130	131.00	2,825
5050	Multiprocessing Feature (for 3066-2)	4,475	1.00	90
5050	Multiprocessing Feature (for 3067-2)	16,720	23.00	342
3068	Multisystem Communication Unit (required in Model 168 MP systems)	500,800	387.00	14,590
3850	Extended Storage Attachment (required on 3068 if either processor has over 4194K bytes)	6,875	No charge	140
4600	I/O Assignment Switch Expansion (for 3068)	5,495	1.00	112
9447	208/230-volt Motor Generator Set (for Model 168)	16,860	—	Purchase-only
9449	440-volt Motor Generator Set (for Model 168)	16,860	—	Purchase-only
<b>PROCESSOR FEATURES AND CHANNELS</b>				
For 3115 Processing Unit (Model 115):				
3898	External Signals Feature	4,125	1.00	110
3900, 3910	Floating Point Feature, including Extended Precision	No charge	No charge	No charge
4101	4K Control Storage Extension	1,335	1.50	55
4650	Integrated 3203 Printer Attachment	3,145	7.50	83
4653	Integrated 3203/5203 Printer Attachment (prerequisite for Feature 4650 or 4690)	3,230	8.50	88
4670	Integrated 2560 MFCM Attachment	5,780	11.50	153
4674	2560 Card Print Control	1,235	2.00	33
4675	3411 Magnetic Tape Adapter	4,125	3.00	110
4690	Integrated 5203 Model 3 Printer Attachment	3,145	7.50	83
4692	Integrated 5213 Model 1 Printer Attachment	4,125	3.00	110
4695	Integrated 5425 MFCU Attachment	5,780	19.50	153
5248	Basic Byte Multiplexer Channel	7,865	20.50	208
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (for 3115)	8,460	25.50	225
4641	Integrated Communications Adapter Extension	3,105	1.50	83
1201	Asynchronous Line Group	1,660	3.00	43
1231	Asynchronous Line, Medium Speed	1,660	2.50	43
1241	Asynchronous Line Pair, Low Speed	2,255	3.50	60
1291, 1292	Auto Call Adapter (line position A1 or A2)	808	1.50	21
1295, 1296	Auto Call Adapter (line position S1 or S2)	808	1.50	21
4743	IBM Leased Line Adapter	417	2.50	15
IBM 1200-bps Line Adapters:				
4781	Non-switched	525	2.50	16
4782	Switched with Auto-Answer	700	3.00	21
4791	Switched with Auto-Answer and Auto-Call	1,935	11.50	71
4792	Line Adapter Base 2	1,020	2.00	28
4793	Line Adapter Base 3	1,020	2.00	28
7100	Synchronous Line Group	1,660	3.00	43
7121	Synchronous Line, High Speed	4,125	8.50	110
7141-7144	Synchronous Line, Medium Speed, with Clock	2,255	3.50	60
7151-7154	Synchronous Line, Medium Speed	1,870	3.00	49
7881	Telegraph Line Pair	2,255	9.00	60
For 3115-2 Processing Unit (Model 115-2)				
3860	Expansion Base; required on 3115-2 Model H2 systems not equipped with RFQ 7B0132 and 7B0141 (to allow both native card reader attachment and the multiplexer channel) and on all 3115-2 systems with a Line Adapter Base 2 or Line Adapter Base 3	1,710	1.00	45
4101, 4102	4K Control Storage Extension	1,335	1.50	55
4210	DASF Control Storage Extension (required for string switch capability)	1,335	1.50	55
5249	Extended Byte Multiplexer Channel (for 25KB transfer rate); requires 5248 Basic Byte Multiplexer Channel	1,330	3.00	35
For 3125 Processing Unit (Model 125)				
3898	External Signals	4,200	1.00	112
3910	Floating Point (including Extended Precision)	No charge	No charge	No charge
4101	First 4K-word Control Storage Increment	1,335	1.50	55
4102	Second 4K-Word Control Storage Increment	1,335	1.50	55
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4500	5424 Card Unit Power Supply	6,715	14.00	179
4505	1403 Printer/5425 Card Unit Power Prerequisite	11,730	39.00	313
4650	Integrated 3203 Printer Attachment	6,505	16.50	173
4662	Integrated 1403 Model 2 Printer Attachment	434	1.00	10
4667	Integrated 1403 Model 2/N1 Printer Attachment	5,455	12.00	145
4668	Integrated 1403 Model N1 Printer Attachment	217	1.00	5
4670	Integrated 2560 Model A1 MFCM Attachment	5,890	12.00	156
4674	2560 Card Print Control	1,250	2.00	33
4675	3411 Magnetic Tape Adapter	4,200	3.50	112
4680	Integrated 3504 Card Reader Attachment	2,730	8.50	72
4685	Integrated 3525 Card Punch Attachment	3,375	11.00	89
4692	Integrated 5213 Console Printer Attachment	4,200	3.50	112
4693	3525 Card Print Control	2,510	3.00	67
4695	Integrated 5425 MFCU Attachment	5,890	21.00	156
5248	Multiplexer Channel	8,405	24.00	224

\* Rental prices include equipment maintenance.

## IBM System/370

### EQUIPMENT PRICES

PROCESSOR FEATURES AND CHANNELS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge
8005	1052 Compatibility	No charge	No charge	No charge
8040	2311 Model 1 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (for 3125)	8,585	27.50	230
4641	Integrated Communications Adapter Extension	3,160	1.50	84
1201	Asynchronous Line Group 1 (ALG 1)	1,685	3.50	43
1202	Asynchronous Line Group 2 (ALG 2)	1,685	3.50	43
1231	Asynchronous Line, Medium Speed, ALG 1	1,685	3.00	43
1232	Asynchronous Line, Medium Speed, ALG 2	1,685	3.00	43
1241	Asynchronous Line Pair, Low-Speed, ALG 1	2,295	4.00	61
1242	Asynchronous Line Pair, Low-Speed, ALG 2	2,295	4.00	61
1291-1296	Auto-Call Adapter (per line position)	824	1.50	21
4743	IBM Leased Line Adapter	424	3.00	15
	IBM 1200-bps Line Adapter:			
4781	Non-switched	535	3.00	16
4782	Switched with Auto-Answer	714	3.50	21
4791	Switched with Auto-Answer and Auto-Call	1,970	12.00	72
4792	Line Adapter Base 2	1,035	2.00	28
4793	Line Adapter Base 3	1,035	2.00	28
7100	Synchronous Line Group	1,685	3.50	43
7121	Synchronous Line, High-Speed	4,200	9.00	112
7131	Synchronous Line, Low-Load, First	4,200	9.00	112
7132	Synchronous Line, Low-Load, Second	4,200	9.00	112
7141-7144	Synchronous Line, Medium-Speed with Clock (per line)	2,295	4.00	61
7151-7154	Synchronous Line, Medium-Speed (per line)	1,905	3.50	49
7881	Telegraph Line Pair, ALG 1	2,295	9.50	61
7882	Telegraph Line Pair, ALG 2	2,295	9.50	61
5213	Printer; 85 char/sec.	4,840	63.00	179
	For 3125-2 Processing Unit (Model 125-2)			
4105	8K Control Storage Extension	2,670	3.50	110
4210	4K DASD Control Storage Extension	1,335	1.50	55
	For 3135 Processing Unit (Model 135):			
1290	Autocall	2,180	1.00	56
1421	Block Multiplexer Channel	No charge	No charge	No charge
1431	Block Multiplexer Shared Subchannel	No charge	No charge	No charge
1501	Channel Priority	No charge	No charge	No charge
2001	Clock Comparator & CPU Timer	No charge	No charge	No charge
3274	Direct Control	5,205	1.00	131
3840	Extended Precision Floating Point	1,485	1.00	30
3900	Floating-Point	No charge	No charge	No charge
3905-3907	Additional Multiplexer Subchannels (64, 128, or 256)	No charge	No charge	No charge
4457	IBM 1401/1440/1460 Compatibility	No charge	No charge	No charge
4650	Integrated File Adapter (IFA) for 2319	28,430	13.00	572
4655	Integrated File Adapter (IFA) for 3330 Series	30,970	3.00	786
4645	Integrated File Adapter Conversion Feature for connecting 3330/3340 drives to 4650 adapter	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	9,470	22.50	242
4722	Second line on ICA	1,900	4.50	47
4723	Third Line on ICA	3,815	9.00	95
4724	Fourth Line on ICA	1,900	4.50	47
4725	Fifth Line on ICA	5,690	14.50	144
4726	Sixth Line on ICA	1,900	4.50	47
4727	Seventh Line on ICA	1,900	4.50	47
4728	Eighth Line on ICA	1,900	4.50	47
4670	Integrated Printer Adapter Basic Control	19,850	19.50	400
4672	Integrated Printer Attachment for 1403 Model 2 or N1	415	.50	10
4677	Integrated Printer Attachment for 1403 Model 7	415	.50	10
6981	Selector Channel No. 1	10,480	4.00	211
6982	Selector Channel No. 2	8,990	4.00	181
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge
7861	Control Storage Expansion; 1st 12K increment	12,330	22.00	252
7862	Control Storage Expansion; 2nd 12K increment	12,330	22.00	252
7844	Adapter for 3210-1 Console Printer-Key-board	5,990	4.00	121
7855	Adapter for 3215 Console Printer-Key-board	10,160	5.00	204
8637	Universal Character Set Adapter	1,630	7.50	40
8150	3333 String Attachment	7,345	10.50	223
8070	2314/3340 Compatibility Feature	1,535	No charge	55
3210-1	Console Printer-Key-board; 15 char/sec.	5,935	146.00	196
3215	Console Printer-Key-board; 85 char/sec.	8,990	82.50	224
	For 3135-3 Processing Unit (Model 135-3):			
1290	Autocall	2,180	1.00	56
1425	Block Multiplexer Channel, 1st	10,480	4.00	211
1426	Block Multiplexer Channel, 2nd	8,990	4.00	181
1431	Block Multiplexer Shared Subchannel	No charge	No charge	No charge
1501	Channel Priority	No charge	No charge	No charge
3274	Direct Control	5,205	1.00	131
3840	Extended Precision Floating Point	1,485	1.00	30
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge

\* Rental prices include equipment maintenance.

IBM System/370  
EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSOR FEATURES AND CHANNELS (Continued)</b>				
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	9,470	22.50	242
4645	IFA Conversion Feature	No charge	No charge	No charge
4650	2319 Integrated File Adapter	28,430	13.00	572
4655	3330/3340 Series IFA	30,970	3.00	786
4670	Integrated Printer Adapter Basic Control	19,850	19.50	400
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	.50	10
4677	Integrated 1403 Printer Model 7 Attachment	415	.50	10
4722	Second Additional Line on ICA	1,900	4.50	47
4723	Third Additional Line on ICA	3,815	9.00	95
4724	Fourth Additional Line on ICA	1,900	4.50	47
4725	Fifth Additional Line on ICA	5,690	14.50	144
4726	Sixth Additional Line on ICA	1,900	4.50	47
4727	Seventh Additional Line on ICA	1,900	4.50	47
4728	Eighth Additional Line on ICA	1,900	4.50	47
7844	3210 Model 1 Adapter	5,990	4.00	121
7855	3215 Adapter	10,160	4.50	204
8070	2314/3340 Compatibility Feature	1,535	No charge	55
8637	Universal Character Set Adapter	1,630	7.50	40
For 3138 Processing Unit (Model 138):				
1290	Autocall	2,180	1.00	56
1431	Block Multiplexer Shared Subchannels	No charge	No charge	No charge
1502	Channel Priority	No charge	No charge	No charge
3274	Direct Control	5,205	1.00	131
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	9,470	25.00	242
4655	3330/3340 Series IFA	30,970	3.00	786
4670	Integrated 1403 Printer Adapter Basic Control	19,850	21.50	400
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	.50	10
4677	Integrated 1403 Printer Model 7 Attachment	415	.50	10
4722	Second Additional Line on ICA	1,900	5.00	47
4723	Third Additional Line on ICA	3,815	10.00	95
4724	Fourth Additional Line on ICA	1,900	5.00	47
4725	Fifth Additional Line on ICA	5,690	16.00	144
4726	Sixth Additional Line on ICA	1,900	5.00	47
4727	Seventh Additional Line on ICA	1,900	5.00	47
4728	Eighth Additional Line on ICA	1,900	5.00	47
8070	2314/3340 Compatibility Feature	1,535	No charge	55
8075	Integrated 3203-4 Printer Attachment, First Printer	5,940	30.00	180
8076	Integrated 3203-4 Printer Attachment, Second Printer	5,940	30.00	180
8637	Universal Character Set Adapter	1,630	8.00	40
For 3145 Processing Unit (Model 145):				
1421	Block Multiplexer Channel Features	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	12,510	13.00	326
2001	Clock Comparator & CPU Timer	5,485	3.00	114
2150	Control Store Extension (prerequisite for 9845)	13,050	10.00	342
2152	Expanded Control Store	20,960	20.50	550
3274	Direct Control	5,640	4.00	146
3910	Floating-Point Instructions	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4650	Integrated File Adapter (IFA) for 2319	32,330	45.00	674
4660	Integrated Storage Control (ISC) for 3330	63,220	91.00	1,310
4951-4954	Additional Multiplexer Subchannels (32, 64, 128, or 256)	No charge	No charge	No charge
6111	Register Expansion	1,035	4.00	31
6982	Selector Channel—2nd	13,240	16.00	277
6983	Selector Channel—3rd	13,240	16.00	277
6984	Selector Channel—4th	13,240	16.00	277
7844	Console Printer Adapter for 3210 Model 1	7,410	4.00	153
7845	Console Printer Adapter for 3210 Model 2	5,925	6.50	123
7855	Console Printer Adapter for 3215	10,380	6.50	215
8100	Two-Channel Switch	8,845	10.00	228
8810	Word Buffer	11,780	6.50	247
8150	3333 String Switch Attachment	7,200	10.00	223
9845	32-Drive Expansion (2150 is prerequisite)	No charge	No charge	No charge
3210	Console Printer-Keyboard; 15 char./sec. Model 1; for local use	5,935	146.00	196
	Model 2; for remote use	6,100	155.00	201
3215	Console Printer-Keyboard; 85 char./sec.	8,990	82.50	224
For 3145-3 Processing Unit (Model 145-3):				
1427	Block Multiplexer Channel, 2nd	13,240	16.00	277
1428	Block Multiplexer Channel, 3rd	13,240	16.00	277
1429	Block Multiplexer Channel, 4th	13,240	16.00	277
1850	Channel-to-Channel Adapter	12,510	13.00	326
2001	Clock Comparator and CPU Timer	5,485	3.00	114
2150	Control Store Expansion	13,050	10.00	342
2152	Expanded Control Store	20,960	20.50	550
3274	Direct Control	5,640	4.00	146
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge

\* Rental prices include equipment maintenance.

## IBM System/370

### EQUIPMENT PRICES

PROCESSOR FEATURES AND CHANNELS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*
4660	Integrated Storage Control	63,220	91.00	1,310
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
6111	Register Expansion	1,035	4.00	31
7844	3210 Model 1 Adapter	7,410	4.00	153
7845	3210 Model 2 Adapter	5,925	6.50	123
7855	3215 Adapter	10,380	6.50	215
8100	Two-Channel Switch	8,845	10.00	228
8810	Word Buffer	11,780	6.50	247
For 3148 Processing Unit (Model 148):				
1450	Block Multiplexer Additional Subchannel	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	12,510	13.00	326
2150	Control Store Extension	13,050	10.00	342
2152	Expanded Control Store	20,960	20.50	550
3274	Direct Control	5,640	4.00	146
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4660	Integrated Storage Control	63,220	101.00	1,310
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
6111	Register Expansion for 4660 Storage Control	1,035	4.00	31
8075	Integrated 3203-4 Printer Attachment, First Printer	5,940	30.00	180
8076	Integrated 3203-4 Printer Attachment, Second Printer	5,940	30.00	180
8100	Two-Channel Switch	8,845	10.00	228
For 3155 Processing Unit (Model 155):				
1433	Third Block Multiplexer Channel	14,970	12.00	429
1434	Fourth Block Multiplexer Channel	13,930	9.00	400
1435	Fifth Block Multiplexer Channel	7,005	4.50	199
1350	Channel-to-Channel Adapter	13,930	8.00	400
3274	Direct Control	3,425	4.00	114
3700	Extended Precision Floating Point	9,615	16.00	199
3950	IBM 1401/1440/1460/7010 Compatibility	18,290	16.00	457
4990	Second Byte Multiplexer Channel	14,970	12.00	429
5450	OS/DOS Compatibility	11,430	16.00	285
7117	7070/7074 Compatibility	49,390	58.50	1,025
7844	Adapter for 3210 1 Printer-Keyboard	8,240	8.00	171
7845	Adapter for 3210 2 Printer-Keyboard	9,315	8.00	193
7855	Adapter for 3215 Printer-Keyboard	10,910	8.00	228
3210	Console Printer-Keyboard; 15 char./sec.: Model 1; for local use	5,935	146.00	179
	Model 2; for remote use	6,100	155.00	183
3215	Console Printer-Keyboard; 85 char./sec.	8,990	105.00	224
For 3158 and 3158-3 Processing Units (Models 158 and 158-3)				
1433	Third Block Multiplexer Channel	16,160	14.00	463
1434	Fourth Block Multiplexer Channel	15,040	11.00	432
1435	Fifth Block Multiplexer Channel	7,565	5.00	215
1850	Channel-to-Channel Adapter	15,040	9.00	432
2150	Control Store Extension (prerequisite for 7220)	32,900	23.00	686
2151, 2152	Expanded Control Storage	19,870	23.00	415
3274	Direct Control	3,705	4.00	123
3700	Extended Precision Floating Point	No charge	No charge	No charge
3950	IBM 1401/1440/1460/1410/7010 Compatibility	No charge	No charge	No charge
4650	Integrated Storage Controls (for 3330 Series)	121,250	258.00	2,510
4990	Second Byte Multiplexer Channel	16,160	14.00	463
5450	OS/DOS Compatibility	No charge	No charge	No charge
5552	Processor Attachment Feature for APS	2,700	15.00	90
5760	Power Warning	5,725	1.00	142
6111	Register Expansion for 4650 Storage Control	2,075	8.50	62
7117	7070/7074 Compatibility	No charge	No charge	No charge
7220	Staging Adapter for ISC	129,950	245.00	2,690
7730	System/370 Extended	65,000	50.00	3,575
7731	System/370 Extended, Additional	4,000	2.00	220
7820	3056 Remote Console Attachment Feature	2,545	4.00	51
7840	3213 Console Printer Attachment	5,545	1.00	114
7905	Two-Channel Switch for Integrated Storage Control	22,230	23.00	458
8150	3333 String Switch Attachment	7,200	10.00	223
3213	Console Printer; 85 char./sec.	7,635	105.00	235
For 3165 Processing Unit (Model 165):				
1432	Buffer Expansion (to 16K bytes)	77,160	52.00	1,610
3850	Extended Channels	24,640	66.00	513
4520	High-Speed Multiply	135,150	104.00	2,815
7117	IBM 7070/7074 Compatibility	140,350	155.00	2,930
7118	IBM 7080 Compatibility	140,350	155.00	2,930
7119	IBM 709/7090/7094 II Compatibility	140,350	155.00	2,930
For 3168 and 3168-3 Processing Units (Models 168 and 168-3)				
1435	Buffer Expansion (to 16K bytes)	83,340	65.50	1,740
2150	Control Store Extension (prerequisite for 7220)	32,900	23.00	686
2151, 2152	Expanded Control Storage	19,870	23.00	415
3855	Extended Channels	26,610	83.00	554
4525	High-speed Multiply	145,950	131.00	3,035
4650	Integrated Storage Controls (for 3330 Series)	121,250	258.00	2,510

\* Rental prices include equipment maintenance.

## IBM System/370 EQUIPMENT PRICES

PROCESSOR FEATURES AND CHANNELS (Continued)		Purchase Price	Monthly Maint.	Purchase Price	Monthly Maint.	Rental (short-term lease)
6111	Register Expansion for 4650 Storage Control			2,000	8.00	
7127	IBM 7070/7074 Compatibility			151,600	197.00	3,160
7128	IBM 7080 Compatibility			151,600	197.00	3,160
7129	IBM 709/7090/7094/7094 II Compatibility			151,600	197.00	3,160
7220	Staging Adapter for ISC			129,950	245.00	2,690
7730	System/370 Extended			65,000	50.00	3,575
7850	3213 Integrated Printer Adapter			2,425	2.00	72
7905	Two-Channel Switch for Integrated Storage Control			22,230	23.00	458
8150	3333 String Switch Attachment			7,200	10.00	223

  

MASS STORAGE		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
2305	Fixed-Head Storage Facility: Mod. 1; 5.4 million bytes	179,100	480.00	5,495	5,055	4,616
	Mod. 2; 11.2 million bytes	142,200	457.00	4,375	4,025	3,675
2835	Storage Control: Mod. 1; for 2305 Mod. 1	109,800	286.00	3,245	2,985	2,726
	Mod. 2; for 2305 Mod. 2	90,900	244.00	2,705	2,489	2,272
2319	Disk Storage (each unit has 3 disk drives and stores a total of 87 million bytes): Model A1; 3 drives and control, for connection to Model 135 or 145 IFA	35,100	254.00	1,080	994	907
	Model A2; 3 additional drives for Model 145	35,100	254.00	1,080	994	907
	Model A3; 3 additional drives for Model 135	35,280	266.00	1,135	1,044	953
	Model B1; 3 drives and control, for connection to 2314-B1 Storage Control	35,100	254.00	1,080	994	907
	Model B2; 3 additional drives for connection to 2314-B1 Storage Control	35,100	254.00	1,080	994	907
2314	Storage Control, Model B1	63,810	82.50	1,650	1,518	1,386
2312	Disk Storage; 1 drive, 29 million bytes	22,920	107.00	599	551	503
2313	Disk Storage; 4 drives, 116 million bytes	75,290	331.00	1,945	1,789	1,634
2318	Disk Storage; 2 drives, 58 million bytes	37,430	185.00	1,030	948	865
3330	Disk Storage: Model 1; 2 drives, 200 million bytes	40,470	170.00	1,450	1,334	1,218**
	Model 2; 1 drive, 100 million bytes	24,170	100.00	862	—	734**
	Model 11; 2 drives, 400 million bytes	57,610	170.00	2,070	1,904	1,739**
3333	Disk Storage and Control (up to three 3330 modules can be attached): Model 1; 2 drives, 200 million bytes	50,720	199.00	1,810	—	1,540**
	Model 11; 2 drives, 400 million bytes	67,860	199.00	2,426	—	2,065**
3830	Storage Control, Model 2 (controls up to four 3333's and twelve 3330's)	74,340	126.00	2,270	—	1,907**
3830	Storage Control, Model 3 (controls up to four 3333's and twelve 3330's in a 3850 Mass Storage System)	144,000	235.00	4,405	—	3,700**
2150	Control Store Extension (for 3830; prerequisite for 9845)	17,190	25.00	526	—	442**
2151	Expanded Control Store	10,510	10.50	322	—	270
2152	Expanded Control Store	10,510	10.50	322	—	270
6111	Register Expansion	1,000	4.00	31	—	26
6148	Remote Switch Attachment	No charge	No charge	No charge	—	No charge
6149	Remote Switch Attachment, Additional	No charge	No charge	No charge	—	No charge
8170	Two-Channel Switch (for 3830)	7,325	10.50	223	—	187
8171	Two-Channel Switch, Additional (for 3830)	7,325	10.50	223	—	187
3336	Disk Pack, Model 1	775	—	—	—	—
3336	Disk Pack, Model 11	1,150	—	—	—	—
3340	Direct Access Storage Facility; 34.9 or 69.8 MB per drive: Model A2; Two drives plus control	36,000	92.00	1,100	—	936**
	Model B1; One drive	19,800	49.00	615	—	523**
	Model B2; Two drives	25,200	79.00	776	—	660**
3344 B2	Add-on Dual Disk Drive for 3340 Direct-Access Storage Facility; 279.6 MB per drive	49,500	150.00	1,351	—	1,150**
3344 B2F	Add-on Dual Disk Drive for 3340 Direct-Access Storage Facility with 2MB fixed-head storage; 279.6 MB per drive	65,000	210.00	1,774	—	1,510
4301	Fixed Head Feature (for 3340 A2 or B2)	1,710	1.50	48	—	41**
6201	Rotational Position Sensing (for 3340 B1)	684	0.50	20	—	17**
6202	Rotational Position Sensing (for 3340 or A2 or B2)	864	0.50	25	—	21**
6148	Remote String Attachment	No charge	No charge	No charge	—	—
8150	String Switch	7,200	12.00	220	—	187**
3348	Data Module (for 3340 drives): Model 35; 34,944,768 bytes	1,600	Time & mat'l.	59	—	50**
	Model 70; 69,889,536 bytes	2,200	Time & mat'l.	82	—	70**
	Model 70F; 69,889,536 bytes, of which 502,080 are served by fixed heads	4,400	Time & mat'l.	165	—	140**

\* Rental prices include equipment maintenance.

\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).



## IBM System/370

### EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
<b>MASS STORAGE (Continued)</b>						
3350 A2	Dual Disk Drive; 317.5 MB per drive	62,500	200.00	1,704	—	1,450**
3350 A2F	Dual Disk Drive with 2MB fixed-head storage; 317.5 MB per drive	78,000	260.00	2,127	—	1,810**
3350 B2	Add-on Dual Disk Drive	49,500	150.00	1,351	—	1,150**
3350 B2F	Add-on Dual Disk Drive with 2MB fixed-head storage; 317.5 MB per drive	65,000	210.00	1,774	—	1,510**
3350 C2	Two-drive disk storage and associated control; 317.5 MB per drive	64,650	210.00	1,763	—	1,500**
3350 C2F	Two-drive disk storage and associated control; 317.5 MB per drive	80,150	270.00	2,186	—	1,860**
1320	Primary Controller Adapter (permits selection of A2/AF controller as on-line controller via manual switch on the C2/C2F)	430	1.50	12	—	10**
3851	Mass Storage Facility:					
	Model A1; 1 control, 35.3 billion bytes	496,050	1,540.00	12,937	—	11,010**
	Model A2; 1 control, 102.2 billion bytes	730,050	2,145.00	19,047	—	16,210**
	Model A3; 1 control, 169.1 billion bytes	964,050	2,750.00	25,157	—	21,410**
	Model A4; 1 control, 236.0 billion bytes	1,198,050	3,355.00	31,267	—	26,610**
	Model B1; 2 controls, 35.3 billion bytes	651,000	1,705.00	16,979	—	14,450**
	Model B2; 2 controls, 102.2 billion bytes	885,000	2,310.00	23,089	—	19,650**
	Model B3; 2 controls, 169.1 billion bytes	1,119,000	2,915.00	29,199	—	24,850**
	Model B4; 2 controls, 236.0 billion bytes	1,353,000	3,520.00	35,309	—	30,050**
4901/4902	Mass Storage Control Twin Port (for 3851)	6,235	2.00	159	—	135**
6148/6150	Remote Switch Attachment (for 3851)	No charge	No charge			
8171/8172	Two Channel Switch, Additional (for 3851)	15,590	5.50	402	—	342**
NOTE:	The older IBM 2311 and 2314-A mass storage devices can also be used in a System/370; for details and prices, please refer to the IBM System/360 report (70C-491-03).					
<b>MAGNETIC TAPE INPUT/OUTPUT</b>						
2803	Tape Control (single-channel; for 2401 or 2420):					
	Mod. 1; for 800 bpi drives	29,200	30.50	729	671	612
	Mod. 2; for 1600 bpi drives	36,040	40.00	898	826	754
	Mod. 3; for 7-track 2401 Model 8 drives	17,190	48.50	503	463	423
5320	Nine-Track Compatibility (for 2803 Mod. 2)	9,925	47.00	256	236	215
7135	Seven- and Nine-Track Compatibility (for 2803 Mod. 2)	16,090	80.50	420	386	353
7185	16-Drive Addressing (for 2803 Mod. 1 or 2)	1,100	1.50	26	24	22
7900	2420 Model 5/7 Attachment (for 2803 Mod. 2)	15,210	14.50	381	351	320
8100	Two-Channel Switch (for 2803 Mod. 1)	3,765	5.50	110	101	92
2804	Tape Control (two-channel; for 2401):					
	Mod. 1; for 800 bpi drives	41,880	56.50	1,040	957	874
	Mod. 2; for 1600 bpi drives	48,710	65.50	1,210	1,113	1,016
	Mod. 3; for 7-Track 2401 Model 8 drives	23,810	74.00	701	645	589
5321	Nine-Track Compatibility (for 2804 Mod. 2)	12,000	35.00	311	286	261
7136	Seven- and Nine-Track Compatibility (for 2804 Mod. 2)	19,400	70.00	503	463	423
2401	Magnetic Tape Unit:					
	Mod. 1; 30,000 bytes/sec; 800 bpi	14,440	113.00	375	345	315
	Mod. 2; 60,000 bytes/sec; 800 bpi	20,940	128.00	544	500	457
	Mod. 3; 90,000 bytes/sec; 800 bpi	33,950	156.00	881	811	740
	Mod. 4; 60,000 bytes/sec; 1600 bpi	16,530	136.00	432	397	363
	Mod. 5; 120,000 bytes/sec; 1600 bpi	23,140	149.00	600	552	504
	Mod. 6; 180,000 bytes/sec; 1600 bpi	36,150	180.00	937	862	787
	Mod. 8; 15,000/41,700/60,000 char/sec; 7-track	15,210	156.00	447	411	375
3471	Dual Density (for 2401 Mod. 4, 5, or 6)	1,100	2.00	26	24	22
5121	Mode Compatibility (for 2401 Mod. 1, 2, or 3)	426	No charge	10	9	8
7160	Simultaneous Read-While-Write (for any 2401)	426	No charge	10	9	8
2420	Magnetic Tape Unit:					
	Mod. 5; 160,000 bytes/sec; 1600 bpi	27,880	181.00	634	583	533
	Mod. 7; 320,000 bytes/sec; 1600 bpi	50,590	198.00	1,140	1,049	958
2816	Magnetic Tape Switching Unit	23,810	4.50	617	568	518
2415	Magnetic Tape Unit and Control:					
	Mod. 1; 2 tape drives; 800 bpi	32,950	187.00	841	774	706
	Mod. 2; 4 tape drives; 800 bpi	52,690	334.00	1,345	1,237	1,130
	Mod. 3; 6 tape drives; 800 bpi	72,420	486.00	1,845	1,697	1,550
	Mod. 4; 2 tape drives; 800/1600 bpi	40,010	214.00	1,015	934	853
	Mod. 5; 4 tape drives; 800/1600 bpi	64,260	382.00	1,630	1,500	1,369
	Mod. 6; 6 tape drives; 800/1600 bpi	88,510	553.00	2,240	2,061	1,882
3228	Data Conversion Feature (for 2415; either 7125, 7127, or 7135 is a prerequisite)	1,935	1.50	49	45	41
5320	Nine-Track Compatibility (for 2415 Mod. 4, 5, or 6)	5,825	15.00	150	138	126
7125	Seven-Track Compatibility (for 2415 Mod. 1, 2, or 3)	2,145	2.00	54	50	45
7127	Seven-Track Compatibility (for 2415 Mod. 4, 5, or 6)	4,085	4.50	105	97	88
7135	Seven- and Nine-Track Compatibility (for Mod. 4, 5, or 6)	6,675	21.00	172	158	144

\* Rental prices include equipment maintenance.

\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

## IBM System/370 EQUIPMENT PRICES

MAGNETIC TAPE INPUT/OUTPUT (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
3410	Magnetic Tape Unit: Model 1; 20 KB	7,065	61.50	206	190	173
	Model 2; 40/20 KB	9,450	68.00	274	252	230
	Model 3; 80/40 KB	11,700	75.00	342	315	287
3411	Magnetic Tape Unit and Control: Model 1; 20 KB	15,570	95.00	454	418	381
	Model 2; 40/20 KB	19,710	102.00	578	532	486
	Model 3; 80/40 KB	24,030	109.00	701	645	589
3211	Single Density Feature (for 3410 & 3411)	2,295	9.50	60	55	50
3221	Dual Density Feature (for 3410 & 3411)	3,305	36.50	88	81	74
7360	System/360/370 Attachment (required on 3411)	5,780	20.00	166	153	139
7361	Model 115 or 125 Attachment (for 3411)	3,850	5.00	110	101	92
3803	Tape Control: Model 1; for 3420 Model 3, 5, and 7 drives	23,670	109.00	757	696	636**
	Model 2; for 3420 Model 4 through 8 drives	39,420	150.00	1,101	1,013	925**
5310	9-Track NRZI Feature (permits connection of 800-bpi drives to 3803-2)	3,530	1.50	110	101	92**
6320	7-Track NRZI Feature (permits connection of 7-track drives to 3803-2; 5310 is prerequisite)	1,735	1.50	54	50	45**
	Multiple Tape Control Switches (for switching up to sixteen 3420 tape drives between up to four 3803 control units):					
1792	For 2 Tape Controls	7,020	11.00	223	205	187
1793	For 3 Tape Controls	8,955	17.50	286	263	240
1794	For 4 Tape Controls	10,530	17.50	335	308	281
7850	3803-2 Attachment for 2860 Selector Channel	1,140	1.00	23	—	—
8100	Two-Channel Switch	5,265	5.50	166	153	139
3551	Dual Density Feature (for 3803)	2,630	3.00	83	76	70**
6408	7-Track Feature (for 3803)	2,630	3.00	83	76	70**
8100	Two-Channel Switch (for 3803)	5,265	5.50	166	153	139**
1792	2 x 16 Switching Feature	7,020	11.00	223	205	187**
1793	3 x 16 Switching Feature	8,955	17.50	286	263	240**
1794	4 x 16 Switching Feature	10,530	17.50	335	308	281**
3420	Magnetic Tape Units: Mod. 3; 120,000 bytes/sec at 1600 bpi	13,660	75.50	436	401	366**
	Mod. 4; 470,000 bytes/sec at 6250 bpi	21,960	75.50	608	559	511**
	Mod. 5; 200,000 bytes/sec at 1600 bpi	18,320	83.00	586	539	492**
	Mod. 6; 780,000 bytes/sec at 6250 bpi	25,650	83.00	702	646	590**
	Mod. 7; 320,000 bytes/sec at 1600 bpi	20,520	98.50	694	638	583**
	Mod. 8; 1,250 bytes/sec at 6250 bpi	28,440	121.00	834	767	701**
6420	6250 bpi Density Feature (for 3420 Models 4, 6 and 8)	2,295	41.00	61	56	51**
6425	6250/1600 bpi Density Feature (for 3420 Models 4, 6, and 8)	3,160	49.50	87	80	73**
6631	Single Density Feature (for Models 3, 5, and 7)	3,290	24.50	103	95	87**
3550	Dual Density Feature (for Models 3, 5, and 7)	4,245	41.00	134	123	113**
6407	7-Track Feature (for Models 3, 5, and 7)	3,290	41.00	103	95	87**
<b>DISKETTE INPUT/OUTPUT</b>						
3540	Diskette Input/Output Unit: Model B1; one drive	22,870	31.00	617	—	525**
	Model B2; two drives	34,830	43.00	929	—	791**
<b>PUNCHED CARD I/O</b>						
1442	Card Read Punch (with control), Mod. N1; 400/91 cpm	19,990	127.00	600		
2501	Card Reader (with control): Mod. B1; 600 cpm	16,310	80.00	305		
	Mod. B2; 1000 cpm	16,570	86.50	376		
2520	Card Punch (with control): Mod. B2; 500 cpm	39,340	223.00	955		
	Mod. B3; 300 cpm	39,010	179.00	736		
2540	Card Read Punch; 1000/300 cpm (requires 2121 control unit,	36,920	196.00	836		
2560	Multi-Function Card Machine, Model A1; reads 500 cpm, punches 160 col/sec (for Model 125 only)	21,230	152.00	725		
	Card Print Feature for 2560 Model A1:					
1575	First Two Lines	4,625	20.50	157		
1576	Second Two Lines	4,625	20.50	157		
1577	Third Two Lines	4,625	20.50	157		
3504	Card Reader (for Model 125 only): Model A1; 800 cpm	21,210	103.00	551	—	469**
	Model A2; 1200 cpm	22,250	139.00	669	—	569**
3921	51/80-Column Interchangeable Read Feed (for 3504 Model A2 only)	5,300	51.00	143	—	122**
5450	Optical Mark Read Feature (for 3504)	8,420	48.00	213	—	181**
6555	Selective Stacker Feature (for 3504)	2,375	9.00	56	—	48**
3505	Card Reader: Model B1; 800 cpm	29,940	146.00	665		
	Model B2; 1200 cpm	30,980	199.00	789		

\* Rental prices include equipment maintenance.

\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

## IBM System/370

### EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
<b>PUNCHED CARD I/O (Continued)</b>						
5450	Optical Mark Read (for 3505)	8,420	59.00	216		
6555	Selective Stacker (for 3505)	2,375	11.50	58		
8103	3505 Punch Adapter (for 3505)	5,300	4.50	117		
8105	3525 Read/Punch Adapter (for 3505)	5,830	5.50	147		
8100	3525 Card Print Control (for 3505)	3,175	5.50	66		
3525	Card Punch:					
	Model P1; 100 cpm	21,210	91.50	470		
	Model P2; 200 cpm	22,040	122.00	595		
	Model P3; 300 cpm	22,870	152.00	718		
1533	Card Read Feature (for 3525)	6,360	23.00	140		
1421	Basic Card Print	13,930	90.00	304		
5273	Multi-Line Card Print (for 3525)	1,140	26.00	84		
8339	Two-Line Card Print (for 3525)	727	4.50	15		
5425	Multi-Function Card Unit (for Model 125 only):					
	Model A1; reads 250 cpm, punches 60 cpm, prints 60 cpm	15,560	215.00	680	—	579**
	Model A2; reads 500 cpm, punches 120 cpm, prints 120 cpm	18,960	424.00	885	—	753**
<b>PRINTERS</b>						
2821	Control Unit:					
	Mod. 1 for one 2540 & one 1403	41,770	75.50	1,085	998	911
	Mod. 2; for one 1403	25,900	57.50	674	620	566
	Mod. 3; for two 1403's	51,690	118.00	1,345	1,237	1,130
	Mod. 5; for one 2540 & two 1403's	67,670	133.00	1,750	1,610	1,470
	Mod. 6; for one 2540 only	14,210	166.00	493	454	414
3615	1100 lpm Printer Adapter (for 2821; required for 1403 Mod. 3 or N1)	2,685	1.50	83	76	70
7945	Third Printer Control (for 2821 Mod. 3 or 5)	21,490	10.00	562	517	472
8100	Two-Channel Switch (for 2821)	9,425	12.50	223	205	187
8637	Universal Character Set Adapter (for 2821)	684	4.50	16	15	13
1403	Printer:					
	Mod. 2; 600 lpm; 132 print positions	22,000	295.00	925	851	777
	Mod. 7; 600 lpm; 120 print positions	21,140	229.00	777	715	653
	Mod. N1; 1100 lpm; 132 print positions	38,140	341.00	1,081	995	908
1416	Interchangeable Train Cartridge (required for 1403 Mod. N1)	2,665	Time & mat'l.	101		
4740	Interchangeable Chain Cartridge Adapter (for 1403 Mod. 2 or 7)	2,030	No charge	80	74	67
8640	Universal Character Set Feature (for 1403 Mod. N1)	426	2.00	10	9	8
8641	Universal Character Set Feature (for 1403 Mod. 2)	299	2.00	10	9	8
1443	Printer (with control), Mod. N1; 240 lpm	41,000	149.00	954	878	801
3211	Printer; 2000 lpm, 132 print positions	63,630	533.00	2,000	1,840	1,680
3216	Interchangeable Train Cartridge (for 3211)	10,530	268.00	411		
5554	18 Additional Print Positions (for 3211)	2,050	10.50	63	58	53
3811	Control Unit (for 3211 Printer)	28,080	180.00	883	812	742
5553	18 Additional Print Positions (for 3811)	752	6.50	22	20	18
3203	Printer:					
	Model 1; 600 lpm; for Models 115, 115-2, 125, and 125-2	34,200	238.00	1,035	—	881**
	Model 2; 1200 lpm; for Models 115, 115-2, 125, and 125-2	44,100	310.00	1,357	—	1,155**
	Model 4; 1200 lpm; for Models 138 and 148	44,100	310.00	1,357	—	1,155**
1416	Interchangeable Train Cartridge (required on 3203 Model 1 or 2)	2,665	Time & mat'l.	101		
4650	Integrated 3203 Printer Attachment for Model 125 Processing Unit	3,145	7.50	83	—	76 (4-yr.)
5203	Printer, Model 3	12,800	158.00	488		
4740	Interchangeable Train Cartridge	2,145	40.50	123		
5558	24 Additional Print Positions	1,180	2.50	59		
5559	12 Additional Print Positions	587	No charge	29		
5560	36 Additional Print Positions	1,750	2.50	88		
4653	Integrated 2302/5203 Printer Attachment for Model 115 Processing Unit	3,230	8.50	88		
5213	Printer, Model 1; optional Console Printer for Model 115 and Model 125	4,840	66.00	179		
4692	5213 Attachment (for Model 115 and Model 125)	4,200	3.50	112		
3286-2	66-cps Printer for Models 138 and 148	6,305	43.00	179		
3800	Printing Subsystem	310,000	445.00	7,344	—	6,250**
5401	Additional Character Generation Storage	3,720	13.50	81	—	69**
8170	Two-Channel Switch	8,140	10.50	213	—	181**
1490	Burster-Trimmed-Stacker	44,640	120.00	1,058	—	900**
<b>PAPER TAPE INPUT/OUTPUT</b>						
1017	Paper Tape Reader (120 char/sec):					
	Mod. 1; reads strips only	2,135	16.00	54		
	Mod. 2; reads strips or reels	3,265	20.00	81		
1018	Paper Tape Punch (120 char/sec)	4,950	48.00	135		
2826	Paper Tape Control, Mod. 1; for up to two 1017's and/or 1018's	13,140	33.00	297		
5801	Punch Adapter; for first 1018 on 2826 Mod. 1	4,535	8.50	104		
5802	Punch Adapter; for second 1018 on 2826 Mod. 1	3,870	5.00	88		
6101	Reader Adapter; for first 1017 on 2826 Mod. 1	3,870	7.50	88		
6102	Reader Adapter; for second 1017 on 2826 Mod. 1	3,175	5.00	73		

\* Rental prices include equipment maintenance.

\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

## IBM System/370 EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
<b>PAPER TAPE INPUT/OUTPUT (Continued)</b>						
2671	Paper Tape Reader (100 char/sec)	5,785	35.50	156		
2822	Paper Tape Reader Control (for one 2671)	8,630	11.00	235		
<b>OPTICAL AND MAGNETIC READERS</b>						
1287	Optical Reader:					
	Mod. 1; reads documents only	89,280	881.00	2,925		
	Mod. 2; reads documents and journal tape	102,240	991.00	3,350		
	Mod. 3; reads documents only	134,640	1,265.00	4,505		
	Mod. 4; reads documents and journal tape	150,480	1,320.00	4,930		
	Mod. 5; reads handprinted digits from documents only.	99,360	1,275.00	3,670		
3945	Farrington 7B Font (for 1287)	799	1.00	27		
4470	1428 & USASCOCR Font (for 1287)	799	1.00	27		
5300	NCR Optical Type Font (for 1287)	3,204	5.00	104		
5370	Numeric Handwriting (for 1287)	25,632	55.00	837		
5479	Optical Mark Reading (for 1287)	3,204	5.00	104		
1288	Optical Page Reader	163,440	1,340.00	5,140		
3850	Expanded Symbol Set (for 1288)	2,240	3.50	73		
5370	Numeric Handwriting (for 1288)	38,448	82.00	1,050		
5479	Optical Mark Reading (for 1288)	3,772	7.50	104		
6550	Serial Numbering (for 1288)	9,144	66.00	313		
3881	Optical Mark Reader:					
	Mod. 1; for on-line use with Model 135 or 145	51,390	138.00	1,504	—	1,280**
	Mod. 2; for off-line use with 3410 Mod. 1 Magnetic Tape Unit	46,800	109.00	1,369	—	1,165**
1471	BCD Read (for 3881)	2,150	1.50	61	—	52**
3450	Document Counters (for 3881)	853	2.00	22	—	19**
3550	Dual Density (for 3881 Mod. 2 only)	5,410	0.50	156	—	133**
3801	Expanded Storage (for 3811)	2,150	0.50	61	—	52**
6451	Serial Numbering (for 3881)	6,325	25.00	183	—	156**
3886	Optical Character Reader:					
	Model 1; on-line	83,520	523.00	2,591	—	2,205**
	Model 2; off-line	89,910	523.00	2,791	—	2,375**
3210	Additional Data Storage (for 3886)	844	0.50	25	—	21**
4520	Additional Hopper & Stacker Capacity (for 3886)	6,785	27.50	209	—	178**
4610	Additional Instruction Storage (for 3886)	4,220	11.50	132	—	112**
4720	Line Marking (for 3886)	4,680	11.50	143	—	122**
5340	Numbering/Marking Adapter (for 3886)	1,280	0.50	36	—	31**
5360	Numeric Handprinting (for 3886)	5,510	31.50	170	—	145**
6450	Serial Numbering (for 3886)	6,785	27.50	209	—	178**
3890	Document Processor:					
	Model A1; 6 pockets	256,800	178.00***	4,494	—	3,825
	Model A2; 12 pockets	299,800	212.00***	5,211	—	4,435
	Model A3; 18 pockets	342,800	246.00***	5,928	—	5,045
	Model A4; 24 pockets	385,800	280.00***	6,645	—	5,655
	Model A5; 30 pockets	428,800	314.00***	7,361	—	6,265**
	Model A6; 36 pockets	471,800	348.00***	8,078	—	6,875
4666	Item Numbering/Endorsing (for 3890)	46,290	164.00***	740	—	630**
6370	System/370 Attachment (for 3890)	4,070	9.75	103	—	88**
1255	Magnetic Character Reader:					
	Mod. 1; 500 dpm, 6 stackers	35,460	251.00	904		
	Mod. 2; 750 dpm; 6 stackers	40,590	400.00	1,100		
	Mod. 3; 750 dpm, 12 stackers	55,260	527.00	1,450		
3215	Dash Symbol Transmission (for 1255)	35	No charge	56 (1-time)		
4380	51-Column Card Sorting (for 1255)	661	No charge	16		
4520	High-Order Zero & Blank Selection (for 1255 Mod. 3 only)	1,315	5.00	33		
7060	Self-Checking Numbers (for 1255)	2,135	2.50	54		
6360	System/360/370 Adapter (required on 1255)	19,800	37.00	506		
1419	Magnetic Character Reader; 1600 dpm	120,100	418.00	2,665		
<b>GRAPHIC DISPLAYS</b>						
2250	Display Unit					
	Mod. 1; connects directly to a channel	57,530	198.00	1,185		
	Mod. 3; requires 2840 Display Control	34,830	223.00	1,740		
1245	Alphanumeric Keyboard (for 2250 Mod. 1 or 2)	3,910	4.50	81		
4785	Light Pen (for 2250 Mod. 1 or 2)	5,220	13.00	108		
1001	Absolute Vectors (for 2250 Mod. 2)	15,210	12.00	381		
1002	Absolute Vectors and Control (for 2250 Mod. 1)	17,410	13.00	437		
1498	Buffer; 4,096 bytes (for 2250 Mod. 1)	18,290	8.50	381		
1499	Buffer; 8,192 bytes (for 2250 Mod. 1)	26,110	12.00	544		
1880	Character Generator (for 2250 Mod. 1)	19,610	18.50	409		
NOTE: Numerous IBM terminals can be connected to a System/370 in local and/or remote configurations. For details and prices, please see Reports 70D-491-11 through 70D-491-45 in the Peripherals section.						
<b>AUDIO RESPONSE</b>						
7770	Audio Response Unit (up to 4 lines)	48,370	52.50	1,295		
4677	I/O Line Expander (for 7770; up to 4 more lines)	7,065	16.50	190		

\* Rental prices include equipment maintenance.

\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

\*\*\*Basic maintenance charge. Additional charges per meter hour.

## IBM System/370

### EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
<b>AUDIO RESPONSE (Continued)</b>						
4679	I/O Line Panel (for 7770; one 4679 required for each 8 lines beyond the first 8)	3,020	2.50	81		
4668	I/O Line Frame (for 7770; required for over 16 lines)	8,065	3.00	217		
8721	Six Additional Vocabulary Words (for 7770)	4,030	3.00	108		

### COMMUNICATION CONTROLS

NOTE: For complete pricing data on the 3704 and 3705 Communications Controllers, please see Reports 70D-491-31 and 70D-491-32.

## SOFTWARE PRICES

PROGRAM PRODUCTS		Programming Service	Monthly Charge
5735-RC1	Advanced Communications Function (ACF): ACF/TCAM	A	\$200
5746-RC3	ACF/TCAM with Multisystem Network Facility ACF/VTAM for DOS/VS	A	800
5735-RC2	ACF/VTAM for DOS/VS with MNF ACF/VTAM for OS/VS	A	125
5735-XX3	ACF/VTAM for OS/VS with MNF ACF for System Support Program (SSS)	A	325
5735-XX1	ACF/NCP/VS for NCP/VS	A	200
5746-XE2	Advanced Function—DOS/VS	Central and Local Service	600
5748-AP1	APL-VS	A	50
5734-AS1	Assembler H	C	100
5748-XX1	BASIC-VS	A	247
5736-CB2	COBOL-DOS V3 Compiler	A	385
5736-LM2	COBOL-DOS Library	A	63
5746-CB1	COBOL-DOS/VS Compiler and Library	A	22
5746-LM4	COBOL-DOS/VS Library	A	141
5734-CB2	COBOL-OS V4 Compiler and Library	A	28
5734-LM2	COBOL-OS V4 Library	A	201
5740-CB1	COBOL-OS/VS Compiler and Library	A	68
5740-LM1	COBOL-OS/VS Library	A	236
5734-CB4	COBOL-Interactive Debug	B	78
5740-UT1	Direct Access Storage Dump Restore (DASDR)	A	254
5748-XC2	Display Management System/3790	Central Service & Local Assistance	130
	Communication Interface Monitor (CIM) Feature		300
5734-F03	FORTRAN IV-OS Compiler (H Extended)	A	200
5734-LM3	FORTRAN IV-OS Library (Mod 11)	A	300
5734-F02	FORTRAN IV-G1 Compiler	A	102
5734-LM1	FORTRAN IV-OS Library (Mod 11)	C	74
5734-F01	FORTRAN IV-OS Code and Go Compiler	C	71
5734-F05	FORTRAN IV-Interactive Debug	B	302
5746-LM3	FORTRAN IV-DOS Library Option 1	A	173
5748-F02	FORTRAN-VSPC	A	33
5740-XRB	Hierarchical Storage Management (HSM)	Central and Local Service	400
5740-DC1	Installation Management: Change Management/Tracking (CM/T)	B	350
5740-DC4	Change Tracker (CT)	B	400
5740-DC2	DP Accounting for IMS/VS (DPA)	B	150
5740-DC3	Service Level Reporter (SLR)	B	350
5740-XE1	MVS/System Extensions	Central and Local Service	400
5740-XR8	Network Job Entry Facility for JES2	A	1,250
5735-XX2	Network Operation Support Program	A	500
5740-XT7	Operations Planning and Control—Entry (OPC-Entry)	B	125
5736-PL3	PL/1-DOS Optimizing Compiler and Libraries	A	600
5736-PL1	PL/1-DOS Optimizing Compiler	A	283
5736-LM4	PL/1-DOS Resident Library	A	210
5736-LM5	PL/1-DOS Transient Library	A	45
5734-PL2	PL/1-OS Checkout Compiler	A	28
	Conversational Monitor System Feature		392
5734-PL3	PL/1-OS Optimizing Compiler and Library	A	NC
5734-PL1	PL/1-OS Optimizing Compiler	A	283
5734-LM4	PL/1-OS Resident Library	A	210
5734-LM5	PL/1-OS Transient Library	A	45
5740-XXH	Resource Access Control Facility (RACF)	A	28
5740-XXM	Resource Measurement Facility (RMF)	A	874
5740-XY4	RMF V2	Central and Local Service	250

## IBM System/370 SOFTWARE PRICES

PROGRAM PRODUCTS (Continued)		Programming Service	Monthly Charge
5736-RG1	RPG II-DOS	A	109
	Auto Report Feature	A	33
5746-RG1	RPG II DOS/VS	Central and Local Service	100
5735-CV1	RPG II System/3 DOS/VS Conversion Preprocessor	Central Service	600 (One time)
5743-SM1	Sort/Merge-DOS	C	43
5746-SM1	Sort/Merge-DOS/VS	A	68
5734-SM1	Sort/Merge-OS	C	66
5740-SM1	Sort/Merge-OS/VS	A	181
5746-SM2	Sort/Merge VS-DOS/VS	A	150
5734-CP2	TSO-Assembler Program	C	32
5734-CP1	TSO-COBOL Prompter	A	32
5740-XT6	TSO-Command	A	100
5734-UT1	TSO-Data Utilities	C	159
5734-CP3	TSO-OS FORTRAN Prompter	C	32
5740-XT8	TSO 3270 Display Support and Structured Programming Facility (SPF) Version 2	B	425
5740-XE2	TSO 3270 Extended Display Support Session—OS/VS2 MVS	Central Service & Local Assistance	200
5748-UT2	Utility Offline 3800	Central and Local Service	60
5736-RC3	VIDEO/370-DOS	A	224
	CICS Feature	A	68
5734-RC5	VIDEO/370-OS	A	224
	CICS Feature	A	68
5746-XR3	Virtual Storage Personal Computing (VSPC): VSPC-DOS/VS	A	900
5740-XR5	VSPC-OS/VS1	A	1,100
5740-XR6	VSPC-OS/VS2 (MVS)	A	1,200
5740-XR9	VS TSIO	B	230
5748-XE1	VM/System Extensions	Central and Local Service	1,250
5748-XX8	VM/Basic System Extension	Central and Local Service	125
<b>APPLICATION PROGRAMS</b>			
5736-F32	Active Certificate Information (ACIP) (DOS)	C	330
5736-N11	Advanced Life Information System (ALIS) Version 2 (DOS)	C	551
5740-XX3	Advanced Text Management System (ATMS)	B	567
5746-XX4	OS	B	396
5740-XXV	DOS/VS	B	850
5746-XXG	ATMS-II/OS/VS	B	590
5736-N14	ATMS-II/DOS/VS	B	231
5734-XC3	Application Program Generator (APG/7): OS	B	165
5736-XC3	DOS	B	165
5736-P71	Array Processing Subroutine	C	330
5736-P72	System/360 Model 44 (OS)	C	330
5746-XN1	Automatically Programmed Tool (APT)	B	226
5740-M52	Basic Contouring	B	346
5740-M53	Intermediate Contouring	B	578
	Advanced Contouring		
5734-XX9	Bill Processor Systems—IMS/360 Bridge	B	173
5746-F31	Brokerage Accounting System Elements (BASE) (DOS/VS)	C	963
5736-G25	Budget Accounting Information System (BACIS)	C	300
5734-F51	Budgets & Plans Generator (BUDPLAN)	C	173
5746-F51	(OS)	C	170
5734-XMB	(DOS/VS)	B	55
5736-M12	Capacity Planning	C	247
5734-M54	Finite Loading (DOS)	C	302
5736-M11	Finite Loading (OS)	C	82
5734-M53	Infinite Loading (DOS)	C	110
5748-XX3	Infinite Loading (OS)	B	315
5734-F11	Chained File—DL/1 Bridge Check Processing Control System (CPCS) 3890 Feature	B	1,000 400
5736-N13	Consolidated Functions Ordinary II (CFO II)	B	346
5736-D31	Consumer Goods System (COGS)	C	165
5734-D32	Allocation (DOS)	C	165
5736-D32	Allocation (OS)	C	220
5734-D33	Forecasting (DOS)	C	220
	Forecasting (OS)		
5734-XS9	Continuous System Modeling Program III (CSMP III) (OS)	C	98
5736-E11	Coursewriter III (DOS)	B	231
5734-E13	(OS)	B	317
5736-XX6	Customer Information Control System (CICS)	A	235
5736-XX7	DOS/ENTRY	A	588
5734-XX7	DOS/STANDARD	A	823
5740-XX1	OS/STANDARD Version 2	A	1,000
	OS/VS	C	113
5746-XX3	FASTER Feature	A	475
	DOS/VS	C	113
	FASTER Feature		

## IBM System/370

### SOFTWARE PRICES

		<u>Programming Service</u>	<u>Monthly Charge</u>
<b>APPLICATION PROGRAMS (Continued)</b>			
5746-XXB	Extended Telecommunications Modules Feature (EXTM)	A	215
5746-XXC	DB/DC Data Dictionary	B	290
5740-XXF	DOS/VS	B	580
5748-XX4	OS/VS	B	200
5736-XX4	Data Base Organization and Maintenance Processor	C	115
	DOS	C	85
	CICS Feature	C	105
5746-XX1	CICS/DASF Feature	A	346
5746-XX7	Data Language/1 DOS/VS	A	315
5746-XC2	Display Management System	B	360
5740-XC2	DOS/VS	B	475
	OS/VS		
5734-EE1	Electronic Circuit Analysis Program II (ECAP II) (OS)	C	187
5746-F12	Electronic Pymt./Check Proc. (DOSCHECK)	B	800
5740-U11	Energy Management System (Note: Charges are waived after payment of 60 consecutive months.)	B	4,865
	EPIC:		
5735-E91	SOCRATES	B	192
5735-E92	FAST	C	104
5735-E93	Budget/Finance	B	121
5735-E94	Student	C	87
5736-T11	Fare Quote/Ticketing (DOS) Tariff Maintenance Feature	B	3,230 6,460
5736-D11	Fashion Reporter (DOS)	C	181
	FASTER:		
5736-G22	LC (DOS)	C	110
5736-G24	MT (DOS)	C	328
5734-G21	MT (OS)	C	520
5736-F12	Financial Terminal System	C	441
5736-XS4	Forecasting & Modeling System (FAMS):		
5734-XS7	DOS	C	231
	OS	C	231
5795-AAG	Freight and Equipment Reporting System (FERST/VS):		
5795-AAJ	Message Switching DOS/VS	B	525
5795-AAL	Equipment Control DOS/VS	B	1,470
5795-AAN	Freight Billing DOS/VS	B	1,470
5795-AAF	Rating/Rate Audit DOS/VS	B	1,680
5795-AAH	Message Switching OS/VS	B	525
5795-AAK	Equipment Control OS/VS	B	1,470
5795-AAM	Freight Billing OS/VS	B	1,470
	Rating/Rate Audit OS/VS	B	1,680
5734-XX1	Generalized Info. System/2 (OS)	A	520
	Update and Create Feature		453
	Formal Report Feature		113
	Hierarchic File Support Feature		141
	Utility Feature		85
	Edit and Encode Feature		85
	Teleprocessing Support Feature		56
	Control Statement Feature		45
	Arithmetic Statement Feature		22
	Processing Statement Feature		45
	File Modify Feature		56
	Extended Multi-File Support Feature		85
	DL/1 Query Support Feature		170
5740-XX7	GIS/VS	A	907
	Advanced Query Feature		283
	Update & Create Feature		595
	Modify Feature		141
5734-XS2	General Purpose Simulation System V (GPSS V):		
5736-XS3	OS	B	63
5734-XX2	DOS	B	63
	Graphic Analysis of Three-Dimensional Data OS	C	330
5736-H15	Health Care Support/Electrocardiogram Analysis:		
5734-H11	DOS	B	405
5748-H11	OS	B	405
5746-H14	Version 2	B	600
	Health Care Support/Accounting	B	109
	Accounting Application Feature		231
5734-XX6	Information Management System (IMS) (OS):		
	Version 2		646
	Data Communication Feature	A	700
	Interactive Query Facility (IQF)		352
5740-XX2	IMS/VS	A	950
	Data Communication Feature		1,150
	IQF Feature		352
5734-XXC	Interactive Training System	B	247
5734-M52	Expanded Course Structuring Feature		75
	Inventory Control (OS)	C	201
5746-N11	Life Inquiry/Data Entry	B	840

IBM System/370  
SOFTWARE PRICES

APPLICATION PROGRAMS (Continued)		Programming Service	Monthly Charge
5740-XN2	Machining and Display Application Program (MDAP): OS/VS	C	340
5746-XN2	DOS/VS	C	340
5734-XM8	MATH/BASIC	B	50
5734-XM4	Mathematical Programming System Extended: OS	B	150
	Generalized Upper Bounding		737
	Mixed Integer Programming		255
5740-XM3	OS/VS	B	420
	MIP Feature		367
5746-XM2	DOS/VS	B	367
	MIP Feature		315
5734-XP3	MINIPERT	C	165
5736-D41	Order Allocation System (DOS)	C	137
	PLANCODE/I:		
5746-XX9	DOS/VS	B	550
5740-XX8	OS/VS	B	550
	PLANCODE/S:		
5746-XXA	DOS/VS	B	450
5740-XX9	OS/VS	B	450
	Planning System Generator (PSG):		
5736-XT1	PSG II (DOS)	C	87
5734-XT1	PSG II (OS)	C	87
5746-XT1	PSG II (DOS/VS)	B	147
	DL/I Data Base Read Feature		73
5740-XT3	PSG II (OS/VS)	B	147
	DL/I Data Base Read Feature		73
5740-XT5	PSG II/VS-TSO	B	240
5748-XT2	PS II/VS-CMS	B	270
5734-XM3	Procedure Library-Mathematics (PL-MATH) (OS)	C	102
	Program Customizer for 3600 Finance Communication System (PC/3600)		
5746-F11	DOS/VS	B	550
5740-F11	OS/VS	B	997
	Project Analysis and Control System (PROJACS):		
5740-XP1	OS/VS	B	
5746-XP1	DOS/VS	B	
	Main Processor		210
	Resource Allocation		105
	Network Preparation		52
	Cost Evaluation		52
5734-XP4	Project Management System IV (PMS IV)	B	57
	Cost Processor Feature		56
	Resource Allocation Processor Feature		226
	Extended Network Processor Feature		105
5736-N22	Property and Liability Information System (PALIS)	C	288
5736-N21	Additional File Facility (DOS)	C	346
5736-N24	Additional Functions (DOS)	C	259
5736-N25	Automobile Enhancements (DOS)	C	259
5734-M51	Homeowners Enhancements (DOS)	C	231
	Requirements Planning (OS)	C	33
	Connection Records Feature		
5736-M13	Requirements Planning	C	28
5734-F32	Interface (DOS)	B	2,425
5736-H12	Shared Laboratory Information System (SLIS) (DOS)	C	275
5736-M31	Shop Floor Control	C	115
5734-M31	(DOS)	C	179
5734-XXB	(OS)	C	275
5734-XA3	Simulation Language (SIMPL/I)	B	50
5734-XR3	Storage and Information Retrieval System	C	578
5740-XR1	STAIRS	B	737
5746-XR4	STAIRS/VS	B	600
5740-XT2	STAIRS/DOS/VS	B	288
5736-XM7	Subroutine Library-Mathematics	C	110
5740-XXC	(SL-MATH)	A	500
5734-F31	Telecommunications Control System (TCS)	B	2,890
5740-XXD	(OS)	A	1,250
5740-XY3	Advanced Function (TCS-AF)	A	300
5740-XY3	Ad. Com. Func. (TCS-ACF)—Networking	A	200
5746-XT4	Basic Product	B	900
5740-F12	Teleprocessing Network Simulator (TPNS)	B	500
	Trend Analysis		
5799-AEY	VANDL-1	B	378
	Vehicle Scheduling Program-Extended (VSPX):		
5736-XM3	(DOS)	C	115
5734-XM5	(OS)	C	201