

Recent publications by IBM authors

The information listed here is supplied by the Institute for Scientific Information and other outside sources. Reprints of the papers may be obtained by writing directly to the first author cited.

- Journals are listed alphabetically by title; papers are listed sequentially for each journal.

A

Weak-Localization and Electron-Electron Interaction in Si/SiGe Quantum Wells, A. Prinz (Johannes Kepler University, A-4040 Linz, Austria) et al., *Acta Physica Polonica A* **88**, No. 5, 873–876 (1995).

Shape Optimization with P-Adaptivity, R. R. Salagame (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and A. D. Belegundu, *AIAA Journal* **33**, No. 12, 2399–2405 (1995).

(FR) Congestion Avoidance for Supporting a Best-Effort Service in an ATM LAN, J. Cherbonnier (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Annals des Telecommunications* **50**, No. 7–8, 641–651 (1995).

On Inductive Inference of Cyclic Structures, M. J. Maher (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and P. J. Stuckey, *Annals of Mathematics and Artificial Intelligence* **15**, No. 2, 167–208 (1995).

Computational Mereology: A Study of Part of Relations for Multimedia Indexing, W. Zadrozny (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and M. Kim, *Annals of Mathematics and Artificial Intelligence* **15**, No. 1, 83–100 (1995).

Square-Free Algorithms in Positive Characteristic, P. Gianni (University Pisa, I-56127 Pisa, Italy) and B. Trager, *Applicable Algebra in Engineering Communication & Computing* **7**, No. 1, 1–14 (1996).

Syntax and Lexical Statistics in Anaphora Resolution, I. Dagan (University of London, London WC1H 0XG, England) et al., *Applied Artificial Intelligence* **9**, No. 6, 633–644 (1995).

Peaks, Plateaus, Numerical Instabilities in a Galerkin Minimal Residual Pair of Methods for Solving $AX = B$, J. K. Cullum (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Applied Numerical Mathematics* **19**, No. 3, 255–278 (1995).

One-Dimensional Metal Structures at Decorated Steps, T. Jung (IBM Corporation, Säumerstrasse 4, CH-8803 Rüschlikon, Switzerland) et al., *Applied Physics A* **61**, No. 5, 467–474 (1995).

Imaging Pattern-Formation: Bridging the Pressure Gap, H. H. Rotermund (MPG, Fritz Haber Institute, D-14195 Berlin, Germany) et al., *Applied Physics A* **61**, No. 6, 569–574 (1995).

Transport and Magnetic Properties of In-Situ Grown Thin-Film La-Y-Ca-Mn-O, J. Z. Sun (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Applied Physics Letters* **67**, No. 18, 2726–2728 (1995).

Second-Harmonic Generation in Hexagonal Silicon Carbide, P. M. Lundquist (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Applied Physics Letters* **67**, No. 19, 2887 (1995).

Large Second-Order Optical Nonlinearities in Pulsed-Laser Ablated Silicon-Carbide Thin Films, P. M. Lundquist (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Applied Physics Letters* **67**, No. 20, 2919–2921 (1995).

UV Modification of Surface Pretilt of Alignment Layers for Multidomain Liquid-Crystal Displays, A. Lien (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Applied Physics Letters* **67**, No. 21, 3108–3110 (1995).

Dopant Interactions During the Diffusion of Arsenic and Boron in Opposite Directions in Polycrystalline Monocrystalline Silicon Structures, J. N. Burghartz (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Applied Physics Letters* **67**, No. 21, 3156–3158 (1995).

Single-Gate Multichannel Amorphous Silicon Thin-Film Transistors, Y. Kuo (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Applied Physics Letters* **67**, No. 21, 3174–3176 (1995).

Field-Emission Switch, G. M. McClelland (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and F. Watanabe, *Applied Physics Letters* **67**, No. 21, 3200–3202 (1995).

Growth and Giant Magnetoresistance Properties of La-Deficient $\text{La}_{1-x}\text{MnO}_{3-\Delta}$ ($0.67 \leq x \leq 1$) Films, A. Gupta (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Applied Physics Letters* **67**, No. 23, 3494–3496 (1995).

Reduction of the C_{54} - TiSi_2 Phase Transformation Temperature Using Refractory Metal Ion-Implantation, R. W. Mann (IBM Corporation, P.O. Box A, Essex Junction, VT 05452) et al., *Applied Physics Letters* **67**, No. 25, 3729–3731 (1995).

Near Field Optical Data Storage, B. D. Terris (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Applied Physics Letters* **68**, No. 2, 141–143 (1996).

Epitaxial Film Thickness in the Low-Temperature Growth of Si(100) by Plasma Enhanced Chemical Vapor Deposition, W. J. Varhue (University of Vermont, Burlington, VT 05405) et al., *Applied Physics Letters* **68**, No. 3, 349–351 (1996).

Detection of Current Induced Vacancies in Thin Aluminum Copper Lines Using Positrons, P. Asokakumar (Brookhaven National Laboratory, Upton, NY 11973) et al., *Applied Physics Letters* **68**, No. 3, 406–408 (1996).

Optical Probing of the Temperature Transients During Pulsed-Laser Induced Boiling of Liquids, H. K. Park (University of California, Berkeley, CA 94720) et al., *Applied Physics Letters* **68**, No. 5, 596–598 (1996).

Study of Yielding Mechanics in Nanometer-Sized Au Contacts, A. Stalder (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) and U. Durig, *Applied Physics Letters* **68**, No. 5, 637–639 (1996).

Fractionation Effects in Laser Ablation Inductively Coupled Plasma Mass Spectrometry, E. F. Cromwell (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) and P. Arrowsmith, *Applied Spectroscopy* **49**, No. 11, 1652–1660 (1995).

Advanced Metallization Technology for 256M DRAM, P. Kucher (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Applied Surface Science* **91**, No. 1–4, 359–366 (1995).

A Nonstandard Approach to the Logical Omniscience Problem, R. Fagin (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Artificial Intelligence* **79**, No. 2, 203–240 (1995).

Knowledge Level Analysis for Eliciting Composable Scheduling Knowledge, M. Hori (IBM Japan Ltd., 1623-14 Shimo Tsuruma, Yamato, Kanagawa 242, Japan) et al., *Artificial Intelligence in Engineering* **9**, No. 4, 253–264 (1995).

Dynamic Graph Abstraction for Effective Software Visualization, D. Kimelman (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Australian Computer Journal* **27**, No. 4, 129–137 (1995).

C

Mentour: An Algorithm for Designing Reliable High-Speed Data Networks, R. S. Cahn (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Canadian Journal of Electrical and Computer Engineering* **20**, No. 3, 101–103 (1995).

Master-Slave Synchronization from the Point-of-View of Global Dynamics, C. Tresser (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Chaos* **5**, No. 4, 693–699 (1995).

Hydrogen Desorption and Ammonia Adsorption on Polycrystalline GaN Surfaces, C. M. Chiang (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Chemical Physics Letters* **246**, No. 3, 275–278 (1995).

Carboplatin Versus Cisplatin: Density-Functional Approach to Their Molecular Properties, E. Tornaghi (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Chemical Physics Letters* **246**, No. 4–5, 469–474 (1995).

Use of Single-Source, Mixed-Metal Precursors for Chemical-Vapor-Deposition of Cu-Sn Alloys, P. Doppelt (Advanced Technology Mat. Inc., 7 Commerce Street, Danbury, CT 06810) and T. H. Baum, *Chemistry of Materials* **7**, No. 12, 2217+ (1995).

Reactions of Complex Ions of Platinum and Palladium in Langmuir-Blodgett Films of Dimethyldioctadecylammonium Chlorometallates, D. J. Elliot (CSIRO, Rosebank MDC, Clayton, Vic 3169, Australia) et al., *Colloids and Surfaces A* **103**, No. 3, 207–219 (1995).

The Set of Maps $F-a, F-b-X-[x]A A < B/2-\Pi-\sin(2-\Pi-x)$ with Any Given Rotation Interval Is Contractile, A. Epstein (California Institute of Technology, Pasadena, CA 91125) et al., *Communications in Mathematical Physics* **173**, No. 2, 313–333 (1995).

MADPAK: A Family of Abstract Multigrid or Multilevel Solutions, C. C. Douglas (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Computational and Applied Mathematics* **14**, No. 1, 3–20 (1995).

The Loom of Creation, C. A. Pickover (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Computer and Graphics* **19**, No. 4, 523–527 (1995).

The Crying of Fractal Batrachion 1,489, C. A. Pickover (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Computer and Graphics* **19**, No. 4, 611–615 (1995).

Service Architectures and Service Creation for Integrated Broad-Band Communications, S. Trigila (FDN UGO Bordini, I-00151 Rome, Italy) et al., *Computer Communications* **18**, No. 11, 838–848 (1995).

Reliable Transmission of Data Over a Semi-FIFO Routing Layer, R. Cohen (Technion Israel Institute of Technology, IL-32000 Haifa, Israel) and Y. Ofek, *Computer Networks and ISDN Systems* **27**, No. 12, 1633–1649 (1995).

Structure and Use of Signaling in B-ISDNs, R. O. Onvural (IBM Corporation, Research Triangle Park, NC 27709) et al., *Computer Networks and ISDN Systems* **28**, No. 3, 307–323 (1996).

NMOLDYN: A Program Package for a Neutron-Scattering Oriented Analysis of Molecular Dynamics Simulations, G. R. Kneller (Rhein Westfal TH Aachen, D-52056 Aachen, Germany) et al., *Computer Physics Communications* **91**, No. 1–3, 191–214 (1995).

Integration of Multiple Feature Groups and Multiple Views into a 3D Object Recognition System, J. C. Mao (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Computer Vision and Image Understanding* **62**, No. 3, 309–325 (1995).

Controlling the Use of Cryptographic Keys, C. J. Holloway (IBM United Kingdom Ltd., London, England), *Computers & Security* **14**, No. 7, 587–598 (1995).

Controlling Digital Signature Services Using a Smartcard, C. J. Holloway (IBM United Kingdom, Ltd., IBM South Bank, London, England), *Computers & Security* **14**, No. 8, 681–690 (1995).

Memory Optimization for Parallel Functional Programs, B. Sinharoy (IBM Corporation, P.O. Box 950, Poughkeepsie, NY 12602) and B. Szymanski, *Computing Systems in Engineering* **6**, No. 4–5, 415–422 (1995).

D

Set-Oriented Data Mining in Relational Databases, M. Houtsma (Telemat Research Center, P.O. Box 217, 7500 AE Enschede, Netherlands) and A. Swami, *Data & Knowledge Engineering* **17**, No. 3, 245–262 (1995).

Newspage: The Web Way to Pay for News, T. Green (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Database—The Magazine of Electronic Database Reviews* **18**, No. 6, 42–45 (1995).

On Two-Connected Subgraph Polytopes, F. Barahona (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and A. R. Mahjoub, *Discrete Mathematics* **147**, No. 1–3, 19–34 (1995).

E

Lempel-Ziv-Type High-Speed Data-Compression Circuit Using Content-Addressable Memory, A. Satoh (IBM Japan Ltd., Yamato 242, Japan) and H. Nijjima, *Electronics and Communications in Japan II* **78**, No. 7, 60–67 (1995).

Propagator of Two Coupled General Driven Time-Dependent Oscillators, C. F. Lo (Chinese University of Hong Kong, Hong Kong) and Y. J. Wong, *Europhysics Letters* **32**, No. 3, 193–198 (1995).

Crosscut Analysis of Large Radial DLA: Departures from Self-Similarity and Lacunarity Effects, B. B. Mandelbrot (Yale University, New Haven, CT 06520) et al., *Europhysics Letters* **32**, No. 3, 199–204 (1995).

F

The III-V Nitride Semiconductors for Blue Light Emission: Recent Progress and a Critical Evaluation of Their Potential in Comparison to the ZnSe Based II-VI Semiconductors, S. Strite (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland), *Festkörperprobleme—Advances in Solid State Physics*, No. 34, 79–95 (1995).

G

Electronic Structure of Crystalline $(\text{NH}_4)_2\text{CuCl}_4$ from First Principles, P. Carloni (University of Florence, I-50132 Florence, Italy) et al., *Gazzetta Chimica Italiana* **125**, No. 10, 497–500 (1995).

I

Distributed SCADA: From the Plant Floor to the Executive Suite, P. Toole (IBM Corporation, 8501 IBM Drive, Charlotte, NC 28262), *I & CS—Instrumentation & Control Systems* **69**, No. 1, 67–70 (1996).

An ATM Strategy for IBM Networking Systems, M. E. Cohen (IBM Corporation, Research Triangle Park, NC 27709) and D. S. Abensour, *IBM Systems Journal* **34**, No. 4, 554–563 (1995).

Overview of the NBBS Architecture, G. A. Marin (IBM Corporation, Research Triangle Park, NC 27709) et al., *IBM Systems Journal* **34**, No. 4, 564–589 (1995).

Multicast Network Connection Architecture, N. Budhiraja (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *IBM Systems Journal* **34**, No. 4, 590–603 (1995).

NBBS Traffic Management Overview, H. Ahmadi (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *IBM Systems Journal* **34**, No. 4, 604–628 (1995).

NBBS Path Selection Framework, T. E. Tedijanto (IBM Corporation, Research Triangle Park, NC 27709) et al., *IBM Systems Journal* **34**, No. 4, 629–639 (1995).

Efficient Transport and Distribution of Network Control Information in NBBS, M. Peyravian (IBM Corporation, Research Triangle Park, NC 27709) et al., *IBM Systems Journal* **34**, No. 4, 640–658 (1995).

Access Services for the Networking Broad-Band Services Architecture, C. P. Immanuel (IBM Corporation, Research Triangle Park, NC 27709) et al., *IBM Systems Journal* **34**, No. 4, 659–671 (1995).

Enabling ATM Networks, R. O. Onvural (IBM Corporation, Research Triangle Park, NC 27709) et al., *IBM Systems Journal* **34**, No. 4, 672–693 (1995).

The NBBS Access Node, N. Budhiraja (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *IBM Systems Journal* **34**, No. 4, 694–704 (1995).

A High-Performance Transport Network Platform, G. Lebizay (IBM France, F-06610 La Gaude, France) et al., *IBM Systems Journal* **34**, No. 4, 705–724 (1995).

NBBS Network Management, S. A. Owen (IBM Corporation, Research Triangle Park, NC 27709), *IBM Systems Journal* **34**, No. 4, 725–750 (1995).

MeV Implants Boost Device Design, S. H. Voldman (IBM Corporation, P.O. Box A, Essex Junction, VT 05452), *IEEE Circuits and Devices Magazine* **11**, No. 6, 8–16 (1995).

History Dependence of Output Characteristics of Silicon on Insulator (SOI) MOSFETs, K. A. Jenkins (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Electron Device Letters* **17**, No. 1, 7–9 (1996).

Low-Frequency Noise Characteristics of UHV/CVD Epitaxial Si-Base and SiGe-Base Bipolar Transistors, J. D. Cressler (Auburn University, Auburn, AL 36849) et al., *IEEE Electron Device Letters* **17**, No. 1, 13–15 (1996).

Fully Integrated CMOS Phase-Locked Loop with 15 to 240 MHz Locking Range and ± 50 ps Jitter, I. I. Novof (IBM Corporation, P.O. Box A, Essex Junction, VT 05452) et al., *IEEE Journal of Solid-State Circuits* **30**, No. 11, 1259–1266 (1995).

A Quaternary Partial-Response Class-IV Transceiver for 125 Mbit/s Data Transmission Over Unshielded Twisted-Pair Cables: Principles of Operation and VLSI Realization, G. Cherubini (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *IEEE Journal on Selected Areas in Communications* **13**, No. 9, 1656–1669 (1995).

A Media Synchronization Survey: Reference Model, Specification, and Case-Studies, G. Blakowski (IBM Corporation, Vangerowstrasse 18, D-69115 Heidelberg, Germany) and R. Steinmetz, *IEEE Journal on Selected Areas in Communications* **14**, No. 1, 5–35 (1996).

Human Perception of Jitter and Media Synchronization, R. Steinmetz (IBM Corporation, Vangerowstrasse 18, D-69115 Heidelberg, Germany), *IEEE Journal on Selected Areas in Communications* **14**, No. 1, 61–72 (1996).

Distributed Source-Destination Synchronization Using Inband Clock Distribution, C. S. Li (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) and Y. Ofek, *IEEE Journal on Selected Areas in Communications* **14**, No. 1, 153–161 (1996).

Parallel Fiberoptic SCI Links, D. R. Engebretsen (IBM Corporation, 3605 U.S. 52 North, Rochester, MN 55901) et al., *IEEE Micro* **16**, No. 1, 20–26 (1996).

Precise Interrupts, M. Moudgill (Delft University, Mekelweg 4, 2628 CD Delft, Netherlands) and S. Vassiliades, *IEEE Micro* **16**, No. 1, 58–67 (1996).

A Multimedia Information System for Home Health Care Support, M. Y. Kim (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *IEEE Multimedia* **2**, No. 4, 83–87 (1995).

The Use of Priorities on Token-Ring Networks for Multimedia Traffic, C. Bisdikian (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Network* **9**, No. 6, 28–37 (1995).

In Search of a Standards-Based Approach to Hybrid Performance Monitoring, J. C. Harden (Mississippi State University, Box 6176, Mississippi State, MS 39762) et al., *IEEE Parallel & Distributed Technology* **3**, No. 4, 61–71 (1995).

Passive Self-Aligned Low-Cost Packaging of Semiconductor-Laser Arrays on Si Motherboard, W. Hunziker (ETH Honggerberg HPT, CH-8093 Zurich, Switzerland) et al., *IEEE Photonics Technology Letters* **7**, No. 11, 1324–1326 (1995).

Sensor-Based Registration and Stacking of Electronic Substrate Layers, A. E. Brennemann (4 Morningside Court, Ossining, NY 10562) et al., *IEEE Robotics & Automation Magazine* **2**, No. 4, 30–35 (1995).

Exploring Infinite Realms, C. A. Pickover (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *IEEE Spectrum* **32**, No. 11, 58+ (1995).

Viewpoint: Methodology, Not Tools, Is the Key to Winning the Design Race, E. J. Yoffa (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *IEEE Spectrum* **33**, No. 1, 58 (1996).

Experimental Investigation of Subcooled Liquid Nitrogen Impingement Cooling of a Silicon Chip, D. T. Vader (Messiah College, Grantham, PA 17027) et al., *IEEE Transactions on Components Packaging and Manufacturing Technology A* **18**, No. 4, 788–794 (1995).

Fine Line Thin Dielectric Circuit Board Characterization, C. S. Chang (IBM Corporation, 1701 North Street, Endicott, NY 13760) and A. P. Agrawal, *IEEE Transactions on Components Packaging and Manufacturing Technology A* **18**, No. 4, 842–850 (1995).

Computer Vision for Automatic Inspection of Complex Metal Patterns on Multichip Modules, M. E. Seaman (IBM Corporation, Route 52, Hopewell Junction, NY 12533) and L. Economikos, *IEEE Transactions on Components Packaging and Manufacturing Technology B* **18**, No. 4, 675-684 (1995).

Corrosion and Adhesion of Multilayer Pad Structures for Packaging Applications, G. S. Frankel (Ohio State University, 116 W. 19th Avenue, Columbus, OH 43210) et al., *IEEE Transactions on Components Packaging and Manufacturing Technology B* **18**, No. 4, 709-714 (1995).

Shrinking Wide Compressors, J. Savir (IBM Corporation, 11400 Burnet Road, Austin, TX 78759), *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems* **14**, No. 11, 1379-1387 (1995).

Two-Dimensional Tensor Temperature Extension of the Hydrodynamic Model and Its Applications, B. Pejcinovic (Portland State University, Portland, OR 97207) et al., *IEEE Transactions on Electron Devices* **42**, No. 12, 2147-2155 (1995).

Three-Dimensional Analytical Subthreshold Models for Bulk MOSFET, B. Agrawal (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Transactions on Electron Devices* **42**, No. 12, 2170-2180 (1995).

Reliability of In-Situ Rapid Thermal Gate Dielectrics in Deep-Submicrometer MOSFETs, K. X. Zhang (IBM Corporation, 11400 Burnet Road, Austin, TX 78758) and C. M. Osburn, *IEEE Transactions on Electron Devices* **42**, No. 12, 2181-2188 (1995).

Maximum Likelihood Parameter Estimation of Textures Using a Weld Decomposition Based Model, J. M. Francos (Ben Gurion University Negev, IL-84105 Beer Sheva, Israel) et al., *IEEE Transactions on Image Processing* **4**, No. 12, 1655-1666 (1995).

Generalized Privacy Amplification, C. H. Bennett (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Transactions on Information Theory* **41**, No. 6, 1915-1923 (1995).

Analysis of Coding Schemes for Modulation and Error Control, K. A. Abdelghaffar (University of California, Davis, CA 95616) et al., *IEEE Transactions on Information Theory* **41**, No. 6, 1955-1968 (1995).

Optimal Binary Index Assignments for a Class of Equiprobable Scalar and Vector Quantizers, S. W. McLaughlin (Rochester Institute of Technology, Rochester, NY 14623) et al., *IEEE Transactions on Information Theory* **41**, No. 6, 2031-2037 (1995).

Process Complexity of Magnetoresistive Sensors: A Review, R. E. Fontana (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *IEEE Transactions on Magnetics* **31**, No. 6, 2579-2584 (1995).

Exchange-Coupled Ni-Fe/Fe-Mn, Ni-Fe/Ni-Mn and NiO/Ni-Fe Films for Stabilization of Magnetoresistive Sensors, T. Lin (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2585-2590 (1995).

Micromagnetic Modeling of a Single Element MR Head, T. R. Koehler (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and M. L. Williams, *IEEE Transactions on Magnetics* **31**, No. 6, 2639-2641 (1995).

Yoke Flux Reversal Time in Thin-Film Write Heads, K. B. Klaassen (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and J. C. Van Peppen, *IEEE Transactions on Magnetics* **31**, No. 6, 2657-2659 (1995).

High-Density Recording Characterization Using a Merged MR Head and a Dual-Layer Perpendicular Disk, Y. Sonobe (IBM Corporation, 1623-14 Shimotsuruma, Kanagawa 242, Japan) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2681-2683 (1995).

Inplane Anisotropy in Thin-Film Media: Physical Origins of Orientation Ratio, K. E. Johnson (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2721-2727 (1995).

High Anisotropy Li(0) Thin Films for Longitudinal Recording, K. R. Coffey (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2737-2739 (1995).

Soft Error Rate Results of Thin-Film Media on Glass Substrates, O. C. Allegranza (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2797-2799 (1995).

Micromagnetic and Experimental Studies of COPTER Polycrystalline Thin-Film Media with Bicrystal Microstructure, Q. S. Peng (University of California, La Jolla, CA 92093) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2821-2823 (1995).

The Effect of Hydrogen in Carbon Overcoats on the Tribology of the Head-Disk Interface, R. H. Wang (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2919-2921 (1995).

On the Electrical Characterization of Carbon Overcoats, H. L. Hu (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and W. E. Weresin, *IEEE Transactions on Magnetics* **31**, No. 6, 2925-2927 (1995).

A New Laser Texturing Technique for High Performance Magnetic Disk Drives, P. Baumgart (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2946-2951 (1995).

Design, Simulation, Fabrication and Measurement of a 25-nm, 50 Percent Slider, S. Lu (University of California, Berkeley, CA 94720) et al., *IEEE Transactions on Magnetics* **31**, No. 6, 2952-2954 (1995).

Spin Valve RAM Cell, D. D. Tang (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetism* **31**, No. 6, 3206–3208 (1995).

High Capacity Optical Recording Channels, D. C. Cheng (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetism* **31**, No. 6, 3227–3232 (1995).

Laser-Deposited Bismuth Doped Iron Garnet Films with Perpendicular Anisotropy, M. Duan (Royal Institute of Technology, S-10044 Stockholm, Sweden) et al., *IEEE Transactions on Magnetism* **31**, No. 6, 3245–3246 (1995).

Thermomagnetic Recording in Amorphous TbFeCo Films on Patterned Substrates, S. Gadetsky (University of Arizona, Tucson, AZ 85721) et al., *IEEE Transactions on Magnetism* **31**, No. 6, 3253–3255 (1995).

Magnetic Properties of NiFe Sputtered on Sloping Surfaces, R. E. Jones (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetism* **31**, No. 6, 3817–3819 (1995).

Magnetoresistance of Co-EuS Macroscopic Ferrimagnets, R. J. Gambino (State University of New York, Stony Brook, NY 11794) et al., *IEEE Transactions on Magnetism* **31**, No. 6, 3915–3917 (1995).

Coercivity Mechanism in (Co/Pt) and (Co/Pd) Multilayers, T. Suzuki (Toyota Technology Institute, 2-12-1 Hisakata, Nagoya, Aichi 468, Japan), *IEEE Transactions on Magnetism* **31**, No. 6, 4085–4087 (1995).

Three GB/In(2) Recording Demonstration with Dual Element Heads and Thin-Film Disks, C. Tsang (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetism* **32**, No. 1, 7–12 (1996).

Electrostatic Modeling and ESD Damage of Magnetoresistive Sensors, A. J. Wallash (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193), *IEEE Transactions on Magnetism* **32**, No. 1, 49–53 (1996).

Writing and Reading at High Data Rates, K. B. Klaassen (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) and R. G. Hirko, *IEEE Transactions on Magnetism* **32**, No. 1, 90–96 (1996).

Air-Bearing Design, Optimization, Stability Analysis and Verification for Sub-25nm Flying, S. Lu (University of California, Berkeley, CA 94720) et al., *IEEE Transactions on Magnetism* **32**, No. 1, 103–109 (1996).

Nanoindentation and the Tribology of Head-Disk Interface Components, R. L. White (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetism* **32**, No. 1, 110–114 (1996).

Bonding and Tribological Properties of Perfluorinated Lubricants and Hydrogenated Amorphous Carbon Films, S. S. Perry (University of Houston, Houston, TX 77204) et al., *IEEE Transactions on Magnetism* **32**, No. 1, 115–121 (1996).

Overview of Progress in Giant Magnetoresistive Sensors Based on NiFe/Ag Multilayers, M. A. Parker (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetism* **32**, No. 1, 142–148 (1996).

Microwave Inductors and Capacitors in Standard Multilevel Interconnect Silicon Technology, J. N. Burghartz (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Transactions on Microwave Theory and Techniques* **44**, No. 1, 100–104 (1996).

A Self-Organizing Network for Hyperellipsoidal Clustering, J. C. Mao (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and A. K. Jain, *IEEE Transactions on Neural Networks* **7**, No. 1, 16–29 (1996).

Ionizing-Radiation Tolerance of High-Performance SiGe HBTS Grown by UHV/CVD, J. A. Babcock (Auburn University, Auburn, AL 36849) et al., *IEEE Transactions on Nuclear Science* **42**, No. 6, 1558–1566 (1995).

Adaptive Entropy-Constrained Transform Coding of Magnetic-Resonance Image Sequences, N. Mohsenian (IBM Corporation, 1701 North Street, Endicott, NY 13760) et al., *IEEE Transactions on Nuclear Science* **42**, No. 6, 2309–2316 (1995).

Processor Mapping Techniques Toward Efficient Data Redistribution, E. T. Kalns (IBM Corporation, P.O. Box 950, Poughkeepsie, NY 12601) and L. M. Ni, *IEEE Transactions on Parallel and Distributed Systems* **6**, No. 12, 1234–1247 (1995).

Fault Severity in Models of Fault-Correction Activity, D. L. Lanning (IBM Corporation, 1000 Northwest 51st Street, Boca Raton, FL 33432) and T. M. Khoshgoftaar, *IEEE Transactions on Reliability* **44**, No. 4, 666–671 (1995).

An Empirical Model of Enhancement-Induced Defect Activity in Software, D. L. Lanning (IBM Corporation, 1000 Northwest 51st Street, Boca Raton, FL 33432) and T. M. Khoshgoftaar, *IEEE Transactions on Reliability* **44**, No. 4, 672–676 (1995).

The Impact of Software Enhancement on Software Reliability, D. L. Lanning (IBM Corporation, 1000 Northwest 51st Street, Boca Raton, FL 33432) and T. M. Khoshgoftaar, *IEEE Transactions on Reliability* **44**, No. 4, 677–682 (1995).

Automatic Isosurface Propagation Using an Extrema Graph and Sorted Boundary Cell Lists, T. Itoh (IBM Japan Ltd., Tokyo Research Laboratory, Tokyo 102, Japan) and K. Koyamada, *IEEE Transactions on Visualization and Computer Graphics* **1**, No. 4, 319–327 (1995).

Exploiting Triangulated Surface Extraction Using Tetrahedral Decomposition, A. Guezic (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and R. Hummel, *IEEE Transactions on Visualization and Computer Graphics* **1**, No. 4, 328–342 (1995).

A New Model for the Performance Evaluation of Synchronous Circuit Switched Multistage Interconnection Networks, C. Y. R. Chen (Syracuse University, Syracuse, NY 13244) et al., *IEEE/ACM Transactions on Networking* **3**, No. 6, 708–715 (1995).

Oracle Semantics for Prolog, R. Barbuti (University of Pisa, Corso Italia 40, I-56125 Pisa, Italy) et al., *Information and Computation* **122**, No. 2, 178–200 (1995).

The Worst-Case Running Time of the Random Simplex Algorithm Is Exponential in the Height, A. Z. Broder (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Information Processing Letters* **56**, No. 2, 79–81 (1995).

Computing Minkowski Sums of Plane Curves, A. Kaul (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and R. T. Farouki, *International Journal of Computational Geometry and Applications* **5**, No. 4, 413–432 (1995).

Convective Heat Transfer in Porous and Overlying Fluid Layers Heated from Below, S. J. Kim (IBM Corporation, Tucson, AZ 85744) and C. Y. Choi, *International Journal of Heat and Mass Transfer* **39**, No. 2, 319–329 (1995).

Static and Dynamic Density Functional Investigation of Hydrated Beryllium Dications, D. Marx (Max-Planck Institut für Festkörperforschung, D-70569 Stuttgart, Germany) et al., *International Journal of Quantum Chemistry* **57**, No. 4, 655–662 (1996).

Ab-Initio Study of the Nonlinear-Optical Properties of Urea: Electron Correlation and Dispersion Effects, C. Adant (University Mons, Parc 20, B-7000 Mons, Belgium) et al., *International Journal of Quantum Chemistry* **S29**, 497–507 (1995).

An Ab-Initio Mo Study on the Thymine Dimer and Its Radical-Cation, M. Aida (National Cancer Center, 5-1-1 Tsukiji, Tokyo 104, Japan) et al., *International Journal of Quantum Chemistry* **57**, No. 5, 949–957 (1996).

J

Accuracy of Nematic Viscoelastic Constant Measurement Using Rayleigh Scattered Light, M. Hasegawa (IBM Corporation, 1623-12 Shimotsuruma, Yamato, Kanagawa 242, Japan) et al., *Journal of Applied Physics Part 1* **34**, No. 10, 5694–5699 (1995).

A New Driving Method for Reducing Cross-Talk in High Resolution Thin-Film Transistor Liquid-Crystal Displays, F. R. Libsch (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and A. Lien, *Japanese Journal of Applied Physics Part 1* **34**, No. 12A, 6364–6371 (1995).

Projection Exposure with Variable Axis Immersion Lenses: A High Throughput Electron Beam Approach to Suboptical Lithography, H. C. Pfeiffer (IBM Corporation, Route 52, Hopewell Junction, NY 12533), *Japanese Journal of Applied Physics Part 1* **34**, No. 12B, 6658–6662 (1995).

Diffusion Reaction: The Oxidation of Silicides in Electronics and Elsewhere, F. M. d'Heurle (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal de Physique III* **5**, No. 11, 1707–1728 (1995).

Scattering from Strain Variations in High-Mobility Si/SiGe Heterostructures, R. M. Feenstra (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and M. A. Lutz, *Journal of Applied Physics* **78**, No. 10, 6091–6097 (1995).

Erbium-Doped Silicon Films Grown by Plasma-Enhanced Chemical-Vapor Deposition, J. L. Rogers (University of Vermont, Burlington, VT 05405) et al., *Journal of Applied Physics* **78**, No. 10, 6241–6248 (1995).

Stoichiometry Reversal in the Growth of Thin Oxynitride Films on Si(100) Surfaces, D. G. J. Sutherland (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Applied Physics* **78**, No. 11, 6761–6769 (1995).

A Kinetic Study of the C49 to C54 TiSi₂ Conversion Using Electrical Resistivity Measurements on Single Narrow Lines, K. L. Saenger (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Applied Physics* **78**, No. 12, 7040–7044 (1995).

Amorphous (Mo, Ta, or W)-Si-N Diffusion Barriers for Al Metallizations, J. S. Reid (Intel Corporation, D1-67, Hillsboro, OR 97124) et al., *Journal of Applied Physics* **79**, No. 2, 1109–1115 (1996).

Reaction-Mechanism of Cobalt with Silicon Dioxide, T. Nguyen (Sharp Microelectronics Technology, Inc., Camas, WA 98607) et al., *Journal of Applied Physics* **79**, No. 2, 1123–1128 (1996).

An Overview of Rheology in the Computer Industry, T. E. Karis (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *Journal of Applied Polymer Science* **59**, No. 9, 1405–1416 (1996).

Registration, Orientation, and Similarity of Molecular Electrostatic Potentials Through Multipole Matching, D. E. Platt (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and D. Silverman, *Journal of Computational Chemistry* **17**, No. 3, 358–366 (1996).

Model of Synchronized Population Bursts in Electrically Coupled Interneurons Containing Active Dendritic Conductances, R. D. Traub (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal of Computational Neuroscience* **2**, No. 4, 283–289 (1995).

Pyramidal Cell to Inhibitory Cell Spike Transduction Explicable by Active Dendritic Conductances in Inhibitory Cell, R. D. Traub (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and R. Miles, *Journal of Computational Neuroscience* **2**, No. 4, 291–298 (1995).

Stability Analysis of Lattice Boltzmann Methods, J. D. Sterling (Advanced Projects Research Inc., 2521 Wildrose Lane, Upland, CA 91784) and S. Y. Chen, *Journal of Computational Physics* **123**, No. 1, 196–206 (1996).

Synthesis of Low-Resistivity Complex Oxides on MgO Using Pt as Buffer Layer, P. Tiwari (IBM Corporation, P.O. Box 8, Essex Junction, VT 05452) et al., *Journal of Electronic Materials* **25**, No. 1, 51–55 (1996).

Study of High-Quality Epitaxial YbCo Thin Films Grown Directly on Y-Cut LiNbO₃, P. Tiwari (IBM Corporation, P.O. Box A, Essex Junction, VT 05452) et al., *Journal of Electronic Materials* **25**, No. 1, 131–135 (1996).

Thermal Deformation Analysis of Various Electronic Packaging Products by Moiré and Microscopic Moiré Interferometry, B. Han (IBM Corporation, 1701 North Street, Endicott, NY 13760) and Y. Guo, *Journal of Electronic Packaging* **117**, No. 3, 185–191 (1995).

Partial Scan Design of Register-Transfer Level Circuits, R. Gupta (IBM Corporation, Route 52, Hopewell Junction, NY 12533) and M. A. Breuer, *Journal of Electronic Testing—Theory and Applications* **7**, No. 1–2, 25–46 (1995).

Yield Fluctuations and Defect Models, L. M. Huisman (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal of Electronic Testing—Theory and Applications* **7**, No. 3, 241–254 (1995).

Three-Dimensional Transient Electrothermal Simulation of Electrostatic Discharge Protection Circuits, S. H. Voldman (IBM Corporation, 1000 River Road, Essex Junction, VT 05452) et al., *Journal of Electrostatics* **36**, No. 1, 55–80 (1995).

Full-Wave Analysis of Coplanar Wave Guides for LiNbO₃ Optical Modulators by the Mode-Watching Method Considering Nonideal Conductors on Etched Buffer Layers, W. K. Wang (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Lightwave Technology* **13**, No. 11, 2250–2257 (1995).

Magnetic Properties of Fe and Tb in Tb_xFe_{1-x} Amorphous Films Studied with Soft X-ray Circular and Linear Dichroism, J. Vogel (CTR University of Paris Sud, Bat 209D, F-91405 Orsay, France) et al., *Journal of Magnetism and Magnetic Materials* **150**, No. 3, 293–303 (1995).

Magnetism with Picosecond Field Pulses, H. C. Siegmann (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of Magnetism and Magnetic Materials* **151**, No. 1–2, L8–L12 (1995).

Microstructural Evolution of NiFe/Ag Multilayers Studied by X-ray Diffraction and In-Situ High Resolution TEM, E. Snoeck (Stanford University, Stanford, CA 94305) et al., *Journal of Magnetism and Magnetic Materials* **151**, No. 1–2, 24–32 (1995).

Si/SiGe Quantum Wells: Fundamentals to Technology, K. Ismail (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and B. S. Meyerson, *Journal of Materials Science—Materials in Electronics* **6**, No. 5, 306–310 (1995).

Self-Organization of an Oscillatory Neural System, B. E. Willner (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Mathematical Biology* **33**, No. 8, 829–866 (1995).

Quantitative Near-Edge Structure Analysis of Diamond-Like Carbon in the Electron Microscope Using a Two Window Method, J. Bruley (Lehigh University, Bethlehem, PA 18015) et al., *Journal of Microscopy—Oxford* **180**, 22–32 (1995).

Near Atomic Resolution EELs in Silicon Germanium Alloys, P. E. Batson (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal of Microscopy—Oxford* **180**, 204–210 (1995).

Organic Monomeric Glass Formation by Substituted Ethylenediamine, T. E. Karis (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of Non-Crystalline Solids* **191**, No. 3, 293–303 (1995).

Channel Allocation Under Batching and VCR Control in Video-on-Demand Systems, A. Dan (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Parallel and Distributed Computing* **30**, No. 2, 168–179 (1995).

FTIR Study of the Changes in Orientation and Chemistry of Langmuir-Blodgett Films of Cadmium Arachidate During the Formation of Q-State CDS Particles, R. S. Urquhart (CSIRO, Rosebank MDC, Clayton, Vic 3169, Australia) et al., *Journal of Physical Chemistry* **99**, No. 43, 5987–5992 (1995).

Catalytic Effects of Heavy-Metals on the Growth of Carbon Nanotubes and Nanoparticles, C. H. Kiang (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of Physics and Chemistry of Solids* **57**, No. 1, 35–39 (1996).

Cellular Mechanisms of Four-Aminopyridine-Induced Synchronized After-Discharges in the Rat Hippocampal Slice, R. D. Traub (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Physiology—London* **489**, No. 1, 127–140 (1995).

Ring Substituted Polyaniline Copolymers Combining High Solubility with High Conductivity, Y. H. Liao (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Polymer Science Part A* **33**, No. 16, 2725–2729 (1995).

Cleavable Epoxy Resins: Design for Disassembly of a Thermoset, S. L. Buchwalter (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and L. L. Kosbar, *Journal of Polymer Science Part A* **34**, No. 2, 249–260 (1996).

Shrinkage Estimation in Time-Series Using a Bootstrapped Covariance Estimate, N. Ravishanker (University of Connecticut, Storrs, CT 06269) et al., *Journal of Statistical Computation and Simulation* **53**, No. 3–4, 259–267 (1995).

Challenges in Lattice Boltzmann Computing, S. Succi (IBM Corporation, Via Giorgione 159, I-00147 Rome, Italy) et al., *Journal of Statistical Physics* **81**, No. 1–2, 5–16 (1995).

An Improved Incompressible Lattice Boltzmann Model for Time-Independent Flows, Q. S. Zou (Los Alamos National Laboratory, Los Alamos, NM 87545) et al., *Journal of Statistical Physics* **81**, No. 1–2, 35–48 (1995).

Growth Kinetics in Multicomponent Fluids, S. Y. Chen (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and T. Lookman, *Journal of Statistical Physics* **81**, No. 1–2, 223–235 (1995).

Preparation of Hyperbranched and Star Polymers by a Living, Self-Condensing Free-Radical Polymerization, C. J. Hawker (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of the American Chemical Society* **117**, No. 43, 763-764 (1995).

Reaction of Methane with $\text{Rh}(\text{Ph}_3)_2\text{Cl}$: A Dynamical Density Functional Study, P. Margl (University of Calgary, University Drive NW, Calgary, AB T2N 1N4, Canada) et al., *Journal of the American Chemical Society* **117**, No. 50, 2625-2634 (1995).

HAICl and AlCl_2 : A Matrix-Isolation ESR Study, R. Koppe (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and P. H. Kasai, *Journal of the American Chemical Society* **118**, No. 1, 135-139 (1996).

Ill-Posedness of Two-Fluid Model and Regularization by Second-Order Spatial Derivative Term, Y. Tanamachi (IBM Japan Ltd., Tokyo, Japan) and R. Takahashi, *Journal of the Atomic Energy Society of Japan* **37**, No. 12, 1137-1147 (1995).

Electrochemical Fabrication of Mechanically Robust PbSnC_4 Interconnections, M. Datta (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of the Electrochemical Society* **142**, No. 11, 3779-3785 (1995).

Fabrication of an Array of Precision Nozzles by Through-Mask Electrochemical Micromachining, M. Datta (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal of the Electrochemical Society* **142**, No. 11, 3801-3805 (1995).

Theory of High- Na Imaging in Homogeneous Thin-Films, D. G. Flagello (ASM Litog, 1110 Run, 5503 La La Veldhoven, Netherlands) et al., *Journal of the Optical Society of America A* **13**, No. 1, 53-64 (1996).

Measurements of the Magneto-optic Kerr-Effect and the Extraordinary Hall-Effect on Grooved Glass Substrates Coated with Amorphous TbFeCo , S. Gadetsky (University of Arizona, Tucson, AZ 85721) et al., *Journal of the Optical Society of America A* **13**, No. 2, 314-319 (1996).

Fluid Simulations of Particle Contamination in Postplasma Processes, M. P. Garrity (University of Arizona, Tucson, AZ 85721) et al., *Journal of Vacuum Science & Technology A* **13**, No. 6, 2939-2944 (1995).

Contact Potential Measurements of Hard-Disk Drive Surfaces in Humid Environments, E. S. Zanoria (Georgia Institute of Technology, Atlanta, GA 30332) et al., *Journal of Vacuum Science & Technology A* **14**, No. 1, 52-55 (1996).

Toward Accurate Metrology with Scanning Force Microscopes, Y. Martin (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and H. K. Wickramasinghe, *Journal of Vacuum Science & Technology B* **13**, No. 6, 2335-2339 (1995).

In-Line Holography Using Low-Energy Electrons and Photons: Applications for Manipulation ALS a Nanometer Scale, H. Schmid (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2428-2431 (1995).

Improved Emission Stability of Carburized HfC [100] and Ultrasharp Tungsten Field Emitters, M. L. Yu (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2436-2440 (1995).

Lens and Deflector Design for Microcolumns, M. G. R. Thomson (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and T. H. P. Chang, *Journal of Vacuum Science & Technology B* **13**, No. 6, 2445-2449 (1995).

Compression of Field Emission Angular Distribution Using a Cathode Shield, M. G. R. Thomson (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal of Vacuum Science & Technology B* **13**, No. 6, 2455-2458 (1995).

Design of a High-Voltage Electron Gun for Lithography Applications, P. F. Petric (IBM Corporation, Route 52, Hopewell Junction, NY 12533), *Journal of Vacuum Science & Technology B* **13**, No. 6, 2464-2467 (1995).

Miniature Schottky Electron Source, H. S. Kim (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2468-2472 (1995).

Performance Enhancements on IBM's EL-4 Electron Beam Lithography System, R. Butsch (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2478-2482 (1995).

An Electron-Beam Microcolumn with Improved Resolution, Beam Current, and Stability, E. Kratschmer (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2498-2503 (1995).

Characterization of a GaAs Metal-Semiconductor-Metal Low-Energy-Electron Detector, X. Zolgharnain (Columbia University, New York, NY 10027) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2556-2560 (1995).

Focused Ion-Beam Metrology, A. Wagner (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2629-2636 (1995).

Miniature Three-Axis Micropositioner for Scanning Proximal Probe and Other Applications, S. Kleindiek (University Tübingen, D-72076 Tübingen, Germany) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2653-2656 (1995).

Magnetic Properties of Fe and Tb in $\text{Tb}_x\text{Fe}_{1-x}$ Amorphous Films Studied with Soft X-ray Circular and Linear Dichroism, J. Vogel (CTR University of Paris Sud, Bat 209D, F-91405 Orsay, France) et al., *Journal of Magnetism and Magnetic Materials* **150**, No. 3, 293-303 (1995).

Lithography and Fabrication Processes for Sub-100-nm-Scale Complementary Metal-Oxide-Semiconductor, S. J. Wind (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2688-2695 (1995).

Fabrication of Microstructures for Studies of Electromigration in Sub-0.25- μ m Metal Interconnections, K. Y. Lee (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2869–2874 (1995).

Effect of Thin-Film Interference on Process Latitude in Deep-Ultraviolet Lithography, T. Azuma (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2928–2933 (1995).

Lithographic Evaluation of the Hydrogenated Amorphous-Carbon Film, R. Martino (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2949–2953 (1995).

A Diazoquinone Positive Photoresist for X-ray Lithography, A. Aviram (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 2968–2971 (1995).

Thick-Film Positive Photoresist: Development and Resolution Enhancement Technique, D. R. McKean (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 3000–3006 (1995).

Micromachining Applications of a High Resolution Ultrathick Photoresist, K. Y. Lee (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 3012–3016 (1995).

High-Resolution X-ray Mask Repair, P. G. Blauner (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal of Vacuum Science & Technology B* **13**, No. 6, 3070–3074 (1995).

Effect of Absorber Thickness on Image Shortening in X-ray Lithography, J. R. Maldonado (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Journal of Vacuum Science & Technology B* **13**, No. 6, 3094–3098 (1995).

L

Recognition of Individual Tail Groups in Self-Assembled Monolayers, T. Takami (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Langmuir* **11**, No. 10, 3876–3881 (1995).

Reactions of Complex-Ions of Platinum and Palladium in Langmuir-Blodgett-Films of Metal Arachidates, D. J. Elliot (CSIRO, Private Bag 10, Rosebank MDC, Clayton, Vic 3169, Australia) et al., *Langmuir* **11**, No. 12, 4773–4778 (1995).

M

French Fry Flap, E. Orenstein (IBM Corporation, Route 52, Hopewell Junction, NY 12533), *Machine Design* **67**, No. 18, 6 (1995).

Recognition of Hand-Written Rotated Digits by Neural Networks, C. Calabro (IBM Italy, Rome, Italy) et al., *Machine Vision and Applications* **8**, No. 5, 351–357 (1995).

Free-Surface Confinement of Diblock Copolymer Multilayers, P. Mansky (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and T. P. Russell, *Macromolecules* **28**, No. 24, 8092–8095 (1995).

Synchrotron X-ray Scattering Studies of Crystallization of Poly(Etheretherketone) from the Glass and Structural Changes During Subsequent Heating-Cooling Processes, A. M. Jonas (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Macromolecules* **28**, No. 25, 8491–8503 (1995).

Entanglements at Polymer Surfaces and Interfaces, H. R. Brown (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and T. P. Russell, *Macromolecules* **29**, No. 2, 798–800 (1996).

Characterization of Lattice Strain from DX Centers and Persistent Photocarriers in GaAlAs, G. S. Cargill (Columbia University, 500 W. 120th Street, New York, NY 10027) et al., *Materials Chemistry and Physics* **42**, No. 2, 138–141 (1995).

Be Delta-Doped Layers in GaAs Studied by Scanning-Tunneling-Microscopy, P. M. Koenraad (Eindhoven University of Technology, P.O. Box 513, 5600 MB Eindhoven, Netherlands) et al., *Materials Science and Engineering B* **35**, No. 1–3, 485–488 (1995).

Interfaces in Polymeric Materials, H. R. Brown (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *Materials Science Forum* **189**, 57–65 (1995).

The Complexity of Approximating a Nonlinear Program, M. Bellare (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and P. Rogaway, *Mathematical Programming* **69**, No. 3, 429–441 (1995).

Finite Difference Time Domain Modeling of High Speed Electronic Packages, W. D. Becker (IBM Corporation, P.O. Box 950, Poughkeepsie, NY 12602) et al., *Microwave Journal* **38**, No. 12, 62+ (1995).

Henderson, Douglas: A Life in Statistical Mechanics, J. A. Barker (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *Molecular Physics* **86**, No. 4, 549–550 (1995).

Metallization for Integrated Circuit Manufacturing, R. V. Joshi (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *MRS Bulletin* **20**, No. 11, 33–37 (1995).

Adhesion of Polymers, H. R. Brown (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *MRS Bulletin* **21**, No. 1, 24–27 (1996).

Characterizing Polymer Surfaces and Interfaces, T. P. Russell (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *MRS Bulletin* **21**, No. 1, 49–53 (1996).

O

Continuous Coherent Transient Optical-Processing in a Solid, M. Zhu (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Optics Letters* **20**, No. 24, 2514–2516 (1995).

Optical-Data Storage Using a Solid Immersion Lens, B. D. Terris (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Optoelectronics—Devices and Technologies* **10**, No. 3, 303–310 (1995).

P

A Parallel Implementation of a Three-Dimensional Pseudospectral Based Code on the IBM-9076 Scalable POWERparallel System, M. Briscolini (IBM Corporation, P. Giulio Pastore 6, I-00144 Rome, Italy), *Parallel Computing* **21**, No. 11, 1849–1862 (1995).

Is Quantum-Mechanics Useful?, R. Landauer (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Philosophical Transactions of the Royal Society of London* **353**, No. 1703, 367–376 (1995).

High- T_c Superconductors Tailored on the Nanometer Scale, J. Mannhart (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland), *Philosophical Transactions of the Royal Society of London* **353**, No. 1703, 377–385 (1995).

Large-Scale Simulation of the Two-Dimensional Kinetic Ising-Model, A. Linke (University of Heidelberg, D-69120 Heidelberg, Germany) et al., *Physica A* **222**, No. 1–4, 205–209 (1995).

Low-Temperature Transport and Photoconductivity Response of High Mobility Si-SiGe Heterostructures in Strong Magnetic Fields, R. G. Clark (University of New South Wales, Sydney, NSW 2052, Australia) et al., *Physica B* **216**, No. 3–4, 388–392 (1996).

X-ray Single Crystal Structure Analysis of the 1245 Type Superconductor $Hg_{0.5}Pb_{0.5}Ba_2Ca_4Cu_5O_{12-\delta}$, H. Schwer (ETH Honggerberg, CH-8093 Zurich, Switzerland) et al., *Physica C* **254**, No. 1–2, 7–14 (1995).

Conjectures About Phase Turbulence in the Complex Ginzburg-Landau Equation, G. Grinstein (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physica D* **90**, No. 1–2, 96–106 (1996).

Two-Ion Chaos, J. A. Hoffnagle (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and R. G. Brewer, *Physica Scripta* **T59**, 380–386 (1995).

Investigation of the Relationship Between Reflectance Difference Spectroscopy and Surface Structure Using Grazing Incidence X-ray Scattering, D. W. Kisker (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physica Status Solidi A—Applied Research* **152**, No. 1, 9–21 (1995).

Elementary Gates for Quantum Computation, A. Barenco (University of Oxford, Parks Road, Oxford OX1 3PU, England) et al., *Physical Review A* **52**, No. 5, 3457–3467 (1995).

Quantum Fluctuations in the Spiral Phase of the Hubbard Model, C. Zhou (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and H. J. Schulz, *Physical Review B* **52**, No. 16, 1557–1560 (1995).

Static Properties of the S-1 One-Dimensional Antiferromagnet $Ag_2P_2S_6$, M. Takigawa (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review B* **52**, No. 18, 3087–3090 (1995).

Probing Oscillatory Exchange Coupling with a Paramagnet, C. H. Back (ETH Zurich, CH-8093 Zurich, Switzerland) et al., *Physical Review B* **52**, No. 18, 3114–3117 (1995).

Van Hove Scenario for D-Wave Superconductivity in Cuprates, D. M. Newns (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review B* **52**, No. 18, 3611–3618 (1995).

Submonolayers of Adsorbates on Stepped Co/Cu(100) Switching of the Easy Axis, W. Weber (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Physical Review B* **52**, No. 20, 4400–4403 (1995).

Localized Orbital Theory of Electronic Structure: A Simple Application, K. C. Pandey (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review B* **52**, No. 20, 4415–4420 (1995).

Thermal Carrier Emission from a Semiconductor Quantum Well, S. Weber (University ULM, Halbleiterphys ABT, D-89069 ULM, Germany) et al., *Physical Review B* **52**, No. 20, 4739–4747 (1995).

Charge Transfer at Double-Layer to Single-Layer Transition in Double-Quantum-Well Systems, Y. Katayama (IBM Corporation, 1623-14 Shimotsurama, Yamato, Kanagawa 242, Japan) et al., *Physical Review B* **52**, No. 20, 4817–4824 (1995).

Electronic States Induced by Interface Doping of Cu/Ni(100) with Co, C. Hwang (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and F. J. Himpsel, *Physical Review B* **52**, No. 21, 5368–5371 (1995).

Experimental Determination of the Magnetic Phase Diagram of Gd/Fe Multilayers, W. Hahn (KFA Jülich GmbH, Postfach 1913, D-52425 Jülich, Germany) et al., *Physical Review B* **52**, No. 22, 6041–6048 (1995).

X-ray Diffuse-Scattering Study of Interfacial Morphology and Conformal Roughness in Metallic Multilayers, R. Paniago (University of Houston, Houston, TX 77204) et al., *Physical Review B* **52**, No. 24, 7052–7055 (1995).

Phase-Separation and Softening of the 02,3 In-Phase Mode in the $YBa_2Cu_3O_x$ Superconductors, N. Poulakis (National Technology University of Athens, GR-15780 Athens, Greece) et al., *Physical Review B* **53**, No. 2, R534–R537 (1996).

Measurements of 65 MeV Fe, Sn, and Pb(N,N'X) Continuum Cross-Sections, E. L. Hjort (Purdue University, West Lafayette, IN 47907) et al., *Physical Review C* **53**, No. 1, 237–242 (1996).

Mean Field Theory of the Morphology Transition in Stochastic Diffusion Limited Growth, Y. H. Tu (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and H. Levine, *Physical Review E* **52**, No. 5, 5134–5141 (1995).

Parallel Diffusion Limited Aggregation, H. Kaufman (Yale University, New Haven, CT 06520) et al., *Physical Review E* **52**, No. 5, 5602-5609 (1995).

Inertial Range Scaling in Turbulence, S. Y. Chen (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and N. Z. Cao, *Physical Review E* **52**, No. 6, 5757-5759 (1995).

Front Stability in Mean Field Models of Diffusion-Limited Growth, D. Ridgway (University of California, La Jolla, CA 92093) et al., *Physical Review E* **53**, No. 1, 861-870 (1996).

Determination of Spin-Moment and Orbital-Moment Anisotropies in Transition Metals by Angle-Dependent X-ray Magnetic Circular Dichroism, J. Stohr (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and H. König, *Physical Review Letters* **75**, No. 20, 3748-3751 (1995).

Microscopic Origin of Magnetic Anisotropy in Au/Co/Au Probed with X-ray Magnetic Circular Dichroism, D. Weller (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Physical Review Letters* **75**, No. 20, 3752-3755 (1995).

Electric-Field-Induced Electronic Instability in Amorphous Mo₃Si Superconducting Films, A. V. Samoilov (Ecole Polytechnique, F-91128 Palaiseau, France) et al., *Physical Review Letters* **75**, No. 22, 4118-4121 (1995).

Long-Range Order in a Two-Dimensional Dynamical XY Model: How Birds Fly Together, J. Toner (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and Y. H. Tu, *Physical Review Letters* **75**, No. 23, 4326-4329 (1995).

Electrochemical Deposition of Copper on a Gold Electrode in Sulfuric Acid: Resolution of the Interfacial Structure, M. F. Toney (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Physical Review Letters* **75**, No. 24, 4472-4475 (1995).

Transport at a Van Hove Singularity in Cuprate Superconductors—Reply, D. M. Newns (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review Letters* **75**, No. 24, 4553 (1995).

Numerical Evidence for the Observation of a Scalar Glueball, J. Sexton (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review Letters* **75**, No. 25, 4563-4566 (1995).

Near Atomic Scale Studies of Electronic Structure at Grain Boundaries in Ni₃Al, D. A. Müller (Cornell University, Ithaca, NY 14853) et al., *Physical Review Letters* **75**, No. 26, 4744-4747 (1995).

A New Phase of Tethered Membranes: Tubules, L. Radzihovsky (University of Colorado, Boulder, CO 80309) and J. Toner, *Physical Review Letters* **75**, No. 26, 4752-4755 (1995).

Computer-Simulation Study of the Melting Transition in Two Dimensions, K. Bagchi (Stanford University, Stanford, CA 94305) et al., *Physical Review Letters* **76**, No. 2, 255-258 (1996).

Anomalous Magnetic-Properties of Metallic: V₂O₃ Under Pressure, M. Takigawa (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review Letters* **76**, No. 2, 283-286 (1996).

Critical Behavior of Systems with Many Absorbing States, M. A. Muñoz (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review Letters* **76**, No. 3, 451-454 (1996).

Quasi-Classical Transport at a Van Hove Singularity in Cuprate Superconductors, D. M. Newns (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review Letters* **76**, No. 3, 555 (1996).

Properties of Velocity Circulation in Three-Dimensional Turbulence, N. Cao (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review Letters* **76**, No. 4, 616-619 (1996).

Purification of Noisy Entanglement and Faithful Teleportation Via Noisy Channels, C. H. Bennett (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review Letters* **76**, No. 5, 722-725 (1996).

A Meeting of Two Materials, H. Brown (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *Physics World* **9**, No. 1, 38-42 (1996).

Polyimide Foams Prepared from Homopolymer/Copolymer Mixtures, Y. Charlier (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Polymer* **36**, No. 23, 4529-4534 (1995).

The Use of Styrenic Copolymers to Generate Polyimide Nanofoams, J. L. Hedrick (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Polymer* **36**, No. 25, 4844-4866 (1995).

Growth of ODPA-APB Polyimide Films Using Molecular-Beam Deposition, and Their Characterization, C. D. Dimitrakopoulos (Philips Research Laboratories, 5656 AA Eindhoven, Netherlands) et al., *Polymer* **36**, No. 26, 4983-4990 (1995).

Surface and Interface Analysis of Third Generation Light Sources, F. J. Himpsel (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Progression Surface Science* **50**, No. 1-4, 37-51 (1995).

Q

Linear Independence of Root Equations for M/G/1 Type Markov-Chains, H. R. Gail (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Queueing Systems* **20**, No. 3-4, 321-339 (1995).

R

Binary Collision Simulations of Ion Transmission Through Silicon Single-Crystal Films, C. S. Murthy (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Radiation Effects and Defects in Solids* **130**, 175-186 (1994).

Room-Temperature Three Sensor Magnetic-Field Gradiometer, R. H. Koch (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Review of Scientific Instruments* **67**, No. 1, 230–235 (1996).

S

Controlled Room-Temperature Positioning of Individual Molecules: Molecular Flexure and Motion, T. A. Jung (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Science* **271**, No. 5246, 181–184 (1996).

Pairing Symmetry in Single-Layer Tetragonal $Tl_2Ba_2CuO_{6-\delta}$ Superconductors, C. C. Tsuei (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Science* **271**, No. 5247, 329–332 (1996).

Quarks by Computer, D. H. Weingarten (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Scientific American* **274**, No. 2, 116–120 (1996).

Thin-Film Structures for Low-Field Granular Giant Magnetoresistance, K. R. Coffey (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *Scripta Metallurgica et Materialia* **33**, No. 10-1, 1593–1602 (1995).

Coercivity Mechanism in (Co/Pt) and (Co/Pd) Multilayers, T. Suzuki (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *Scripta Metallurgica et Materialia* **33**, No. 10-1, 1609–1623 (1995).

Microstructure and Giant Magnetoresistance in Granular and Multilayer Magnetic Thin Films, N. Thangaraj (University of California, Berkeley, CA 94720) et al., *Scripta Metallurgica et Materialia* **33**, No. 10-1, 1667–1677 (1995).

Heterocyclic Catalysts for Enhanced Silicon Oxidation and Wet Chemical Etching, H. G. Linde (IBM Corporation, P.O. Box A, Essex Junction, VT 05452) and L. W. Austin, *Sensors and Actuators A* **49**, No. 3, 167–172 (1995).

Catalytic Control of Anisotropic Silicon Etching, H. G. Linde (IBM Corporation, P.O. Box A, Essex Junction, VT 05452) and L. W. Austin, *Sensors and Actuators A* **49**, No. 3, 181–185 (1995).

Tip Based Data Storage Using Micromechanical Cantilevers, H. J. Mamin (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Sensors and Actuators A—Physical* **48**, No. 3, 215–219 (1995).

Integrated Multilayer High Aspect Ratio Milliactuators, L. S. Fan (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Sensors and Actuators A—Physical* **48**, No. 3, 221–227 (1995).

What Can Be Computed Locally?, M. Naor (Weizmann Institute of Science, IL-76100 Rehovot, Israel) and L. Stockmeyer, *SIAM Journal on Computing* **24**, No. 6, 1259–1277 (1995).

Scheduling Parallel Machines Online, D. B. Shmoys (Cornell University, Ithaca, NY 14853) et al., *SIAM Journal on Computing* **24**, No. 6, 1313–1331 (1995).

Canonical Encoders for Sliding Block Decoders, J. Ashley (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and B. Margus, *SIAM Journal on Discrete Mathematics* **8**, No. 4, 555–605 (1995).

Super Efficient Decoding of Color JPEG Images on RISC Machines, E. Linzer (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Signal Processing, Image Communication* **8**, No. 1, 13–24 (1996).

A Performance Comparison of 3 Software Video CODECs for IBM RISC System/6000 Workstations, J. Delargy (IBM Corporation, 11400 Burnet Road, Austin, TX 78758) and P. Wendt, *Signal Processing, Image Communication* **8**, No. 1, 39–44 (1996).

Using Formalized Temporal Message Flow Diagrams, W. Citrin (University of Colorado, Campus Box 425, Boulder, CO 80309) et al., *Software Practice & Experience* **25**, No. 12, 1367–1401 (1995).

Indications of a Luttinger Liquid in the Fractional Quantum Hall Regime, F. P. Milliken (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Solid State Communications* **97**, No. 4, 309–313 (1996).

Industry Must Be More Proactive on Education, E. H. Bokelberg (IBM Corporation, Route 52, Hopewell Junction, NY 12533), *Solid State Technology* **38**, No. 12, 16 (1995).

Scanning-Tunneling-Microscopy and Scanning Force Microscopy, S. F. Alvarado (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland), *Surface Review Letters* **2**, No. 5, 607–617 (1995).

Surface Science Techniques Applied to Magnetic Materials, W. Weber (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland), *Surface Review Letters* **2**, No. 6, 809–816 (1995).

Status and Issues of HPF Compilers, T. Nakatani (IBM Japan Ltd., Yamato, Nara 242, Japan), *Systems and Computers in Japan* **26**, No. 12, 1–7 (1995).

T

Full Abstraction and Recursion, M. W. Mislove (Tulane University, New Orleans, LA 70118) and F. J. Oles, *Theoretical Computer Science* **151**, No. 1, 207–256 (1995).

Influence of Nitrogen Doping on Different Properties of A-C-H, R. Hauert (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Thin Solid Films* **268**, No. 1–2, 22–29 (1995).

Ion-Beam-Induced Insulator Deposition for Chip Circuit Modification, L. Hahn (IBM Corporation, P.O. Box A, Essex Junction, VT 05452) et al., *Thin Solid Films* **270**, No. 1–2, 422–425 (1995).

The Chemical-Vapor-Deposition of Copper and Copper-Alloys, P. Doppelt (CNRS, 10 Rue Vauquelin, F-75231 Paris 05, France) and T. H. Baum, *Thin Solid Films* **270**, No. 1-2, 480-482 (1995).

CVD of Fluorosilicate Glass for ULSI Applications, M. J. Shapiro (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Thin Solid Films* **270**, No. 1-2, 503-507 (1995).

V

Random Number Generators: Pretty Good Ones Are Easy to Find, C. A. Pickover (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Visual Computer* **11**, No. 7, 369-377 (1995).