

Subject index for papers in Volume 43

Each index entry below is accompanied by an author's name and a page number; the author index contains the title of the paper and the names of coauthors, if any.

Subject	Author	Page			
<i>Algorithms</i>			Plasma-assisted chemical vapor deposition of dielectric thin films for ULSI semiconductor circuits	Cote	5
Evaluation of branch-prediction methods on traces from commercial applications	Hilgendorf	579	Plasma-deposited diamondlike carbon and related materials	Grill	147
<i>Analytical models</i>			<i>Chemistry and chemical engineering</i>		
Pseudorandom verification and emulation of an MPEG-2 transport demultiplexor	Reed	533	Cost-effective cleaning and high-quality thin gate oxides	Heyns	339
<i>Arithmetic and logical unit design</i>			Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265
Architecture and software support in IBM S/390 Parallel Enterprise Servers for IEEE Floating-Point arithmetic	Abbott	723	Nitrous oxide (N ₂ O) processing for silicon oxynitride gate dielectrics	Ellis	287
The S/390 G5 floating-point unit	Schwarz	707	Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301
<i>Capacitance</i>			<i>Circuit and device technology</i>		
(Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367	Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407
Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383	Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	<i>CMOS</i>		
<i>Channel subsystem architecture</i>			Chip integration methodology for the IBM S/390 G5 and G6 custom microprocessors	Averill	681
Fiber optic interconnects for the IBM S/390 Parallel Enterprise Server G5	DeCusatis	807	Custom S/390 G5 and G6 microprocessors	Check	671
Integrated Cluster Bus performance for the IBM S/390 Parallel Sysplex	Rao	855	Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407
Self-timed interface for S/390 I/O subsystem interconnection	Hoke	829	MCM technology and design for the S/390 G5 system	Katopis	621
The Integrated Cluster Bus for the IBM S/390 Parallel Sysplex	Gregg	795	Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393
<i>Chemical vapor deposition</i>			RAS strategy for IBM S/390 G5 and G6	Mueller	875
High-density plasma chemical vapor deposition of silicon-based dielectric films for integrated circuits	Nguyen	109	S/390 G5 CMOS microprocessor diagnostics	Song	899
			<i>Computer system availability</i>		
			Event monitoring in highly complex hardware systems	Buechner	889

RAS strategy for IBM S/390 G5 and G6	Mueller	875	<i>Diffusion</i> Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245
<i>Contamination</i> Cost-effective cleaning and high-quality thin gate oxides	Heyns	339	<i>Electrochemistry</i> Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351
<i>Cryptography</i> S/390 CMOS Cryptographic Coprocessor Architecture: Overview and design considerations	Yeh	777	<i>ESCON architecture</i> Fiber optic interconnects for the IBM S/390 Parallel Enterprise Server G5	DeCusatis	807
S/390 Parallel Enterprise Server CMOS Cryptographic Coprocessor	Easter	761	<i>Etching</i> Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351
<i>Data compression</i> Single-pass constant- and variable-bit-rate MPEG-2 video compression	Mohsenian	489	Fabrication of magnetic recording heads and dry etching of head materials	Hsiao	89
<i>Data transmission</i> Design of an MPEG-2 transport demultiplexor core	Anderson	521	Plasma-etching processes for ULSI semiconductor circuits	Armacost	39
Pseudorandom verification and emulation of an MPEG-2 transport demultiplexor	Reed	533	Plasma processing damage in etching and deposition	Fonash	103
<i>Design verification</i> PLL modeling and verification in a cycle-simulation environment	Van Huben	915	Surface science issues in plasma etching	Oehrlein	181
<i>Device design</i> Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393	<i>Fabrication</i> Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301
<i>Dielectrics</i> (Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367	<i>Fault tolerance</i> IBM S/390 Parallel Enterprise Server G5 fault tolerance: A historical perspective	Spainhower	863
Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351	<i>Fiber optics</i> Fiber optic interconnects for the IBM S/390 Parallel Enterprise Server G5	DeCusatis	807
Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265	<i>Films</i> Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383
High-density plasma chemical vapor deposition of silicon-based dielectric films for integrated circuits	Nguyen	109	<i>Films, oxide</i> (Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367
Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407	<i>Films, semiconductor</i> Plasma processing in the fabrication of amorphous silicon thin-film-transistor arrays	Kuo	73
Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393	<i>Films, thin</i> (Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367
Nitrous oxide (N ₂ O) processing for silicon oxynitride gate dielectrics	Ellis	287	Fabrication of magnetic recording heads and dry etching of head materials	Hsiao	89
Plasma-assisted chemical vapor deposition of dielectric thin films for ULSI semiconductor circuits	Cote	5	Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265
Plasma-assisted oxidation, anodization, and nitridation of silicon	Hess	127	Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393
Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383			
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301			

Plasma-assisted chemical vapor deposition of dielectric thin films for ULSI semiconductor circuits	Cote	5	Design of an MPEG-2 transport demultiplexor core	Anderson	521
Plasma-deposited diamondlike carbon and related materials	Grill	147	Memory reduction for HDTV decoders	Lam	545
Plasma-etching processes for ULSI semiconductor circuits	Armacost	39	Pseudorandom verification and emulation of an MPEG-2 transport demultiplexor	Reed	533
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	Requirements for motion-estimation search range in MPEG-2 coded video	Gonzales	453
Surface science issues in plasma etching	Oehrlein	181	Single-pass constant- and variable-bit-rate MPEG-2 video compression	Mohsenian	489
Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383	Statistical multiplexing using MPEG-2 video encoders	Böröczky	511
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	Two-pass MPEG-2 variable-bit-rate encoding	Westerink	471
<i>I/O devices, systems, and technology</i>			<i>Imaging technology</i>		
Self-timed interface for S/390 I/O subsystem interconnection	Hoke	829	Plasma processing in the fabrication of amorphous silicon thin-film-transistor arrays	Kuo	73
<i>IBM System/390 Parallel Enterprise Server</i>			<i>Inductance</i>		
Architecture and software support in IBM S/390 Parallel Enterprise Servers for IEEE Floating-Point arithmetic	Abbott	723	Plasma processing damage in etching and deposition	Fonash	103
Chip integration methodology for the IBM S/390 G5 and G6 custom microprocessors	Averill	681	<i>Insulators</i>		
Custom S/390 G5 and G6 microprocessors	Check	671	(Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367
Event monitoring in highly complex hardware systems	Buechner	889	Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383
Fiber optic interconnects for the IBM S/390 Parallel Enterprise Server G5	DeCusatis	807	<i>Interconnection technology</i>		
IBM S/390 Parallel Enterprise Server G5 fault tolerance: A historical perspective	Spainhower	863	Fiber optic interconnects for the IBM S/390 Parallel Enterprise Server G5	DeCusatis	807
IBM S/390 storage hierarchy—G5 and G6 performance considerations	Jackson	847	<i>Interfaces</i>		
Integrated Cluster Bus performance for the IBM S/390 Parallel Sysplex	Rao	855	Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327
MCM technology and design for the S/390 G5 system	Katopis	621	<i>Logic design and technology</i>		
PLL modeling and verification in a cycle-simulation environment	Van Huben	915	Architecture and software support in IBM S/390 Parallel Enterprise Servers for IEEE Floating-Point arithmetic	Abbott	723
RAS strategy for IBM S/390 G5 and G6	Mueller	875	Evaluation of branch-prediction methods on traces from commercial applications	Hilgendorf	579
S/390 CMOS Cryptographic Coprocessor Architecture: Overview and design considerations	Yeh	777	S/390 CMOS Cryptographic Coprocessor Architecture: Overview and design considerations	Yeh	777
S/390 G5 CMOS microprocessor diagnostics	Song	899	S/390 Parallel Enterprise Server CMOS Cryptographic Coprocessor	Easter	761
S/390 Parallel Enterprise Server CMOS Cryptographic Coprocessor	Easter	761	The S/390 G5 floating-point unit	Schwarz	707
Self-timed interface for S/390 I/O subsystem interconnection	Hoke	829	<i>Machine computation and data analysis</i>		
System performance management for the S/390 Parallel Enterprise Server G5	Rizzolo	651	Evaluation of branch-prediction methods on traces from commercial applications	Hilgendorf	579
The Integrated Cluster Bus for the IBM S/390 Parallel Sysplex	Gregg	795	<i>Magnetic recording</i>		
The S/390 G5 floating-point unit	Schwarz	707	Fabrication of magnetic recording heads and dry etching of head materials	Hsiao	89
The S/390 G5/G6 binodal cache	Turgeon	661	<i>Manufacturing</i>		
<i>Image processing</i>			Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407
A framework for programmable overlay multimedia networks	Manohar	555			

Sputter deposition for semiconductor manufacturing	Rosnagel	163	<i>Models and modeling</i>		
<i>Materials</i>			Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327
Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265	Modeling and simulation methods for plasma processing	Hamaguchi	199
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	PLL modeling and verification in a cycle-simulation environment	Van Huben	915
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	<i>Multilayers</i>		
<i>Materials technology</i>			Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383
(Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367	Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301
Cost-effective cleaning and high-quality thin gate oxides	Heyns	339	<i>Multimedia</i>		
Surface science issues in plasma etching	Oehrlein	181	A framework for programmable overlay multimedia networks	Manohar	555
<i>Mathematical functions and techniques</i>			Design of an MPEG-2 transport demultiplexor core	Anderson	521
Architecture and software support in IBM S/390 Parallel Enterprise Servers for IEEE Floating-Point arithmetic	Abbott	723	Memory reduction for HDTV decoders	Lam	545
<i>Measurement</i>			Pseudorandom verification and emulation of an MPEG-2 transport demultiplexor	Reed	533
Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351	Requirements for motion-estimation search range in MPEG-2 coded video	Gonzales	453
Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265	Single-pass constant- and variable-bit-rate MPEG-2 video compression	Mohsenian	489
Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407	Statistical multiplexing using MPEG-2 video encoders	Böröczky	511
Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383	Two-pass MPEG-2 variable-bit-rate encoding	Westerink	471
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	<i>Multiplexing</i>		
<i>Memory (computer) design and technology</i>			Design of an MPEG-2 transport demultiplexor core	Anderson	521
(Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367	Pseudorandom verification and emulation of an MPEG-2 transport demultiplexor	Reed	533
<i>Memory, cache</i>			Statistical multiplexing using MPEG-2 video encoders	Böröczky	511
The S/390 G5/G6 binodal cache	Turgeon	661	<i>Nanoscale structures and devices</i>		
<i>Memory, random-access</i>			Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265
(Ba,Sr)TiO ₃ dielectrics for future stacked-capacitor DRAM	Kotecki	367	<i>Nitridation</i>		
<i>Microelectronics</i>			Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265
Chip integration methodology for the IBM S/390 G5 and G6 custom microprocessors	Averill	681	Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393
Custom S/390 G5 and G6 microprocessors	Check	671	Nitrous oxide (N ₂ O) processing for silicon oxynitride gate dielectrics	Ellis	287
MCM technology and design for the S/390 G5 system	Katopis	621	Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245
System performance management for the S/390 Parallel Enterprise Server G5	Rizzolo	651	Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301
<i>Microprocessor systems and applications</i>			<i>Oxynitridation</i>		
Chip integration methodology for the IBM S/390 G5 and G6 custom microprocessors	Averill	681	Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265
Custom S/390 G5 and G6 microprocessors	Check	671			

Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393	Plasma-assisted oxidation, anodization, and nitridation of silicon	Hess	127
Nitrous oxide (N ₂ O) processing for silicon oxynitride gate dielectrics	Ellis	287	Plasma-deposited diamondlike carbon and related materials	Grill	147
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	Plasma-etching processes for ULSI semiconductor circuits	Armacost	39
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	Plasma processing damage in etching and deposition	Fonash	103
<i>Oxynitride</i>			Plasma processing in the fabrication of amorphous silicon thin-film-transistor arrays	Kuo	73
Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265	Sputter deposition for semiconductor manufacturing	Rossnagel	163
Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407	Surface science issues in plasma etching	Oehrlein	181
Nitrous oxide (N ₂ O) processing for silicon oxynitride gate dielectrics	Ellis	287	Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	<i>Process control and development</i>		
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	Cost-effective cleaning and high-quality thin gate oxides	Heyns	339
<i>Performance analysis</i>			<i>Quantum theory and effects</i>		
Evaluation of branch-prediction methods on traces from commercial applications	Hilgendorf	579	Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327
Event monitoring in highly complex hardware systems	Buechner	889	<i>Reliability</i>		
IBM S/390 storage hierarchy—G5 and G6 performance considerations	Jackson	847	Cost-effective cleaning and high-quality thin gate oxides	Heyns	339
Integrated Cluster Bus performance for the IBM S/390 Parallel Sysplex	Rao	855	Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407
S/390 G5 CMOS microprocessor diagnostics	Song	899	Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393
<i>Photothermal processes</i>			RAS strategy for IBM S/390 G5 and G6	Mueller	875
Nitrous oxide (N ₂ O) processing for silicon oxynitride gate dielectrics	Ellis	287	Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245
<i>Physical chemistry</i>			<i>Semiconductor technology</i>		
Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351	Cost-effective cleaning and high-quality thin gate oxides	Heyns	339
Cost-effective cleaning and high-quality thin gate oxides	Heyns	339	High-density plasma chemical vapor deposition of silicon-based dielectric films for integrated circuits	Nguyen	109
<i>Physics, solid state</i>			Modeling and simulation methods for plasma processing	Hamaguchi	199
Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327	Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393
<i>Plasma processing</i>			Plasma-assisted chemical vapor deposition of dielectric thin films for ULSI semiconductor circuits	Cote	5
Fabrication of magnetic recording heads and dry etching of head materials	Hsiao	89	Plasma-assisted oxidation, anodization, and nitridation of silicon	Hess	127
High-density plasma chemical vapor deposition of silicon-based dielectric films for integrated circuits	Nguyen	109	Plasma-etching processes for ULSI semiconductor circuits	Armacost	39
Modeling and simulation methods for plasma processing	Hamaguchi	199	Plasma processing damage in etching and deposition	Fonash	103
Plasma-assisted chemical vapor deposition of dielectric thin films for ULSI semiconductor circuits	Cote	5	Sputter deposition for semiconductor manufacturing	Rossnagel	163
			<i>Signal processing</i>		
			Design of an MPEG-2 transport demultiplexor core	Anderson	521

Pseudorandom verification and emulation of an MPEG-2 transport demultiplexor	Reed	533	Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265
Requirements for motion-estimation search range in MPEG-2 coded video	Gonzales	453	Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245
Single-pass constant- and variable-bit-rate MPEG-2 video compression	Mohsenian	489	Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301
Statistical multiplexing using MPEG-2 video encoders	Böröczky	511	<i>Sputtering</i>		
Two-pass MPEG-2 variable-bit-rate encoding	Westerink	471	Sputter deposition for semiconductor manufacturing	Rossnagel	163
<i>Silicon</i>			<i>Storage hierarchies</i>		
Cost-effective cleaning and high-quality thin gate oxides	Heyns	339	IBM S/390 storage hierarchy—G5 and G6 performance considerations	Jackson	847
Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265	The S/390 G5/G6 binodal cache	Turgeon	661
Plasma-assisted oxidation, anodization, and nitridation of silicon	Hess	127	<i>Surface effects</i>		
Plasma-etching processes for ULSI semiconductor circuits	Armacost	39	Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	Modeling and simulation methods for plasma processing	Hamaguchi	199
<i>Silicon dioxide</i>			<i>Surface passivation</i>		
Cost-effective cleaning and high-quality thin gate oxides	Heyns	339	Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351
Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265	Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265
Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407	Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245
Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327	Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383
Nitrided gate oxides for 3.3-V logic application: Reliability and device design considerations	Hook	393	Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	<i>Surface science</i>		
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	Cost-effective cleaning and high-quality thin gate oxides	Heyns	339
<i>Silicon nitride</i>			<i>Testing</i>		
Growth and characterization of ultrathin nitrided silicon oxide films	Gusev	265	Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407
Key measurements of ultrathin gate dielectric reliability and in-line monitoring	Abadeer	407	<i>Thickness measurement</i>		
Nitrous oxide (N ₂ O) processing for silicon oxynitride gate dielectrics	Ellis	287	Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327
Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245	<i>Transistors</i>		
Ultrathin nitrided gate dielectrics: Plasma processing, chemical characterization, performance, and reliability	Lucovsky	301	Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327
<i>Silicon oxidation</i>			Scaling the gate dielectric: Materials, integration, and reliability	Buchanan	245
Characterization of silicon surface preparation processes for advanced gate dielectrics	Okorn-Schmidt	351	Titanium dioxide (TiO ₂)-based gate insulators	Campbell	383
			<i>Transistors, thin film (TFTs)</i>		
			Plasma processing in the fabrication of amorphous silicon thin-film-transistor arrays	Kuo	73

Tunneling

Modeling and characterization of quantization, polysilicon depletion, and direct tunneling effects in MOSFETs with ultrathin oxides	Lo	327
---	----	-----

Video signals

A framework for programmable overlay multimedia networks	Manohar	555
Design of an MPEG-2 transport demultiplexor core	Anderson	521
Memory reduction for HDTV decoders	Lam	545
Pseudorandom verification and emulation of an MPEG-2 transport demultiplexor	Reed	533
Requirements for motion-estimation search range in MPEG-2 coded video	Gonzales	453
Single-pass constant- and variable-bit-rate MPEG-2 video compression	Mohsenian	489
Statistical multiplexing using MPEG-2 video encoders	Böröczky	511
Two-pass MPEG-2 variable-bit-rate encoding	Westerink	471

Wear

Plasma-deposited diamondlike carbon and related materials	Grill	147
---	-------	-----