

Recent publications by IBM authors

The information listed here is supplied by the Institute for Scientific Information and other outside sources. Reprints of the papers may be obtained by writing directly to the first author cited.

- Journals are listed alphabetically by title; papers are listed sequentially for each journal.

A

An Object-Oriented Approach to Constructing Recursive Descent Parsers, M. S. Davis (IBM Corporation, 1516 Blue Course Drive, State College, PA 16801), *ACM SIGPLAN Notices* **35**, No. 2, 29–35 (2000).

Interprocedural Pointer Alias Analysis, M. Hind (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *ACM Transactions on Programming Languages and Systems* **21**, No. 4, 848–894 (1999).

Linear Scan Register Allocation, M. Poletto (Massachusetts Institute of Technology, Cambridge, MA 02139) and V. Sarkar, *ACM Transactions on Programming Languages and Systems* **21**, No. 5, 895–913 (1999).

Progress in Scanning Probe Microscopy, H. K. Wickramasinghe (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Acta Materialia* **48**, No. 1, 347–358 (2000).

Personal Resources and the Social Distribution of Depression, R. J. Turner (Florida International University, 11200 SW 8th Street, Miami, FL 33199) et al., *American Journal of Community Psychology* **27**, No. 5, 643–672 (1999).

Fabrication and Testing of Chemically Micromachined Silicon Echelle Gratings, L. D. Keller (Cornell University, Ithaca, NY 14853) et al., *Applied Optics* **39**, No. 7, 1094–1105 (2000).

High-Resolution Depth Profiling in Ultrathin Al₂O₃ Films on Si, E. P. Gusev (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Applied Physics Letters* **76**, No. 2, 176–178 (2000).

Structure and Stability of Ultrathin Zirconium Oxide Layers on Si(001), M. Copel (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Applied Physics Letters* **76**, No. 4, 436–438 (2000).

Nanoscale Magnetostrictive Response in a Thin Film Owing to a Local Magnetic Field, R. Berger (IBM Germany, D-55131 Mainz, Germany) et al., *Applied Physics Letters* **76**, No. 5, 616–618 (2000).

Two-Dimensional Magnetic Switching of Micron-Size Films in Magnetic Tunnel Junctions, A. Anguelouch (Brown University, Providence, RI 02912) et al., *Applied Physics Letters* **76**, No. 5, 622–624 (2000).

Implementation of a Three-Quantum-Bit Search Algorithm, L. M. K. Vandersypen (Stanford University, Stanford, CA 94305) et al., *Applied Physics Letters* **76**, No. 5, 646–648 (2000).

Micromagnetics of Submicron (110)Fe Elements, L. Thomas (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Applied Physics Letters* **76**, No. 6, 766–768 (2000).

Perforated Tips for High-Resolution Inplane Magnetic Force Microscopy, L. Folks (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Applied Physics Letters* **76**, No. 7, 909–911 (2000).

Design and Realization of an All d-wave DC π -Superconducting Quantum Interference Device, R. R. Schulz (University of Augsburg, D-86135 Augsburg, Germany) et al., *Applied Physics Letters* **76**, No. 7, 912–914 (2000).

Extracting Interaction Forces and Complementary Observables in Dynamic Probe Microscopy, U. Durig (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland), *Applied Physics Letters* **76**, No. 9, 1203–1205 (2000).

Transplanted Si Films on Arbitrary Substrates Using GaN Underlayers, S. Guha (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Applied Physics Letters* **76**, No. 10, 1264–1266 (2000).

Determination of Pore-Size Distribution in Low-Dielectric Thin Films, D. W. Gidley (University of Michigan, Ann Arbor, MI 48109) et al., *Applied Physics Letters* **76**, No. 10, 1282–1284 (2000).

Influence of Molybdenum on the Formation of C54 TiSi₂: Template Phenomenon Versus Grain-Size Effect, S. L. Zhang (Kungliga Tekniska Högskolan, Electrum 229, SE-16440 Kista, Sweden) and F. M. d'Heurle, *Applied Physics Letters* **76**, No. 14, 1831–1833 (2000).

Plasma-Induced Surface Segregation and Oxidation in Nickel-Iron Thin Films, R. Hsiao (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) and D. Mauri, *Applied Surface Science* **157**, No. 3, 185–190 (2000).

Star Formation in a Crossing Time, B. G. Elmegreen (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Astrophysical Journal* **530**, No. 1, 277–281 (2000).

C

Deletion of the Carboxyl Terminal Exons of K-sam/FGFR₂ by Short Homology-Mediated Recombination, Generating Preferential Expression of Specific Messenger RNAs, T. Ueda (National Cancer Center, Chuo Ku, 1-1 Tsukiji 5 Chome, Tokyo 1040045, Japan) et al., *Cancer Research* **59**, No. 24, 6080–6086 (1999).

Bias-Tuned Reduction of Self-Absorption in Polymer Blend Electroluminescence, B. Ruhstaller (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Chemical Physics Letters* **317**, No. 3–5, 238–244 (2000).

Supercritical CO₂ Processing for Submicron Imaging of Fluoropolymers, N. Sundararajan (Cornell University, Ithaca, NY 14853) et al., *Chemistry of Materials* **12**, No. 1, 41–48 (2000).

Effect of Thermal Annealing on the Optical and Morphological Properties of (AETH)PbX₄ (X = Br, I) Perovskite Films Prepared Using Single Source Thermal Ablation, K. Chondroudis (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Chemistry of Materials* **12**, No. 1, 169–175 (2000).

Surface Structure Tuning in Alcohol Melts by Bulk Additives, O. Gang (Bar Ilan University, IL-52900 Ramat Gan, Israel) et al., *Colloids and Surfaces A* **164**, No. 1, 55–61 (2000).

On Entropy and Monotonicity for Real Cubic Maps (with an Appendix by Douady, Adrien and Sentenac, Pierrette), J. Milnor (State University of New York, Stony Brook, NY 11794) and C. Tresser, *Communications in Mathematical Physics* **209**, No. 1, 123–178 (2000).

Partnerships in the US Telecommunications Industry, V. Grover (University of South Carolina, Columbia, SC 29208) and P. Vaswani, *Communications of the ACM* **43**, No. 2, 80–89 (2000).

Biometric Identification, A. Jain (Michigan State University, East Lansing, MI 48824) et al., *Communications of the ACM* **43**, No. 2, 90–98 (2000).

The KidsRoom, A. F. Bobick (Georgia Institute of Technology, Atlanta, GA 30332) et al., *Communications of the ACM* **43**, No. 3, 60–61 (2000).

Efficient Compression of Non-Manifold Polygonal Meshes, A. Guezic (Multigen Paradigm, 550 South Winchester Boulevard, Suite 500, San Jose, CA 95128) et al., *Computational Geometry* **14**, No. 1–3, 137–166 (1999).

Biometrics: The Future of Identification, S. Pankanti (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *Computer* **33**, No. 2, 46–49 (2000).

Welcome to the Opportunities of Binary Translation, E. R. Altman (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Computer* **33**, No. 3, 40–45 (2000).

Dynamic and Transparent Binary Translation, M. Gschwind (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Computer* **33**, No. 3, 54+ (2000).

Key Establishment Protocols for Secure Mobile Communications: A Critical Survey, C. Boyd (Queensland University of Technology, Brisbane, Queensland 4001, Australia) and A. Mathuria, *Computer Communications* **23**, No. 5–6, 575–587 (2000).

An Adaptive Framework for 3-D Graphics Over Networks, B. O. Schneider (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and I. M. Martin, *Computers & Graphics* **23**, No. 6, 867–874 (1999).

Cryptographic Information Recovery Using Key Recovery, M. Smith (IBM Corporation, Armonk, NY 10504) et al., *Computers & Security* **19**, No. 1, 21–27 (2000).

Features, Attributes, Characteristics, and Traits (Facts) of Key Recovery Schemes/Products, M. Willett (IBM Corporation, Armonk, NY 10504), *Computers & Security* **19**, No. 1, 28–30 (2000).

Key Recovery Functional Model, J. Kennedy (IBM Corporation, Armonk, NY 10504) et al., *Computers & Security* **19**, No. 1, 31–36 (2000).

Additional Key Recovery Functions, S. M. Matyas (IBM Corporation, Armonk, NY 10504) and N. Zunic, *Computers & Security* **19**, No. 1, 37–40 (2000).

Global Interoperability for Key Recovery, C. Williams (Cylink, Sunnyvale, CA 94086) and N. Zunic, *Computers & Security* **19**, No. 1, 48–55 (2000).

Public Key Infrastructure: Analysis of Existing and Needed Protocols and Object Formats for Key Recovery, S. Gupta (IBM Corporation, Armonk, NY 10504) and S. M. Matyas, *Computers & Security* **19**, No. 1, 56–68 (2000).

Organization Implementation Guidelines for Recovery of Encrypted Information, A. Maclean (IBM Corporation, Armonk, NY 10504) et al., *Computers & Security* **19**, No. 1, 69–81 (2000).

Organization Considerations for Retrieval of Stored Data via Key Recovery Methods, N. Zunic (IBM Corporation, Armonk, NY 10504), *Computers & Security* **19**, No. 1, 82–85 (2000).

SSL/TLS Protocol Enablement for Key Recovery, T. G. Shoriak (IBM Corporation, Armonk, NY 10504), *Computers & Security* **19**, No. 1, 100–104 (2000).

Coherent EEG Indicators of Cognitive Binding During Ambiguous Figure Tasks, W. R. Klemm (Texas A&M University, College Station, TX 77843) et al., *Consciousness and Cognition* **9**, No. 1, 66–85 (2000).

The e-Business Hat Trick: Adaptive Enterprises, Adaptable Software, Agile IT Professionals, J. Scott (1016 Long Road, Easton, PA 18040), *Cutter IT Journal* **13**, No. 4, 7–11 (2000).

D

The Nitrogen Aggregation Sequence and the Formation of Voidites in Diamond, I. Kiflawi (University of Reading, Reading RG6 6AF, Great Britain) and J. Bruley, *Diamond and Related Materials* **9**, No. 1, 87–93 (2000).

Optimal Multiple Message Broadcasting in Telephone-Like Communication Systems, A. Barnoy (Tel Aviv University, IL-69978 Tel Aviv, Israel) et al., *Discrete Applied Mathematics* **100**, No. 1–2, 1–15 (2000).

Nematic Liquid-Crystal Modes for Si Wafer-Based Reflective Spatial Light Modulators, K. H. Yang (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and M. H. Lu, *Displays* **20**, No. 5, 211–219 (1999).

E

Ultrathin 600°C Wet Thermal Silicon Dioxide, J. Appenzeller (Massachusetts Institute of Technology, Cambridge, MA 02139) et al., *Electrochemical and Solid State Letters* **3**, No. 2, 84–86 (2000).

Image Enhancement for Noisy Images Using the Fuzzy Techniques, T. Kimura (IBM Japan, Ltd., 1623-14 Shimotsuruma, Yamato, Kanagawa 242, Japan) et al., *Electronics and Communications in Japan Part III* **83**, No. 7, 1–11 (2000).

SanFrancisco Performance: A Case Study in Performance of Large-Scale Java Applications, R. Christ (IBM Corporation, 3605 Highway 52 North, Rochester, MN 55901) et al., *IBM Systems Journal* **39**, No. 1, 4–20 (2000).

Java Programming for High-Performance Numerical Computing, J. E. Moreira (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IBM Systems Journal* **39**, No. 1, 21–56 (2000).

Java Server Benchmarks, S. J. Baylor (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *IBM Systems Journal* **39**, No. 1, 57–81 (2000).

A Unifying Approach to Performance Analysis in the Java Environment, W. P. Alexander (IBM Corporation, 11400 Burnet Road, Austin, TX 78758) et al., *IBM Systems Journal* **39**, No. 1, 118–134 (2000).

The Evolution of a High-Performing Java Virtual Machine, W. Gu (IBM Corporation, 11400 Burnet Road, Austin, TX 78758) et al., *IBM Systems Journal* **39**, No. 1, 135–150 (2000).

Java Server Performance: A Case Study of Building Efficient, Scalable Jvms, R. Dimpsey (IBM Corporation, 11400 Burnet Road, Austin, TX 78758) et al., *IBM Systems Journal* **39**, No. 1, 151–174 (2000).

Overview of the IBM Java Just-in-Time Compiler, T. Suganuma (IBM Japan, Ltd., 1623-14 Shimotsuruma, Yamato, Kanagawa 242, Japan) et al., *IBM Systems Journal* **39**, No. 1, 175–193 (2000).

Building a Java Virtual Machine for Server Applications: The Jvm on OS/390, D. Dillenberger (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *IBM Systems Journal* **39**, No. 1, 194–210 (2000).

The Jalapeño Virtual Machine, B. Alpern (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IBM Systems Journal* **39**, No. 1, 211–238 (2000).

The Dependence of Channel Length on Channel Width in Narrow-Channel CMOS Devices for 0.35–0.13- μ m Technologies, T. B. Hook (IBM Corporation, Essex Junction, VT 05452) et al., *IEEE Electron Device Letters* **21**, No. 2, 85–87 (2000).

Extremely High Transconductance Ge/Si_{0.4}Ge_{0.6} P-MODFETs Grown by UHV-CVD, S. J. Koester (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Electron Device Letters* **21**, No. 3, 110–112 (2000).

High-Performance Web Site Design Techniques, A. Iyengar (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Internet Computing* **4**, No. 2, 17–26 (2000).

An Autocompensating Fiberoptic Quantum Cryptography System Based on Polarization Splitting of Light, D. S. Bethune (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and W. P. Risk, *IEEE Journal of Quantum Electronics* **36**, No. 3, 340–347 (2000).

A Scannable Pulse-to-Static Conversion Register Array for Self-Timed Circuits, W. Hwang (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Journal of Solid-State Circuits* **35**, No. 1, 125–128 (2000).

Adaptive Allocation of Resources and Call Admission Control for Wireless ATM Using Genetic Algorithms, M. R. Sherif (City University of New York, New York, NY 10031) et al., *IEEE Journal on Selected Areas in Communications* **18**, No. 2, 268–282 (2000).

Authenticating Network-Attached Storage, B. C. Reed (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Micro* **20**, No. 1, 49–57 (2000).

Altivec Extension to PowerPC Accelerates Media Processing, K. Diefendorff (Cahners Microdesign Resources, 298 South Sunnyvale Avenue, Sunnyvale, CA 94086) et al., *IEEE Micro* **20**, No. 2, 85–95 (2000).

Next Generation Indoor Infrared LANs: Issues and Approaches, T. Ozugur (Georgia Institute of Technology, Atlanta, GA 30332) et al., *IEEE Personal Communications* **6**, No. 6, 6–19 (1999).

Void-Effect Modeling of Flip-Chip Encapsulation on Ceramic Substrate, T. M. Niu (IBM Corporation, Endicott, NY 13760) et al., *IEEE Transactions on Components, Hybrids, and Manufacturing Technology* **22**, No. 4, 484–487 (1999).

Adhesion Issues in Flip-Chip on Organic Modules, S. K. Tran (IBM Corporation, Endicott, NY 13760) et al., *IEEE Transactions on Components, Hybrids, and Manufacturing Technology* **22**, No. 4, 519–524 (1999).

Equivalent Elmore Delay for RLC Trees, Y. I. Ismail (University of Rochester, 601 Elmwood Avenue, Rochester, NY 14627) et al., *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems* **19**, No. 1, 83–97 (2000).

Transient Sensitivity Computation in Controlled Explicit Piecewise Linear Simulation, T. V. Nguyen (IBM Corporation, Research Laboratory, Austin, TX 78717) et al., *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems* **19**, No. 1, 98–110 (2000).

Wide-Band Home Phone Line Characterization, D. Liu (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *IEEE Transactions on Consumer Electronics* **46**, No. 1, 76–86 (2000).

A New Model for the Description of Gate Voltage and Temperature Dependence of Gate-Induced Drain Leakage (GIDL) in the Low Electric Field Region, M. Rosar (Procter & Gamble Co., Frankfurt, Germany) et al., *IEEE Transactions on Electron Devices* **47**, No. 1, 154–159 (2000).

MOSFET Channel Length: Extraction and Interpretation, Y. Taur (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *IEEE Transactions on Electron Devices* **47**, No. 1, 160–170 (2000).

The Influence of Ge Grading on the Bias and Temperature Characteristics of SiGeHBTs for Precision Analog Circuits, S. L. Salmon (Maxim Integrated Products, Beaverton, OR 97005) et al., *IEEE Transactions on Electron Devices* **47**, No. 2, 292–298 (2000).

A Channel Resistance Derivative Method for Effective Channel-Length Extraction in LDD MOSFET, G. F. Niu (Auburn University, Auburn, AL 36849) et al., *IEEE Transactions on Electron Devices* **47**, No. 3, 648–650 (2000).

Lossless Sliding Block Compression of Constrained Systems, J. L. Fan (Stanford University, Stanford, CA 94309) et al., *IEEE Transactions on Information Theory* **46**, No. 2, 624–633 (2000).

SNR and Density Limit Estimates: A Comparison of Longitudinal and Perpendicular Recording, H. N. Bertram (University of California, La Jolla, CA 92093) and M. Williams, *IEEE Transactions on Magnetics* **36**, No. 1, 4–9 (2000).

High K_u Materials Approach to 100 Gbits/in.², D. Weller (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetics* **36**, No. 1, 10–15 (2000).

The Feasibility of Magnetic Recording at 1 Terabit per Square Inch, R. Wood (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193), *IEEE Transactions on Magnetics* **36**, No. 1, 36–42 (2000).

Microstructure and Thermal Stability of Advanced Longitudinal Media, M. F. Doerner (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193), *IEEE Transactions on Magnetics* **36**, No. 1, 43–47 (2000).

Media Noise, Nonlinear Distortions, and Thermal Stability in a High-Density Recording, A. Taratorin (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetics* **36**, No. 1, 80–85 (2000).

Correlation of Thermal Stability and Signal-to-Noise Ratio of Thin-Film Recording Media, T. C. Arnoldussen (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *IEEE Transactions on Magnetics* **36**, No. 1, 92–97 (2000).

New Methodologies for Measuring Film Thickness, Coverage, and Topography, C. M. Mate (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetics* **36**, No. 1, 110–114 (2000).

High Magnetoresistance in Sputtered Permalloy Thin Films Through Growth on Seed Layers of $(\text{Ni}_{0.81}\text{Fe}_{0.19})_{1-x}\text{Cr}_x$, W. Y. Lee (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Magnetics* **36**, No. 1, 381–385 (2000).

Magnetic Properties, Microstructures, and Corrosion Resistance of High-Saturation FeMoN and FeRhN Films for Recording Heads, S. X. Wang (Stanford University, Stanford, CA 94305) et al., *IEEE Transactions on Magnetics* **36**, No. 2, 513–520 (2000).

Anomalous Dose Rate Effects in Gamma-Irradiated SiGe Heterojunction Bipolar Transistors, G. Banerjee (Auburn University, Auburn, AL 36849) et al., *IEEE Transactions on Nuclear Science* **46**, No. 6, 1620–1626 (1999).

The Effects of Proton Irradiation on the RF Performance of SiGeHBTs, S. M. Zhang (Auburn University, Auburn, AL 36849) et al., *IEEE Transactions on Nuclear Science* **46**, No. 6, 1716–1721 (1999).

Total Dose Effects on the Shallow Trench Isolation Leakage Current Characteristics in a 0.35- μ m SiGeBiCMOS Technology, G. Niu (Auburn University, Auburn, AL 36849) et al., *IEEE Transactions on Nuclear Science* **46**, No. 6, 1841–1847 (1999).

Data Mining for Features Using Scale-Sensitive Gated Experts, A. N. Srivastava (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Pattern Analysis and Machine Intelligence* **21**, No. 12, 1268–1279 (1999).

Holistic Verification of Handwritten Phrases, S. Madhvanath (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE Transactions on Pattern Analysis and Machine Intelligence* **21**, No. 12, 1344–1356 (1999).

Statistical Pattern Recognition: A Review, A. K. Jain (Michigan State University, East Lansing, MI 48824) et al., *IEEE Transactions on Pattern Recognition and Machine Intelligence* **22**, No. 1, 4–37 (2000).

Level-Specific Lithography Optimization for 1 GB DRAM, A. K. Wong (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *IEEE Transactions on Semiconductor Manufacturing* **13**, No. 1, 76–87 (2000).

A Survey of Smoothing Techniques for ME Models, S. F. Chen (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and R. Rosenfeld, *IEEE Transactions on Speech and Audio Processing* **8**, No. 1, 37–50 (2000).

Model Complexity Adaptation Using a Discriminant Measure, A. Padmanabhan (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and L. R. Bahl, *IEEE Transactions on Speech and Audio Processing* **8**, No. 2, 205–208 (2000).

The Ball-Pivoting Algorithm for Surface Reconstruction, F. Bernardini (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *IEEE Transactions on Visualization and Computer Graphics* **5**, No. 4, 349–359 (1999).

Improved Track Following in Magnetic Disk Drives Using a Disturbance Observer, M. T. White (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *IEEE—ASME Transactions on Mechatronics* **5**, No. 1, 3–11 (2000).

Resonance Frequency Variation with a Nearby Floated Metal Plate, A. Sakurai (IBM Japan, Ltd., 1623-14 Shimotsuruma, Yamato, Kanagawa 242, Japan) et al., *IEICE Transactions on Communications* **E83B**, No. 3, 555–560 (2000).

Pupil Detection and Tracking Using Multiple Light Sources, C. H. Morimoto (University Sao Paulo, Rua Matao 1010, BR-05508900 Sao Paulo, Brazil) et al., *Image and Vision Computing* **18**, No. 4, 331–335 (2000).

Periodic Points for Onto Cellular Automata, M. Boyle (University of Maryland, College Park, MD 20742) and B. Kitchens, *Indagationes Mathematicae* **10**, No. 4, 483–493 (1999).

Preparation of Thin Coatings of Titanium Compounds with Ion Implantation, M. Mozetic (Institute of Surface Engineering & Optoelectronics, Ljubljana 1000, Slovenia) et al., *Informacije Midem—Journal of Microelectronics, Electronic Components, and Materials* **29**, No. 3, 117–120 (1999).

A 3-Approximation Algorithm for the K-Level Uncapacitated Facility Location Problem, K. Aardal (University of Utrecht, P.O. Box 80089, NL-3508 TB Utrecht, Netherlands) et al., *Information Processing Letters* **72**, No. 5–6, 161–167 (1999).

The IT Imperative in Business Transformation, R. J. Murray (Nolan Norton & Company, Los Angeles, CA) and D. E. Trefts, *Information Systems Management* **17**, No. 1, 17–22 (2000).

Design, Structure, and Optical Properties of Organic-Inorganic Perovskites Containing an Oligothiophene Chromophore, D. B. Mitzi (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Inorganic Chemistry* **38**, No. 26, 6246–6256 (1999).

Fabrication of Multilayer Ferroelectric Films, D. A. Neumayer (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Integrated Ferroelectrics* **25**, No. 1–4, 615–626 (1999).

Properties of Zirconium Doped Sr-Bi-Ta-O Thin Films, R. Barz (Arizona State University, Tempe, AZ 85287) et al., *Integrated Ferroelectrics* **25**, No. 1–4, 627–637 (1999).

Combinatorial Cell Design for CMOS Libraries, F. Beertink (Delft University of Technology, Delft, Netherlands) et al., *Integration—The VLSI Journal* **29**, No. 1, 67–93 (2000).

Cooperative Multiobjective Decision Support for the Paper Industry, S. Murthy (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Interfaces* **29**, No. 5, 5–30 (1999).

Capacity Optimization Planning System (CAPS), S. Bermon (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and S. J. Hood, *Interfaces* **29**, No. 5, 31–49 (1999).

Extended Enterprise Supply Chain Management at IBM Personal Systems Group and Other Divisions, G. Lin (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Interfaces* **30**, No. 1, 7–25 (2000).

Enhanced Co-Scheduling: A Software Pipelining Method Using Module-Scheduled Pipeline Theory, R. Govindarajan (Indian Institute of Science, Bangalore 560012, Karnataka, India) et al., *International Journal of Parallel Programming* **28**, No. 1, 1–46 (2000).

Exchange and Correlation Energy in Density-Functional Theory, R. K. Nesbet (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *International Journal of Quantum Chemistry* **77**, No. 2, 521–525 (2000).

Pathological Foliations and Removable Zero Exponents, M. Shub (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and A. Wilkinson, *Inventiones Mathematicae* **139**, No. 3, 495–508 (2000).

J

Using Java Server Pages: Servlets Made Simple—A Look at the JSP Specification and What It Adds to Standard HTML and How JSPs Are Used to Generate Server-Side Java, K. Brown (IBM Corporation, P.O. Box 12195, Research Triangle Park, NC 27709) and G. Craig, *Java Report* **4**, No. 8, 41+ (1999).

Durable APIs: Serialization, M. Davis (IBM Corporation, Java Technology, Silicon Valley, CA), *Java Report* **4**, No. 8, 65+ (1999).

Design Patterns for Business Frameworks and Applications, B. Carlson (IBM Corporation, Rochester, MN 55901), *Java Report* **5**, No. 3, 34+ (2000).

Object Caching with the Threadlocal Class, J. Raley (IBM Corporation, Cupertino, CA), *Java Report* **5**, No. 4, 28+ (2000).

Hashing and Cloning, M. Davis (IBM Corporation, Armonk, NY 10504), *Java Report* **5**, No. 4, 60+ (2000).

Greedily Finding a Dense Subgraph, Y. Asahiro (Kyushu University, Fukuoka 812, Japan) et al., *Journal of Algorithms* **34**, No. 2, 203–221 (2000).

Cavities and Dislocations Induced in Silicon by MeV He Implantation, S. Godey (National Center of Scientific Research, 3A Rue Ferrollerie, F-45071 Orleans 2, France) et al., *Journal of Applied Physics* **87**, No. 5, 2158–2161 (2000).

Dissociation of Dilute Immiscible Copper Alloy Thin Films, K. Barmak (Carnegie Mellon University, Pittsburgh, PA 15213) et al., *Journal of Applied Physics* **87**, No. 5, 2204–2214 (2000).

Diffusion of Implanted Nitrogen in Silicon, L. S. Adam (University of Florida, Gainesville, FL 32611) et al., *Journal of Applied Physics* **87**, No. 5, 2282–2284 (2000).

Interface Reactions Between Quaternary Cobalt Alloys and Carbon Coating in Thin-Film Disk Media, J. U. Thiele (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *Journal of Applied Physics* **87**, No. 6, 2989–2993 (2000).

Demonstration of Quantum Logic Gates in Liquid Crystal Nuclear Magnetic Resonance, M. Marjanska (University of California, Berkeley, CA 94720) et al., *Journal of Chemical Physics* **112**, No. 11, 5095–5099 (2000).

Robust and Efficient Sharing of RSA Functions, R. Gennaro (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *Journal of Cryptology* **13**, No. 2, 273–300 (2000).

Watching Chips Work: Picosecond Hot Electron Light Emission from Integrated Circuits, J. A. Kash (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and J. C. Tsang, *Journal of Crystal Growth* **210**, No. 1–3, 318–322 (2000).

Atomic Step Dynamics on Periodic Semiconductor Surface Structures, J. M. Blakely (Cornell University, Ithaca, NY 14853) et al., *Journal of Electron Microscopy* **48**, No. 6, 747–752 (1999).

Testing for Function and Performance: Towards an Integrated Processor Validation Methodology, P. Bose (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Journal of Electronic Testing* **16**, No. 1–2, 29–48 (2000).

An Efficient Logic Equivalence Checker for Industrial Circuits, J. Park (IBM Corporation, 11400 Burnet Road, Austin, TX 78758) et al., *Journal of Electronic Testing* **16**, No. 1–2, 91–106 (2000).

Shot-Noise Measurements in Diffusive Normal Metal Superconductor (N-S) Junctions, A. A. Kozhevnikov (Yale University, New Haven, CT 06520) et al., *Journal of Low Temperature Physics* **118**, No. 5–6, 671–678 (2000).

Direct Process Thermal Line Broadening in Tm:YAG, R. M. Macfarlane (IBM Corporation, 650 Harry Road, San Jose, CA 95120), *Journal of Luminescence* **85**, No. 4, 181–186 (2000).

Optimization of TaSiN Thin Films for Use as Oxidation-Resistant Diffusion Barriers, C. Cabral (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Materials Research* **15**, No. 1, 194–198 (2000).

Does an Exact Local Exchange Potential Exist: Questionable, R. K. Nesbet (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and R. Colle, *Journal of Mathematical Chemistry* **26**, No. 1, 233–242 (1999).

Air-Bearing Sliders and Plane-Plane Concave Tips for Atomic Force Microscope Cantilevers, R. P. Ried (Input Output Inc., Stafford, TX 77477) et al., *Journal of Microelectromechanical Systems* **9**, No. 1, 52–57 (2000).

Lamb-Wave Microdevices Fabricated on Monolithic Single-Crystal Silicon Wafers, D. Fischer (University of Vermont, Burlington, VT 05405) et al., *Journal of Microelectromechanical Systems* **9**, No. 1, 88–93 (2000).

Quality Factors in Micron-Thick and Submicron-Thick Cantilevers, K. Y. Yasumura (Stanford University, Stanford, CA 94305) et al., *Journal of Microelectromechanical Systems* **9**, No. 1, 117–125 (2000).

Optimal Decompositions of Barely Separable States, D. P. DiVincenzo (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Journal of Modern Optics* **47**, No. 2–3, 377–385 (2000).

Monomer Capture in Brookhart's Ni(II) Diimine Olefin Polymerization Catalyst: Static and Dynamic Quantum Mechanics/Molecular Mechanics Study, T. K. Woo (University of Calgary, Calgary, Alberta T2N 1N4, Canada) et al., *Journal of Physical Chemistry A* **104**, No. 1, 121–129 (2000).

Key Steps of the cis-Platin-DNA Interaction: Density Functional Theory-Based Molecular Dynamics Simulations, W. Andreoni (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Journal of Physical Chemistry B* **104**, No. 4, 823–835 (2000).

Structural Control of the Surface Frozen Layer in Alcohol Melts, O. Gang (Bar Ilan University, IL-52900 Ramat Gan, Israel) et al., *Journal of Physics—Condensed Matter* **12**, No. 8A, A357–A362 (2000).

Ring-Opening Polymerization of 6-Hydroxynon-8 Enoic Acid Lactone: Novel Biodegradable Copolymers Containing Allyl Pendent Groups, D. Mecerreyes (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of Polymer Science Part A* **38**, No. 5, 870–875 (2000).

Hybrid Dendritic Linear Graft Copolymers: Steric Considerations in Coupling to Approach, C. J. Hawker (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of Polymer Science Part A* **38**, No. 6, 1033–1044 (2000).

Improving Cache Performance with Full-Map Block Directory, J. K. Peir (University of Florida, Gainesville, FL 32611) et al., *Journal of Systems Architecture* **46**, No. 5, 439–454 (2000).

Simple and Efficient Bounded Concurrent Timestamping and the Traceable Use Abstraction, C. Dwork (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and O. Waarts, *Journal of the ACM* **46**, No. 5, 633–666 (1999).

Sample-Efficient Strategies for Learning in the Presence of Noise, N. Cesabianchi (University of Milan, Via Comelico 39, I-2035 Milan, Italy) et al., *Journal of the ACM* **46**, No. 5, 684–719 (1999).

Mechanical- and Physical-Property Changes of Neutron-Irradiated Chemical-Vapor-Deposited Silicon Carbide, M. C. Osborne (Rensselaer Polytechnic Institute, Troy, NY 12180) et al., *Journal of the American Ceramic Society* **82**, No. 9, 2490–2496 (1999).

Manipulation of Surface Properties by Patterning of Covalently Bound Polymer Brushes, M. Husemann (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Journal of the American Chemical Society* **122**, No. 8, 1844–1845 (2000).

Visualizing Document Classification: A Search Aid for the Digital Library, Y. H. Liu (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) et al., *Journal of the American Society for Information Science* **51**, No. 3, 216–227 (2000).

Growth Mechanism of Silicon Deposited by Atmospheric Pressure Chemical Vapor Deposition on Different Ceramic Substrates, B. Von Ehrenwall (IBM Corporation, Route 52, Hopewell Junction, NY 12533) et al., *Journal of the Electrochemical Society* **147**, No. 1, 340–344 (2000).

A Path-Exchange-Type Local Search Algorithm for Vehicle Routing and Its Efficient Search Strategy, N. Park (IBM Japan, Ltd., 1623-14 Shimotsuruma, Yamato, Kanagawa 242, Japan) et al., *Journal of the Operations Research Society of Japan* **43**, No. 1, 197–208 (2000).

Analysis of Stresses Induced by Dynamic Load Head-Disk Contacts, T. C. Fu (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) and D. B. Bogy, *Journal of Tribology* **122**, No. 1, 233–237 (2000).

Magnetic Erasures Due to Impact-Induced Interfacial Heating and Magnetostriction, M. Suk (IBM Corporation, 5600 Cottle Road, San Jose, CA 95193) et al., *Journal of Tribology* **122**, No. 1, 264–268 (2000).

Using a Quartz Crystal Microbalance for Low-Energy Ion-Beam Etching Studies, M. F. Doemling (State University of New York, Albany, NY 12222) et al., *Journal of Vacuum Science & Technology A* **18**, No. 1, 232–236 (2000).

Study of Preequilibrium Sputter Rates for Ultrashallow Depth Profiling with Secondary Ion-Mass Spectrometry, P. A. Ronsheim (IBM Corporation, Route 52, Hopewell Junction, NY 12533) and R. J. Murphy, *Journal of Vacuum Science & Technology B* **18**, No. 1, 501–502 (2000).

L

Pseudomonas-Aeruginosa Virulence Factors Delay Airway Epithelial Wound Repair by Altering the Actin Cytoskeleton and Inducing Overactivation of Epithelial Matrix Metalloproteinase-2, S. Debentzmann (Chu Maison Blanche, 45 Rue Cognacq Jay, F-51092 Reims, France) et al., *Laboratory Investigation* **80**, No. 2, 209–219 (2000).

Thermally Induced Intramolecular Surface Reactions on a Photoimageable Dielectric, A. P. Angelopoulos (University of Massachusetts, Lowell, MA 01854) et al., *Langmuir* **16**, No. 3, 1078–1082 (2000).

Gersgorin Variations I: On a Theme of Pukov and Solovov, A. J. Hoffman (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Linear Algebra and Its Applications* **304**, No. 1–3, 173–177 (2000).

M

Adhesion of Poly(4,4'-Oxydiphenylene Pyromellitimide) to Copper Metal Using a Polymeric Primer: Effects of Miscibility and Polyimide Precursor Origin, J. Yu (Pohang University of Science and Technology, San 31, Pohang 790784, South Korea) et al., *Macromolecular Chemistry and Physics* **201**, No. 5, 491–499 (2000).

ABC BCD Polymerization: A Self-Condensing Vinyl and Cyclic Ester Polymerization by Combination Free-Radical and Ring-Opening Techniques, D. Mecerreyes (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Macromolecules* **32**, No. 26, 8753–8759 (1999).

New Approach to Hyperbranched Polyesters: Self-Condensing Cyclic Ester Polymerization of Bis(hydroxymethyl)-Substituted ϵ -Caprolactone, M. Trollsas (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Macromolecules* **32**, No. 26, 9062–9066 (1999).

Ring-Opening Polymerization of γ -Bromo- ϵ -Caprolactone: A Novel Route to Functionalized Aliphatic Polyesters, C. Detrembleur (University of Liege, B6, B-4000 Liege, Belgium) et al., *Macromolecules* **33**, No. 1, 14–18 (2000).

Mixed Lamellar Films: Evolution, Commensurability Effects, and Preferential Defect Formation, E. Huang (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Macromolecules* **33**, No. 1, 80–88 (2000).

Accurate Structural Control and Block Formation in the Living Polymerization of 1,3-Dienes by Nitroxide-Mediated Procedures, C. J. Hawker (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Macromolecules* **33**, No. 2, 363–370 (2000).

Using Atom Transfer Radical Polymerization To Amplify Monolayers of Initiators Patterned by Microcontact Printing into Polymer Brushes for Pattern Transfer, R. R. Shah (University of Wisconsin, Madison, WI 53706) et al., *Macromolecules* **33**, No. 2, 597–605 (2000).

Reducing Substrate Pinning of Block Copolymer Microdomains with a Buffer Layer of Polymer Brushes, C. Harrison (Princeton University, Princeton, NJ 08544) et al., *Macromolecules* **33**, No. 3, 857–865 (2000).

One-Step Formation of Functionalized Block Copolymers, C. J. Hawker (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Macromolecules* **33**, No. 5, 1505–1507 (2000).

The Challenge of Perpetual Change, D. J. Sweeney (IBM Corporation, Denver, CO 80237), *Management Review* **89**, No. 2, 46 (2000).

Technical Note: Mathematical Properties of the Optimal Product Line Selection Problem Using Choice-Based Conjoint Analysis, K. D. Chen (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and W. H. Hausman, *Management Science* **46**, No. 2, 327–332 (2000).

Development of Lead (Pb)-Free Interconnection Materials for Microelectronics, S. K. Kang (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Metals and Materials—Korea* **5**, No. 6, 545–549 (1999).

Aluminum Dual Damascene Metallization for 0.175- μ m DRAM Generations and Beyond, R. F. Schnabel (Siemens Microelectronics, 1580 Route 52, Hopewell Junction, NY 12533) et al., *Microelectronic Engineering* **50**, No. 1–4, 265–270 (2000).

Generalized Stacking-Fault Energies for Embedded-Atom FCC Metals, J. A. Zimmerman (Sandia National Laboratories, P.O. Box 969, Livermore, CA 94551) et al., *Modelling and Simulation in Materials Science and Engineering* **8**, No. 2, 103–115 (2000).

Two Stellar Mass Functions Combined Into One by the Random Sampling Model of the Initial Mass Function, B. G. Elmegreen (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Monthly Notices of the Royal Astronomical Society* **311**, No. 3, L5–L8 (2000).

N

Quantum Mirages Formed by Coherent Projection of Electronic Structure, H. C. Manoharan (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Nature* **403**, No. 6769, 512–515 (2000).

Quantum Information and Computation, C. H. Bennett (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and D. P. DiVincenzo, *Nature* **404**, No. 6775, 247–255 (2000).

O

Optimal Reliability Allocation with Discrete Cost Reliability Data for Components, S. R. V. Majety (University of Pittsburgh, Pittsburgh, PA 15261) et al., *Operations Research* **47**, No. 6, 899–906 (1999).

A Half-Integral Linear Programming Relaxation for Scheduling Precedence Constrained Jobs on a Single Machine, F. A. Chudak (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and D. S. Hochbaum, *Operations Research Letters* **25**, No. 5, 199–204 (1999).

On the K-Cut Problem, F. Barahona (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Operations Research Letters* **26**, No. 3, 99–105 (2000).

Multiplexed Phase-Conjugate Holographic Data Storage with a Buffer Hologram, G. W. Burr (Universidad Complutense Madrid, Avenida Complutense, E-28040 Madrid, Spain) and I. Leyva, *Optics Letters* **25**, No. 7, 499–501 (2000).

P

Trading Accuracy for Speed in Parallel Simulated Annealing with Simultaneous Moves, M. D. Durand (Princeton University, Princeton, NJ 08544) and S. R. White, *Parallel Computing* **26**, No. 1, 135–150 (2000).

Multicasting Flow Control for Hybrid Wired/Wireless ATM Networks, W. M. Moh (San Jose State University, San Jose, CA 95192) and Y. Chen, *Performance Evaluation* **40**, No. 1–3, 161–194 (2000).

Molecular Beam Study on Interaction Dynamics in a Reactive System: NO on Bare Ru(0001), B. Berenbak (FOM, Kruislaan 407, NL-1098 SJ Amsterdam, Netherlands) et al., *Physical Chemistry Chemical Physics* **2**, No. 4, 919–923 (2000).

Tests of the Locality of Exact Kohn-Sham Exchange Potentials (Article Number 012503), R. K. Nesbet (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and R. Colle, *Physical Review A* **61**, No. 1, 2503+ (2000).

Problem of Equilibration and the Computation of Correlation Functions on a Quantum Computer: Article Number 022301, B. M. Terhal (University of Amsterdam, Valckenierstrasse 65, NL-1018 XE Amsterdam, Netherlands) and D. P. DiVincenzo, *Physical Review A* **61**, No. 2, 2301+ (2000).

Oxygen-Deficient Centers and Excess Si in Buried Oxide Using Photoluminescence Spectroscopy, H. Nishikawa (Tokyo Metropolitan University, 1-1 Minami Osawa, Tokyo 1920397, Japan) et al., *Physical Review B* **60**, No. 23, 5910–5918 (1999).

Equilibrium State of a Metal Slab and Surface Stress, P. M. Marcus (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Physical Review B* **60**, No. 23, 6088–6093 (1999).

Anisotropy of Magnetization Discontinuity at Vortex-Lattice Melting in Untwinned $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$, A. Schilling (University of Zurich, Winterthurerstrasse 190, CH-8057 Zurich, Switzerland) et al., *Physical Review B* **61**, No. 5, 3592–3603 (2000).

Compression Mechanisms in the Anisotropically Bonded Elements Se and Te, H. C. Hsueh (Tamkang University, Tamsui 25137, Taiwan) et al., *Physical Review B* **61**, No. 6, 3851–3856 (2000).

Contrasting Photovoltaic Response and Photoluminescence for Distinct Porous Silicon Pore Structures, J. L. Gole (Georgia Institute of Technology, Atlanta, GA 30332) et al., *Physical Review B* **61**, No. 11, 7589–7594 (2000).

Femtosecond Study of Exciton Dynamics in 9,9-di-*n*-Hexylfluorene/Anthracene Random Copolymers, M. A. Kreger (University of California, Santa Cruz, CA 95064) et al., *Physical Review B* **61**, No. 12, 8172–8179 (2000).

Scalar Quarkonium Masses and Mixing with the Lightest Scalar Glueball: Article Number 014015, W. Lee (Los Alamos National Laboratory, Los Alamos, NM 87545) and D. Weingarten, *Physical Review D* **61**, No. 1, 4015+ (2000).

Higher-Order Dynamics in Lattice-Based Models Using the Chapman-Enskog Method, Y. H. Qian (Exa Corporation, 450 Bedford Street, Lexington, MA 02420) and Y. Zhou, *Physical Review E* **61**, No. 2, 2103–2106 (2000).

Nonuniform Composition Profile in $\text{In}_{0.5}\text{Ga}_{0.5}\text{As}$ Alloy Quantum Dots, N. Liu (University of Texas, Austin, TX 78712) et al., *Physical Review Letters* **84**, No. 2, 334–337 (2000).

Carbon Atom Wires: Charge Transfer Doping, Voltage Crop, and the Effect of Distortions, N. D. Lang (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and P. Avouris, *Physical Review Letters* **84**, No. 2, 358–361 (2000).

New Mechanism for Dislocation Blocking in Strained Layer Epitaxial Growth, E. A. Stach (National Center for Electron Microscopy, Berkeley, CA 94720) et al., *Physical Review Letters* **84**, No. 5, 947–950 (2000).

First Principles Calculation of Transport Properties of a Molecular Device, M. Diventra (Vanderbilt University, Nashville, TN 37235) et al., *Physical Review Letters* **84**, No. 5, 979–982 (2000).

High-Field Quasi-Particle Tunneling in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$: Negative Magnetoresistance in the Superconducting State, N. Morozov (Los Alamos National Laboratory, Los Alamos, NM 87545) et al., *Physical Review Letters* **84**, No. 8, 1784–1787 (2000).

Do Columnar Defects Produce Bulk Pinning? M. V. Indenbom (École Polytechnique, F-91128 Palaiseau, France) et al., *Physical Review Letters* **84**, No. 8, 1792–1795 (2000).

Domain Wall Induced Coupling Between Ferromagnetic Layers, L. Thomas (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Physical Review Letters* **84**, No. 8, 1816–1819 (2000).

Comment on Physical Picture for Light Emission in Scanning Tunneling Microscopy, P. Johansson (Lund University, Solvegatan 14A, S-22362 Lund, Sweden) et al., *Physical Review Letters* **84**, No. 9, 2034 (2000).

Enhanced Instability of Strained Alloy Films Due to Compositional Stresses, B. J. Spencer (State University of New York, Buffalo, NY 14214) et al., *Physical Review Letters* **84**, No. 11, 2449–2452 (2000).

Low-Temperature Scanning Force Microscopy of the $\text{Si}(111)-(7 \times 7)$ Surface, M. A. Lantz (University of Basel, Klingelbergstrasse 82, CH-4056 Basel, Switzerland) et al., *Physical Review Letters* **84**, No. 12, 2642–2645 (2000).

Observation of Vibrational Excitation and Deexcitation for $\text{NO}(\nu=2)$ Scattering from $\text{Au}(111)$: Evidence for Electron-Hole-Pair Mediated Energy Transfer, Y. Huang (University of California, Santa Barbara, CA 93106) et al., *Physical Review Letters* **84**, No. 13, 2985–2988 (2000).

Stable Static Localized Structures in One Dimension, P. Coulet (INLN, 1361 Route Lucioles, F-06560 Valbonne, France) et al., *Physical Review Letters* **84**, No. 14, 3069–3072 (2000).

How Fast Can Cracks Propagate? F. F. Abraham (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and H. J. Gao, *Physical Review Letters* **84**, No. 14, 3113–3116 (2000).

Transport Properties of Hyperbranched and Dendrimer-Like Star Polymers, M. S. Hedenqvist (Royal Institute of Technology, S-10044 Stockholm, Sweden) et al., *Polymer* **41**, No. 5, 1827–1840 (2000).

Self-Adhesion of Poly(4,4'-Oxydiphenylene Biphenyltetracarboximide) and Its Adhesion To Substrates, M. Ree (Pohang University of Science and Technology, San 31, Pohang 790784, South Korea) et al., *Polymer* **41**, No. 6, 2105–2111 (2000).

Explaining the Moon Illusion, L. Kaufman (Long Island University, 720 Northern Boulevard, Greenvale, NY 11548) and J. H. Kaufman, *Proceedings of the National Academy of Sciences of the United States of America* **97**, No. 1, 500–505 (2000).

Retail Inventory Control with Lost Sales, Service Constraints, and Fractional Lead Times, B. A. Kapalka (Canadian Airlines, Richmond, British Columbia V7B 1K3, Canada) et al., *Production and Operations Management* **8**, No. 4, 393–408 (1999).

R

Magnetic Background-Noise Cancellation in Real-World Environments, P. J. Woltgens (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and R. H. Koch, *Review of Scientific Instruments* **71**, No. 3, 1529–1533 (2000).

S

Observation of Antiferromagnetic Domains in Epitaxial Thin Films, A. Scholl (University of California, Berkeley, CA 94720) et al., *Science* **287**, No. 5455, 1014–1016 (2000).

Monodisperse FePt Nanoparticles and Ferromagnetic FePt Nanocrystal Superlattices, S. H. Sun (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *Science* **287**, No. 5460, 1989–1992 (2000).

Translating Biomolecular Recognition into Nanomechanics, J. Fritz (University of Basel, Klingelbergstrasse 82, CH-4056 Basel, Switzerland) et al., *Science* **288**, No. 5464, 316–318 (2000).

VLSI NEMS Chip for Parallel AFM Data Storage, M. Despont (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Sensors and Actuators A* **80**, No. 2, 100–107 (2000).

The Angular Metric Traveling Salesman Problem, A. Aggarwal (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *SIAM Journal on Computing* **29**, No. 3, 697–711 (2000).

Rigorous Time/Space Trade-Offs for Inverting Functions, A. Fiat (Tel Aviv University, IL-69978 Tel Aviv, Israel) and M. Naor, *SIAM Journal on Computing* **29**, No. 3, 790–803 (2000).

Near-Optimal Parallel Prefetching and Caching, T. Kimbrel (IBM Corporation, P.O. Box 704, Yorktown Heights, NY 10598) and A. R. Karlin, *SIAM Journal on Computing* **29**, No. 4, 1051–1082 (2000).

Verification of Identities, S. Rajagopalan (IBM Corporation, 650 Harry Road, San Jose, CA 95120) and L. J. Schulman, *SIAM Journal on Computing* **29**, No. 4, 1155–1163 (2000).

On the Power of Logic Resynthesis, W. L. Lin (Intel Corporation, 2111 NE 25th Avenue, Hillsboro, OR 97124) et al., *SIAM Journal on Computing* **29**, No. 4, 1257–1289 (2000).

Node-Disjoint Paths on the Mesh and a New Trade-Off in VLSI Layout, A. Aggarwal (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) et al., *SIAM Journal on Computing* **29**, No. 4, 1321–1333 (2000).

Dynamo: Design, Implementation, and Evaluation of Cooperative Persistent Object Management in a Local Area Network, J. Yang (IBM Corporation, 30 Saw Mill River Road, Hawthorne, NY 10532) et al., *Software—Practice & Experience* **30**, No. 4, 419–448 (2000).

SiGe for Mainstream Semiconductor Manufacturing, D. C. Ahlgren (IBM Corporation, Route 52, Hopewell Junction, NY 12533) and B. Jagannathan, *Solid State Technology* **43**, No. 1, 53+ (2000).

A New Extension of Lubell's Inequality to the Lattice of Divisors, F. Chudak (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and J. Griggs, *Studia Scientiarum Mathematicarum Hungarica* **35**, No. 3–4, 347–351 (1999).

Resonant Wave Functions and Exchange Effect in Nanostructures, P. J. Price (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Superlattices and Microstructures* **26**, No. 6, 363–365 (1999).

Pure Al Thin-Film Protective Layer to Prevent Stress Migration in Al Wiring for Thin-Film Transistors, H. Takatsuji (IBM Japan, Ltd., 1623-14 Shimotsuruma, Yamato, Kanagawa 242, Japan) et al., *Surface & Coating Technology* **125**, No. 1–3, 167–172 (2000).

T

Technology in Retail, D. Hopping (IBM Corporation, Raleigh, NC 27609), *Technology in Society* **22**, No. 1, 63–74 (2000).

A Sublinear Parallel Algorithm for Stable Matching, T. Feder (IBM Corporation, 650 Harry Road, San Jose, CA 95120) et al., *Theoretical Computer Science* **233**, No. 1–2, 297–308 (2000).

Electrical and Optical Properties of Diamond-Like Carbon, A. Grill (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598), *Thin Solid Films* **356**, 189–193 (1999).

Spontaneous Decomposition and Ordering During Epitaxial Growth, F. Leonard (IBM Corporation, P.O. Box 218, Yorktown Heights, NY 10598) and R. Desai, *Thin Solid Films* **357**, No. 1, 46–52 (1999).

IBM: Student Achievement with Baldrige Concepts and Tools, K. Walsh (IBM Corporation, Armonk, NY 10504), *Training & Development* **54**, No. 2, 63–64 (2000).

Initiation of Lubricant Catalytic Decomposition by Hydrogen Evolution from Contact Sliding on CH_x and CN_x Overcoats, C. Y. Chen (MMC Technologies, 2001 Fortune Drive, San Jose, CA 95131) et al., *Tribology Letters* **8**, No. 1, 25–34 (2000).

U

A Cantilever Array-Based Artificial Nose, M. K. Baller (IBM Corporation, Säumerstrasse 4, 8803 Rüschlikon, Switzerland) et al., *Ultramicroscopy* **82**, No. 1–4, 1–9 (2000).

Finite Element Calculations and Fabrication of Cantilever Sensors for Nanoscale Detection, J. H. Fabian (Paul Scherrer Institute, CH-5232 Villigen, Switzerland) et al., *Ultramicroscopy* **82**, No. 1–4, 69–77 (2000).

V

Clustering Categorical Data: An Approach Based on Dynamical Systems, D. Gibson (University of California, Berkeley, CA 94720) et al., *VLDB Journal* **8**, No. 3–4, 222–236 (2000).

W

A Novel Feedback Scheme to Increase Throughput in Multiple Access Radio Systems, R. O. La Maire (IBM Corporation, P.O. Box 7094, Yorktown Heights, NY 10598) and A. Krishna, *Wireless Networks* **6**, No. 1, 3–15 (2000).

4-D Seismic Simulation of a Complex Turbidite Sand, W. He (Columbia University, Palisades, NY 10964) et al., *World Oil* **219**, No. 9, 59+ (1998).